

# KANSAS BIRDS: Species List for Barber County, KS

## GEESE, SWANS

- \_\_\_ Snow Goose
- \_\_\_ Ross's Goose
- \_\_\_ Greater White-fronted Goose
- \_\_\_ Cackling Goose
- \_\_\_ Canada Goose\*
- \_\_\_ Trumpeter Swan
- \_\_\_ Tundra Swan

## DUCKS

- \_\_\_ Wood Duck§
- \_\_\_ Blue-winged Teal§
- \_\_\_ Cinnamon Teal
- \_\_\_ Northern Shoveler
- \_\_\_ Gadwall
- \_\_\_ American Wigeon
- \_\_\_ Mallard\*
- \_\_\_ Mottled Duck
- \_\_\_ Northern Pintail
- \_\_\_ Green-winged Teal
- \_\_\_ Canvasback
- \_\_\_ Redhead
- \_\_\_ Ring-necked Duck
- \_\_\_ Greater Scaup
- \_\_\_ Lesser Scaup
- \_\_\_ Surf Scoter
- \_\_\_ Bufflehead
- \_\_\_ Common Goldeneye
- \_\_\_ Hooded Merganser
- \_\_\_ Common Merganser
- \_\_\_ Red-breasted Merganser
- \_\_\_ Ruddy Duck

## QUAIL

- \_\_\_ Northern Bobwhite\*

## PHEASANT

- \_\_\_ Ring-necked Pheasant\*

## GROUSE

- \_\_\_ Lesser Prairie-Chicken\*

## TURKEY

- \_\_\_ Wild Turkey\*

## GREBES

- \_\_\_ Pied-billed Grebe
- \_\_\_ Horned Grebe
- \_\_\_ Eared Grebe

## PIGEONS, DOVES

- \_\_\_ Rock Pigeon\*
- \_\_\_ Eurasian Collared-Dove\*
- \_\_\_ Common Ground-Dove
- \_\_\_ White-winged Dove
- \_\_\_ Mourning Dove\*

## CUCKOOS

- \_\_\_ Yellow-billed Cuckoo\*
- \_\_\_ Black-billed Cuckoo
- \_\_\_ Greater Roadrunner\*

## NIGHTJARS

- \_\_\_ Common Nighthawk\*
- \_\_\_ Common Poorwill\*
- \_\_\_ Chuck-will's-widow§

## SWIFTS

- \_\_\_ Chimney Swift§

## HUMMINGBIRDS

- \_\_\_ Ruby-throated Hummingbird\*

## RAILS, GALLINULES

- \_\_\_ Black Rail§
- \_\_\_ King Rail
- \_\_\_ Virginia Rail
- \_\_\_ Sora
- \_\_\_ Common Gallinule
- \_\_\_ American Coot§

## CRANES

- \_\_\_ Sandhill Crane
- \_\_\_ Whooping Crane

## STILTS, AVOCETS

- \_\_\_ Black-necked Stilt\*
- \_\_\_ American Avocet

## PLOVERS

- \_\_\_ Black-bellied Plover
- \_\_\_ American Golden-Plover
- \_\_\_ Snowy Plover
- \_\_\_ Semipalmated Plover
- \_\_\_ Piping Plover
- \_\_\_ Killdeer\*

## SANDPIPERS

- \_\_\_ Upland Sandpiper
- \_\_\_ Whimbrel
- \_\_\_ Long-billed Curlew
- \_\_\_ Hudsonian Godwit
- \_\_\_ Marbled Godwit
- \_\_\_ Ruddy Turnstone
- \_\_\_ Red Knot
- \_\_\_ Stilt Sandpiper
- \_\_\_ Sanderling
- \_\_\_ Dunlin
- \_\_\_ Baird's Sandpiper
- \_\_\_ Least Sandpiper
- \_\_\_ White-rumped Sandpiper
- \_\_\_ Buff-breasted Sandpiper
- \_\_\_ Pectoral Sandpiper
- \_\_\_ Semipalmated Sandpiper
- \_\_\_ Western Sandpiper
- \_\_\_ Short-billed Dowitcher
- \_\_\_ Long-billed Dowitcher
- \_\_\_ American Woodcock
- \_\_\_ Wilson's Snipe
- \_\_\_ Spotted Sandpiper\*
- \_\_\_ Solitary Sandpiper
- \_\_\_ Lesser Yellowlegs
- \_\_\_ Willet

- \_\_\_ Greater Yellowlegs
- \_\_\_ Wilson's Phalarope

## GULLS

- \_\_\_ Bonaparte's Gull
- \_\_\_ Franklin's Gull
- \_\_\_ Ring-billed Gull
- \_\_\_ Herring Gull

## TERNs

- \_\_\_ Least Tern
- \_\_\_ Black Tern
- \_\_\_ Common Tern
- \_\_\_ Forster's Tern

## LOONS

- \_\_\_ Common Loon

## CORMORANTS

- \_\_\_ Neotropic Cormorant
- \_\_\_ Double-crested Cormorant

## PELICANS

- \_\_\_ American White Pelican

## HERONS

- \_\_\_ American Bittern
- \_\_\_ Least Bittern
- \_\_\_ Great Blue Heron\*
- \_\_\_ Great Egret
- \_\_\_ Snowy Egret
- \_\_\_ Little Blue Heron
- \_\_\_ Cattle Egret§
- \_\_\_ Green Heron§
- \_\_\_ Black-crowned Night-Heron
- \_\_\_ Yellow-crowned Night-Heron§

## IBISES

- \_\_\_ White-faced Ibis
- \_\_\_ Roseate Spoonbill

## VULTURES

- \_\_\_ Turkey Vulture\*

## OSPREY, HAWKS, KITES, EAGLES

- \_\_\_ Osprey
- \_\_\_ Swallow-tailed Kite
- \_\_\_ Golden Eagle
- \_\_\_ Northern Harrier\*
- \_\_\_ Sharp-shinned Hawk§
- \_\_\_ Cooper's Hawk\*
- \_\_\_ Northern Goshawk
- \_\_\_ Bald Eagle
- \_\_\_ Mississippi Kite\*
- \_\_\_ Red-shouldered Hawk
- \_\_\_ Broad-winged Hawk
- \_\_\_ Swainson's Hawk\*
- \_\_\_ Red-tailed Hawk\*
- \_\_\_ Rough-legged Hawk
- \_\_\_ Ferruginous Hawk

**BARN OWLS**

\_\_\_ Barn Owl\*

**OWLS**\_\_\_ Eastern Screech-Owl§  
\_\_\_ Great Horned Owl\*  
\_\_\_ Barred Owl\*  
\_\_\_ Burrowing Owl\*  
\_\_\_ Long-eared Owl  
\_\_\_ Short-eared Owl**KINGFISHERS**

\_\_\_ Belted Kingfisher§

**WOODPECKERS**\_\_\_ Red-headed Woodpecker\*  
\_\_\_ Red-bellied Woodpecker\*  
\_\_\_ Yellow-bellied Sapsucker  
\_\_\_ Downy Woodpecker\*  
\_\_\_ Hairy Woodpecker§  
\_\_\_ Northern Flicker\*  
\_\_\_ Pileated Woodpecker**FALCONS**\_\_\_ Crested Caracara†  
\_\_\_ American Kestrel§  
\_\_\_ Merlin  
\_\_\_ Peregrine Falcon  
\_\_\_ Prairie Falcon**FLYCATCHERS**\_\_\_ Ash-throated Flycatcher  
\_\_\_ Great Crested Flycatcher\*  
\_\_\_ Cassin's Kingbird  
\_\_\_ Western Kingbird\*  
\_\_\_ Eastern Kingbird\*  
\_\_\_ Scissor-tailed Flycatcher\*  
\_\_\_ Olive-sided Flycatcher  
\_\_\_ Eastern Wood-Pewee§  
\_\_\_ Willow Flycatcher  
\_\_\_ Least Flycatcher  
\_\_\_ Eastern Phoebe\*  
\_\_\_ Say's Phoebe\*  
\_\_\_ Vermilion Flycatcher**SHRIKES**\_\_\_ Loggerhead Shrike\*  
\_\_\_ Northern Shrike**VIREOS**\_\_\_ White-eyed Vireo  
\_\_\_ Bell's Vireo§  
\_\_\_ Yellow-throated Vireo  
\_\_\_ Philadelphia Vireo  
\_\_\_ Warbling Vireo\*  
\_\_\_ Red-eyed Vireo§**JAYS, MAGPIES, CROWS**\_\_\_ Steller's Jay  
\_\_\_ Blue Jay\*  
\_\_\_ Black-billed Magpie  
\_\_\_ American Crow\***LARKS**

\_\_\_ Horned Lark\*

**SWALLOWS**\_\_\_ Purple Martin\*  
\_\_\_ Tree Swallow\*  
\_\_\_ N. Rough-winged Swallow\*  
\_\_\_ Bank Swallow  
\_\_\_ Cliff Swallow\*  
\_\_\_ Barn Swallow\***CHICKADEES, TITMICE**\_\_\_ Carolina Chickadee\*  
\_\_\_ Black-capped Chickadee§  
\_\_\_ Tufted Titmouse\***NUTHATCHES**\_\_\_ Red-breasted Nuthatch  
\_\_\_ White-breasted Nuthatch\***CREEPERS**

\_\_\_ Brown Creeper

**WRENS**\_\_\_ Rock Wren\*  
\_\_\_ House Wren\*  
\_\_\_ Winter Wren  
\_\_\_ Sedge Wren  
\_\_\_ Marsh Wren  
\_\_\_ Carolina Wren§  
\_\_\_ Bewick's Wren\***GNATCATCHERS**

\_\_\_ Blue-gray Gnatcatcher\*

**KINGLETS**\_\_\_ Golden-crowned Kinglet  
\_\_\_ Ruby-crowned Kinglet**THRUSHES**\_\_\_ Eastern Bluebird\*  
\_\_\_ Mountain Bluebird  
\_\_\_ Townsend's Solitaire  
\_\_\_ Gray-cheeked Thrush  
\_\_\_ Swainson's Thrush  
\_\_\_ Hermit Thrush  
\_\_\_ Wood Thrush  
\_\_\_ American Robin\***THRASHERS**\_\_\_ Gray Catbird\*  
\_\_\_ Brown Thrasher\*  
\_\_\_ Northern Mockingbird\***STARLINGS**

\_\_\_ European Starling\*

**WAXWINGS**

\_\_\_ Cedar Waxwing

**OLD WORLD SPARROWS**

\_\_\_ House Sparrow\*

**PIPITS**\_\_\_ American Pipit  
\_\_\_ Sprague's Pipit**FINCHES**\_\_\_ Evening Grosbeak  
\_\_\_ House Finch§  
\_\_\_ Purple Finch  
\_\_\_ Pine Siskin§\_\_\_ Lesser Goldfinch  
\_\_\_ American Goldfinch§**LONGSPURS**\_\_\_ Lapland Longspur  
\_\_\_ Chestnut-collared Longspur  
\_\_\_ Smith's Longspur**SPARROWS**\_\_\_ Spotted Towhee\*  
\_\_\_ Eastern Towhee  
\_\_\_ Rufous-crowned Sparrow  
\_\_\_ Cassin's Sparrow\*  
\_\_\_ American Tree Sparrow  
\_\_\_ Chipping Sparrow§  
\_\_\_ Clay-colored Sparrow  
\_\_\_ Field Sparrow\*  
\_\_\_ Vesper Sparrow  
\_\_\_ Lark Sparrow\*  
\_\_\_ Black-throated Sparrow  
\_\_\_ Lark Bunting§  
\_\_\_ Savannah Sparrow  
\_\_\_ Grasshopper Sparrow\*  
\_\_\_ LeConte's Sparrow  
\_\_\_ Fox Sparrow  
\_\_\_ Song Sparrow  
\_\_\_ Lincoln's Sparrow  
\_\_\_ Swamp Sparrow  
\_\_\_ White-throated Sparrow  
\_\_\_ Harris's Sparrow  
\_\_\_ White-crowned Sparrow  
\_\_\_ Dark-eyed Junco**CHATS**

\_\_\_ Yellow-breasted Chat

**BLACKBIRDS, ORIOLES**\_\_\_ Yellow-headed Blackbird  
\_\_\_ Bobolink  
\_\_\_ Eastern Meadowlark\*  
\_\_\_ Western Meadowlark\*  
\_\_\_ Orchard Oriole\*  
\_\_\_ Bullock's Oriole\*  
\_\_\_ Baltimore Oriole\*  
\_\_\_ Red-winged Blackbird\*  
\_\_\_ Brown-headed Cowbird\*  
\_\_\_ Rusty Blackbird  
\_\_\_ Brewer's Blackbird  
\_\_\_ Common Grackle\*  
\_\_\_ Great-tailed Grackle§**WARBLERS**\_\_\_ Worm-eating Warbler  
\_\_\_ Louisiana Waterthrush  
\_\_\_ Northern Waterthrush  
\_\_\_ Black-and-white Warbler  
\_\_\_ Tennessee Warbler  
\_\_\_ Orange-crowned Warbler  
\_\_\_ Nashville Warbler  
\_\_\_ Common Yellowthroat\*  
\_\_\_ American Redstart  
\_\_\_ Northern Parula  
\_\_\_ Yellow Warbler§  
\_\_\_ Blackpoll Warbler

\_\_\_ Black-throated Blue Warbler  
\_\_\_ Yellow-rumped Warbler  
\_\_\_ Prairie Warbler  
\_\_\_ Wilson's Warbler

**GROSBEAKS, BUNTINGS**

\_\_\_ Northern Cardinal\*  
\_\_\_ Rose-breasted Grosbeak  
\_\_\_ Black-headed Grosbeak  
\_\_\_ Blue Grosbeak\*  
\_\_\_ Lazuli Bunting  
\_\_\_ Indigo Bunting§  
\_\_\_ Painted Bunting\*  
\_\_\_ Dickcissel\*

† Fewer than ten Kansas records

[ ] Hypothetical species

§ Probable breeding species

\* Confirmed breeding species

Probable and confirmed breeding species as defined by the Kansas Breeding Bird Atlas Project.

This list was compiled from records of the Kansas Ornithological Society, Kansas Breeding Bird Atlas Project, and the Kansas Biological Survey, and annual Christmas Bird Counts.

September 30, 2018

Please report any birds not on this list to Max Thompson, Southwestern College, Dept of Biology, 100 College St., Winfield, KS 67156, [maxt@cox.net](mailto:maxt@cox.net)

Rare birds noted with † should be reported to the Kansas Bird Records Committee (KBRC) care of Chuck Otte, 613 Tamerisk Dr., Junction City, KS 66441, [cotte@ksu.edu](mailto:cotte@ksu.edu)

More information on reporting rare birds can be found at the KBRC home page on the Kansas Ornithological Society's Web site at: <http://ksbirds.org>

Please report additions or errors on this list to Chuck Otte, 613 Tamerisk, Junction City, KS 66441 [cotte@ksu.edu](mailto:cotte@ksu.edu)

286 Species

The taxonomic sequence and nomenclature used in this list follow the *Check-list of North American Birds*, 7<sup>th</sup> edition, American Ornithological Society, 1998, updated through the 59<sup>th</sup> Supplement, 2018, (*The Auk: Ornithological Advances* 135:798-813, 2018).