

Kansas Ornithological Society

BULLETIN

PUBLISHED QUARTERLY

Vol. 55

December, 2004

No. 4

TWENTY-FIVE YEAR INDEX TO THE BULLETIN 1980-2004

Roger L. Boyd¹

This index has entries for authors, common and scientific names of birds, geographic localities (Kansas counties, states other than Kansas and site names listed below), and a limited number of special subjects listed below. Taxonomy and nomenclature follows the American Ornithologists' Union Checklist of North American Birds (Seventh edition, 1998) and subsequent supplements.

I did not index each and every bird species mentioned in every article. The main subject species was indexed from each article, as well as all species listed in the Kansas Bird Records Committee Reports and all species mentioned in the summary of the Winter Bird Counts. Articles that had long lists of species surveyed or counted are included under the heading "Counts and Survey".

Subject headings:

Albinism	Habitats – see also vegetation
Anomaly	Hybrids and Hybridization
Banding Reports and Returns	Kansas Bird Records Committee
Behavior	Kansas Breeding Bird Atlas
Book Reviews	Kansas New Species
Breeding, Nests and Nest Sites (also see Parasitism)	Memoria
Counts and Surveys	Migration
Disease	Molts and Plumage
Food and Feeding Habitats	Mortality
Fossils	Parasitism
	Roosting

Locations: Baker Wetlands; Boyd Woods; Breidenthal Woods; Cheney Reservoir; Cheyenne Bottoms; Clinton Lake; Cimarron NG; Elkhart; Fitch Natural History Reservation; Flinthills; Fort Riley; Hillsdale Lake; John Redmond Reservoir; Kanopolis Lake; Konza Prairie; Marais Des Cygnes WMA; Milford Lake; Quivira NWR; Redhills; Sebelius Reservoir; Shawnee Mission Park; Slate Creek Wetlands; Swartz Canyon; Tuttle Creek Reservoir; Weston Bottoms; Wilson Lake; Wolf Creek Lake.

<i>Accipiter cooperi</i> 33:1-17; 45:1-20; 46:1-20; 50:33-36; 53:1-20	<i>Aechmophorus clarkii</i> 43:18-19; 44:21-23; 44[i.e.45]:36; 48:34-36; 49:26-29; 52:1- 20; 52:24; 54:1-20
<i>A. gentilis</i> 34:1-18; 36:1-20; 37:1-19; 40:1-21; 41:1-19; 44:1-16; 45:1-20; 47:1-20; 53:1- 20; 54:1-20; 55:1-20	<i>A. occidentalis</i> 33:1-17; 39:1-20; 46:1-20, 24; 51:1-20; 52:1-20; 53:1-20; 54:1-20
<i>A. striatus</i> 31:1-16; 32:1-18; 45:1-20; 46:1-20; 48:28; 53:1-20; 54:1-20	<i>Aegolius acadicus</i> 32:1-18; 41:1-19
<i>Actitis macularia</i> 38:1-19; 53:1-20	<i>Aeronautes saxatalis</i> 42:1-21; 43:18-19; 44:21- 23, 30-31; 44[i.e.45]:36; 48:34-36

- Agelaius phoeniceus* 31:17-21; 32:1-18; 35:25-33; 39:33-36; 40:23-28; 45:21-22; 46:1-20, 30-31; 47:1-20; 48:23-24; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20, 21-36; 55:1-20
- Aimophila aestivalis* 51:24
- A. cassinii* 31:17-21; 53:37-39
- A. ruficeps* 34:1-18; 41:1-19; 45:1-20; 50:1-20, 26, 27-28; 51:24; 52:1-20; 53:29-33
- Aix sponsa* 33:1-17; 38:29-33; 39:1-20; 45:1-20; 46:1-20; 47:1-20; 49:1-20; 51:1-20; 52:1-20
- Ajaia ajaja* 52:37-39; 53:25; 55:25-28
- Albinism**, *Agelaius phoeniceus* 45:21-22
- Thyrothorus ludovicianus* 53:21-23
- Troglodytes aedon* 53:21-23
- Ambystoma tigrinum* 49:33-38
- Ammodramus bairdii* 43:18-19; 46:33-36
- A. henslowii* 35:25-33; 40:23-28; 44[i.e.45]:25-28; 51:1-20; 52:1-20, 28
- A. leconteii* 36:1-20; 38:1-19; 39:1-20; 46:1-20; 47:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20
- A. savannarum* 33:29-30; 35:25-33; 40:23-28; 31:17-21;
- Amphispiza belli* 47:1-20, 34-35
- A. bilineata* 44:21-23; 48:34-36; 50:26
- Anas acuta* 36:1-20; 46:1-20; 49:1-20; 51:1-20; 53:1-20
- A. americana* 51:1-20; 53:1-20
- A. clypeata* 32:1-18; 33:1-17; 34:1-18; 36:1-20; 44:1-16; 51:1-20
- A. crecca* 44:1-16; 46:29-30, 39-40; 49:1-20; 51:1-20; 53:1-20; 54:21-36
- A. cyanoptera* 41:1-19; 48:1-20; 52:1-20
- A. discors* 31:1-16; 32:1-18; 33:1-17; 34:1-18; 36:1-20; 37:1-19; 38:1-19; 39:1-20; 40:1-21; 43:1-16; 44:1-16; 45:1-20; 46:1-20; 48:1-20; 51:1-20
- A. penelope* 47:34-35
- A. fuligula* 47:34-35
- A. platyrhynchos* 32:19; 37:1-19; 42:1-21, 27-28; 46:1-20; 49:1-20; 51:1-20; 52:1-20; 53:1-20; 54:21-36
- A. querquedula* 34:29-30; 48:34-36;
- A. rubripes* 46:1-20; 47:1-20; 51:1-20; 53:1-20
- A. strepera* 47:1-20; 49:1-20; 51:1-20; 53:1-20
- Anderson Co. 37:21-29
- Anderson, Ted R. Song Sparrow Nesting in Kansas. 33:23-24
- Anderson, Ted R., and Nancy H. Bonner. Extralimital nesting of the White winged Dove, *Zenaida asiatica* 52:47-48
- Anhinga anhinga*, 43:18-19; 54:39-43; 55:25-28
- Ani, Grove-billed, see *Crotophaga sulcirostris*
- Anomaly**, *Chordeiles minor* 43:17
- Anser albifrons* 33:1-17; 39:1-20; 47:1-20; 48:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 55:1-20
- Anthus rubescens* 31:1-16; 40:1-21; 41:1-19; 52:1-20; 54:1-20
- A. spragueii* 36:1-20; 51:1-20
- Antilocarpa americana* 50:29-35 [i.e.37-43]
- Aphelocoma californica* 41:1-19; 47:1-20; 52:1-20; 54:1-20
- Applegate, Deborah R., see Applegate, Roger D.
- Applegate, Roger D. First Gray Partridge in Kansas. 47:33-34
- Night-Roosting of robins in an Open Hayfield 52:47
- Who Parasitized Whom? 49:39-40
- Fall Weights of Northern Bobwhite and Scaled Quail in Southwestern Kansas. 48:30-33
- Applegate, Roger D., Kyle Van Why, and Brian E. Flock. American Robin re-uses Nest Site. 51:37
- Applegate, Roger D., Brian E. Flock, and Deborah R. Applegate. Effects of Time of Day on Numbers and Activity of Fall Migrant and Wintering Red-tailed Hawks in Eastern Kansas. 54:37-39
- Types of Perches used by Fall Migrant and Wintering Red-tailed Hawks in Kansas. 55:21-24
- Aquila chrysaetos* 33:1-17; 37:1-19; 43:33-37; 44:22-23; 45:1-20; 46:1-20; 50:1-20; 52:1-20
- Archilochus alexandri* 38:33-34; 46:28-29; 48:34-36; 51:23; 52:25; 55:25-28
- A. colubris* 49:26-29; 50:33-36
- Ardea alba* 35:21-22; 39:21-26; 51:1-20
- A. herodias* 32:21-23; 45:1-20; 46:1-20, 25-28; 47:1-20; 49:1-20; 50:1-20; 52:1-20; 54:21-36
- Asio flammeus* 33:1-17; 42:1-21; 46:1-20; 47:1-20; 50:38-39 [ie 46-47]; 52:1-20; 53:1-20; 54:21-36; 55:1-20
- A. otus* 32:1-18; 33:1-17; 36:1-20; 42:1-21, 25-27; 48:33-34; 50:1-20; 53:1-20; 54:42-43; 55:1-20
- Asturina nitida* 41:29-30; 50:23
- Atchison Co. 37:33-37; 53:25-28
- Athene cunicularia* 31:17-21; 33:25-29; 40:1-21; 50:38-39 [ie 46-47]; 51:1-20; 52:1-20; 53:1-20; 54:21-36

- Aythya affinis* 51:1-20; 53:1-20; 54:21-36
A. americana 49:1-20; 51:1-20; 53:1-20
A. collaris 51:1-20; 53:1-20
A. fuligula 47:34-35; 8:34-36;
A. marila 40:1-21; 41:1-19; 46:1-20; 48:1-20;
 50:1-20; 52:1-20; 53:1-20; 54:1-20; 55:1-20
A. valisineria 46:1-20; 49:1-20; 51:1-20; 53:1-20
- Baeolophus bicolor* 40:23-28; 46:1-20; 47:1-20;
 49:1-20; 50:1-20, 33-36; 52:1-20; 53:1-20;
 54:21-36
B. ridgwayi 52:26-27; 53:27
- Baker Wetlands, 45:21-22; 53:33-36
- Ball, Lisa G., Kristof Zyskowski, and Griselda Escalona-Segura. Recent Bird Mortality at a Topeka Television Tower. 46:33-36.
- Banding Reports and Returns,**
Agelaius phoeniceus 39:33-36
Bubulcus ibis 49:33-38
Carpodacus purpureus 35:39
Carduelis pinus 35:24
Nycticorax nycticorax 49:33-38
Progne subis 34:23-24
Sialia sialis 42:30-31
- Barber, Brian R., see Robbins, Mark. B.
 Barber Co. 53:25-28, 29-33, 37-39
- Barn Owl, see *Tyto alba*
- Barred Owl, see *Strix varia*
- Barton Co. 39:33-36; 42:29-30; 51:22-24;
 52:39-42; 52:42-47
- Bartramia longicauda* 33:29-30; 38:29-33
- Behavior** (see also entries under Nests and Nest Sites and Food and Feeding Habits), 51:32
Ardea alba 39:21-26
Caprimulgus vociferus 53:23-24 (avian predation), 39-40 (lunar eclipse)
Certhia americana (downward climbing) 31:21-22
Cyanocitta cristata (ambush attack) 31:25-26
Passer domesticus 36:25-26
 Response to *Molothrus ater* Parasitism 33:32-34
Spizella arborea (fly-catching) 54:45-46
Strix varia (sunning) 50:38-39, 46-47
Turdus migratorius (roosting) 52:47
- Bennet, Elizabeth, see Parker, James
- Besser, Jerome F., and Dolores K. Steffen. Breeding and Wintering Areas of Red-winged Blackbirds Banded in Barton Co., Kansas. 39:33-36
- Betts, Amelia, see Kelley, Katharine et al.
- In Memoriam 36:23-24
Bison bison 50:29-35 [i.e.37-43]
 Bittern, Least, see *Ixobrychus exilis*
 Blackbird, Brewer's, see *Euphagus cyanocephalus*
 Red-winged, see *Agelaius phoeniceus*
 Rusty, see *Euphagus carolinus*
 Yellow-headed, see *Xanthocephalus xanthocephalus*
- Blarina carolinensis* 53:33-36
- Bluebird, Eastern, see *Sialia sialis*
 Mountain, see *Sialia currucoides*
 Western, see *Sialia mexicana*
- Bobwhite, Northern, see *Colinus virginianus*
- Bombycilla cedrorum* 31:1-16; 38:1-19; 47:1-20; 48:1-20; 51:33-35; 54:21-36
B. garrulus 32:1-18; 36:1-20; 38:1-19; 41:1-19; 44:1-16; 48:1-20; 50:1-20; 53:27
Bonasa umbellus 41:1-19
- Bond, John S. see Cable, Ted T.
 Bonner, Nancy, see Anderson, Ted. R.
- Book Reviews,**
 Arkansas Birds, Their Distribution and Abundance. 39:26
 The Audubon Society Handbook for Birders. 32:39
 Bird Conservation: No. 1. 34:30
 Birding with a Purpose: Of Raptors, Gaboons and Other Creatures. 36:24
 Birds in Kansas. 41:30-31
 The Birdwatcher's Companion: an Encyclopedic Handbook of North American Birdlife. 34:19-20
 Cheyenne Bottoms, Wetland in Jeopardy 43:19-20
 Diets of Birds in Captivity. 32:45-46
 Ecology and Conservation of Grassland Birds. 40:31-32
 A Guide to Bird Finding in Kansas and Western Missouri. 39:27-28
 Iowa Birdlife. 44:31
 Pheasants of the World. 38:24
 Poisonous Plants of the Central United States. 32:46
 SCANS Key to Birdwatching. 34:30-31
 Summer Bird Feeding. 40:32
- Bostwick, Kimberly S. see Kluza, Daniel A. et al.
- Bourbon Co. 34:26-27
- Boyd, Ivan L. In Memoriam: Herschel T. Gier, 31:16
 In Memoriam. 37:30-31
- Boyd, Roger L. also see Cink, Calvin L. and -;

- Highfill, Kenneth M. and -, Kelley, Katharine et al.
 Distribution and Abundance of Snowy Plovers in Kansas and Northern Oklahoma. 32:25-28
 In Memoriam: Ivan L. Boyd 37:30-31
 First Nesting Record of the Ash-throated Flycatcher in Kansas and an Additional Nesting Record for the Black-billed Magpie. 36:34
 First Nesting Record of the Cerulean Warbler in Kansas. 37:37-38
- Boyd, Roger L., Ed, Jean, and Margaret Schulenberg,
 Black-bellied Whistling Duck at Quivira National Wildlife Refuge. 31:38
- Boyd Woods 53:23-24; 54:47-48
Brachyramphus perdix 49:26-29
 Brambling, see *Fringilla montifringilla*
- Branan, W.V., and H.C. Burdick. Bird Species Composition in a Missouri Park. 32:41-45
- Brant, see *Branta bernicla*
Branta bernicla 47:34-35; 50:1-20;
B. canadensis 42:1-21; 46:1-20; 47:1-20; 48:28; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:21-36; 55:1-20
- Brecheisen, William R. and Eva M.
 Trumpeter Swans Wintering in Kansas. 37:29-30
- Breeding, Nests and Nest Sites** (also see Parasitism)
Ammodramus henslowii 44[i.e.45]:25-28
Anas crecca 46:29-30
Aquila chrysaetos 43:33-37
Ardea alba 39:21-26
Ardea herodias 32:21-23
Bombycilla cedrorum 51:33-35
Bubo virginianus 48:23-24
Bubulcus ibis 49:33-38
Caprimulgus vociferus 53:23-24
Carduelis pinus 35:40
Charadrius montanus 34:21-22; 50:29-35 [i.e. 37-43]
Circus cyaneus 34:25; 35:24
Cistothorus platensis 33:22-23
Dendroica dominica 32:18; 43:27-30
D. pennsylvanica 35:22
Dryocopus pileatus 34:27-28
Elanus leucurus 41:26-28
 Hail Damage, multiple species 33:29-30
Haliaeetus leucocephalus 40:35-36; 41:21-24; 44[i.e.45]:29-35; 49:29-32; 50:29-33; 51:37-39
Hirundo rustica 54:46-47
Ixobrychus exilis 35:37-39
 Konza Species 38:29-33; 40:23-28
Melospiza melodia 33:23-24
Myiarchus cinerascens 36:34; 42:37-38
Nycticorax nycticorax 49:33-38
Parula americana 32:18
Pica hudsonia 36:34; 51:25-28
Plegadis chihi 34:26; 49:33-38
Podiceps nigricollis 34:27
Poecile carolinensis 32:18
Otus kennicottii 42:37-38
 Red Hills – 8 species, 53:37-39
Sayornis phoebe 42:29; 54:47-48
Scolopax minor 34:26-27
Seiurus aurocapillus 33:17-19
Sialia currucoides 49:21-29
S. sialia 49:21-29
Sitta canadensis 33:37-39
Spizella breweri 31:26
Tachycineta bicolor 31:23-24; 41:24
T. thalassina 38:35
Thryomanes bewickii 38:23-24
Toxostoma curvirostre 31:24-25
Turdus migratorius 51:37
Tyto alba 44:33-39; 53:33-36
Zenaidra asiatica 52:47-48
- Breidenthal Woods 53:23-24
 Brier, Joanne, see Schwilling, Marvin D.
 Brown Co. 37:33-37
 Brunson, Ken. Letter to the Editor. 44:22-23
 Bryant, Ralph L. White-faced Ibis Nests at Quivira National Wildlife Refuge. 34:26
 Eared Grebes Make First Recorded Nesting Attempt in Kansas. 34:27
Bubo virginianus 38:29-33; 40:1-21; 42:1-21; 44:17-21; 47:1-20; 48:23-24; 49:33-38; 50:33-36; 54:21-36
Bubulcus ibis 35:21-22; 48:28; 49:33-38
Bucephala albeola 49:1-20; 51:1-20
B. clangula 37:1-19; 42:27-28; 43:1-16; 44:1-16; 45:1-20; 46:1-20; 49:1-20; 51:1-20; 53:1-20; 54:1-20; 55:1-20
B. islandica 40:1-21; 42:27-28; 48:34-36; 49:26-29; 51:1-20; 52:25; 53:25
- Bufflehead, see *Bucephala albeola*
 Bunting, Indigo, see *Passerina cyanea*
 Lark, see *Calamospiza melanocorys*
 Lazuli, see *Passerina amoena*
 Painted, see *Passerina ciris*
 Snow, see *Plectrophenax nivalis*
 Burdick, H.C., see Branan, W.V.

- Busby, William H. Also see Rice, Nathan H. et al.
Cheyenne Bottoms, Wetland in
Jeopardy (Book Review) 43:19-20
- Busby, William H., S. Patti, and M. Rader.
Summer Record of the Rufous-crowned
Sparrow in Kansas. 50:27-28
- Buteo albonotatus* 52:42-29
- B. jamaicensis* 33:1-17; 38:29-33; 40:1-21, 33-
34; 41:25-26; 42:1-21; 45:1-20; 46:1-20;
47:29-33; 50:1-20, 33-36; 51:1-20, 39-40;
54:21-36, 37-39; 55:21-24
- B. j. harlani* 40:31; 42:25-27; 45:1-20; 51:1-
20; 52:1-20, 42-47; 53:1-20
- B. j. kriderii* 40:31; 51:1-20; 52:1-20; 53:1-20
- B. lagopus* 33:1-17; 41:25-26; 46:1-20; 50:1-
20; 52:1-20; 53:1-20; 54:21-36
- B. lineatus* 34:1-18; 46:1-20; 47:1-20; 50:23;
52:27-28; 53:1-20
- B. nitidus*, see *Asturina nitida*
- B. platypterus* 47:1-20; 50:33-36
- B. regalis* 38:1-19, 33; 39:1-20; 43:1-16; 45:1-
20; 46:1-20; 49:1-20; 51:1-20; 52:1-20;
53:1-20
- B. swainsoni* 31:17-21; 52:1-20
- Buteogallus anthracinus* 52:42-47
- Butorides virescens* 34:1-18; 38:29-33; 40:1-21;
48:28
- Butler Co. 51:31-32; 53:25-28
- Cable, Ted T. Pacific Loon Captured at
Milford Lake. 38:26-27
A Little Gull Record for Tuttle Creek
Lake. 40:31
- Cable, Ted T., and John S. Bond. Food
Habits of a Harlan's Hawk and Long-
eared Owls in Kansas. 42:25-27
The Food Habits of Barn Owls in
Pinyon-Sage Habitat. 42:36-37
- Cable, Ted T., David A. Rintoul. Thayer's
Gull in Riley County: First Documented
Occurrence in Kansas. 36:21-22
- Calamospiza melanocorys* 31:1-16, 17-21; 32:1-
18; 35:25-33; 40:1-21; 42:1-21; 44:1-16;
46:1-20, 36-39; 47:1-20; 50:39-40 [i.e.
47-48]
- Calcarius lapponicus* 31:1-16; 35:1-19; 42:1-
21; 43:1-16; 44:1-16; 45:1-20; 46:1-20;
47:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-
20; 53:1-20; 54:1-20, 21-36; 55:1-20
- C. mccownii* 31:1-16; 40:1-21; 42:1-21; 49:1-
20; 51:1-20; 52:1-20; 53:1-20
- C. ornatus* 31:1-16; 44:1-16; 47:1-20; 49:1-20;
51:1-20; 52:1-20
- C. pictus* 31:1-16; 38:1-19; 40:1-21; 41:1-19;
45:1-20; 49:1-20; 53:1-20
- Calidris alpina* 46:1-20; 51:1-20; 55:25-28
- C. canutus* 52:28
- C. ferruginea* 43:18-19; 50:24; 54:39-43
- C. fuscicollis* 53:26; 54:39-43
- C. mauri* 47:1-20
- C. minutilla* 36:1-20; 39:1-20; 50:1-20; 51:1-
20; 52:1-20; 54:1-20
- C. pusilla* 51:1-20
- Callipepla squamata* 31:17-21; 48:30-33; 49:1-
20; 50:1-20; 51:1-20; 54:1-20
- Calypte anna* 42:22-23; 43:18-19; 46:1-20, 28-
29; 49:26-29; 52:25-26
- C. costae* 44:29-3044[i.e.45]:36; 46:28-29
- Canis latrans* 53:23-24
- Canvasback, see *Aythya valisineria*
- Caprimulgus carolinensis* 48:33-34; 50:33-36;
53:37-39, 39-40
- C. vociferus* 50:33-36; 53:23-24, 39-40
- Caracara, Cheriway 55:25-28
- Caracara, Crested, see *Caracara cheriway*
- Cardinal, Northern, see *Cardinalis cardinalis*
- Cardinalis cardinalis* 33:34-37; 35:25-33; 40:1-
21, 26; 42:1-21; 46:1-20; 47:1-20; 49:1-20;
50:33-36; 52:1-20, 42-47; 54:21-36
- C. sinuatus* 43:30-31; 44:1-16; 45:1-20; 46:28-
29; 47:34-35; 48:34-36; 52:27
- Carduelis flammea* 32:1-18; 33:1-17; 34:1-18;
36:1-20; 38:1-19; 41:1-19; 47:1-20; 48:1-
20; 53:1-20; 54:1-20
- C. pinus* 31:1-16; 32:1-18; 34:1-18; 35:1-19,
24, 29, 40; 40:1-21; 43:1-16; 44:1-16;
45:1-20; 46:1-20; 47:1-20; 48:1-20; 49:1-
20; 50:1-20, 39-40 [i.e. 47-48]; 51:1-20;
52:1-20; 53:1-20; 54:21-36; 55:1-20
- C. psaltria* 31:21; 33:1-17; 43:18-19; 44:21-
23; 48:34-36; 50:1-20; 55:25-28
- C. tristis* 40:1-21, 27; 42:1-21; 44:1-16; 45:1-
20; 46:1-20; 47:1-20; 48:1-20; 49:1-20;
50:1-20, 33-36, 39-40 [i.e. 47-48]; 51:1-
20; 52:1-20; 53:1-20; 54:21-36; 55:1-20
- Carnus hemaapterus* 53:33-36
- Carpodacus cassinii* 49:26-29
- C. mexicanus* 36:23; 41:1-19; 42:1-21, 33-36;
43:1-16; 44:1-16; 45:1-20; 46:1-20; 47:1-
20; 49:1-20; 50:1-20; 51:1-20; 52:1-20;
53:1-20; 54:21-36; 55:1-20
- C. purpureus* 31:1-16; 35:39; 43:1-16; 44:1-16;
45:1-20; 46:1-20; 47:1-20; 48:1-20; 51:1-
20; 52:1-20; 53:1-20; 54:21-36
- Casmerodius albus* see *Ardea alba*
- Catbird, Gray, see *Dumetella carolinensis*

- Cathartes aura* 37:1-19; 50:1-20, 33-36; 51:1-20; 54:1-20; 55:1-20
- Catharus guttatus* 31:1-16; 32:1-18; 33:1-17; 34:1-18; 35:1-19; 36:1-20; 37:1-19; 38:1-19; 41:1-19; 42:1-21; 45:1-20; 46:1-20; 47:1-20; 50:1-20; 51:1-20; 54:1-20
- Catherpes mexicanus* 44:21-23; 45:1-20; 46:28-29; 47:1-20; 48:34-36; 50:26
- Catoptrophorus semipalmatus* 51:1-20
- Cattle Egret, see *Bubulcus ibis*
- Cavitt, John F., A.T. Pearse, and D. A. Rintoul. Hybridization of Mountain Bluebird and Eastern Bluebird in Northeastern Kansas. 49:21- 25
- Certhia americana* 31:21-22; 47:1-20; 53:1-20; 54:1-20, 21-36
- Ceryle alcyon* 38:29-33; 46:1-20; 47:1-20; 54:21-36
- C. torquata* 51:24
- Chaetura pelagica* 38:29-33; 50:33-36
- Champeny, Wallace, see Thompson, Max C.
- Chandler, Robert M. The First Record of a Prairie Falcon from the Pleistocene of Kansas. 38:27
- Polydactyly in a Common Nighthawk 43:17
- Charadriiform (Survey) 52:29-36
- Charadrius alexandrinus* 32:25-28
- C. montanus* 34:21-22; 46:22-23; 50:29-35 [i.e.37-43]; 52:25; 54:39-43
- C. semipalmatus* 31:1-16;
- C. vociferus* 31:1-16, 17-21; 38:29-33; 46:1-20; 47:1-20; 50:29-35 [i.e.37-43]; 51:1-20; 54:21-36
- C. wilsonia* 47:34-35
- Charlton, Ralph E., see Winter, Stephen L.
- Chat, Yellow-breasted, see *Icteria virens*
- Chautauqua Co. 51:22-24
- Chen caerulescens* 37:1-19; 42:1-21; 46:1-20; 47:1-20; 49:1-20; 50:1-20; 53:1-20; 54:1-20; 55:1-20
- C. rossii* 38:1-19; 42:1-21; 44:1-16; 45:1-20; 46:1-20; 47:1-20; 53:1-20; 54:1-20; 55:1-20
- Cheney Reservoir 53:25-28
- Cherokee Co. 32:18-19, 21-23; 53:25-28
- Cheyenne Bottoms 32:25-28; 43:19-20; 51:1-20, 22-24; 52:28, 39-42; 53:25-28
- Chickadee, Black-capped, see *Poecile atricapilla*
- Carolina, see *Poecile carolinensis*
- Mountain, see *Poecile gambeli*
- Chipman, Richard, see Parker, James
- Chondestes grammacus* 31:1-16, 17-21; 32:1-18; 35:25-33; 50:33-36; 53:1-20
- Chordeiles acutipennis* 52:25; 55:25-28
- C. minor* 31:17-21; 33:29-30; 38:29-33; 44:17; 50:33-36
- Chuck-will's-widow, see *Caprimulgus carolinensis*
- Cimarron National Grassland 50:29-35 [i.e.37-43]; 51:1-20, 22-24; 52:24-27; 53:25-28
- Cink, Calvin L. also see Kelley, Katharine et al.
- Ambush-like Predation by a Blue Jay on Fledgling House Sparrows, 31:25-26
- American Woodcock Migration Records from Northeastern Kansas. 33:21
- Snake Predation on Nestling Eastern Phoebe Followed by Turtle Predation on Snake. 42:29
- Breeding Recovery of a Kansas Eastern Bluebird Banded as a Nestling. 42:30-31
- Avian Predation on Eggs of the Whip-poorwill. 53:23-24
- Calling and Foraging Behavior of Whip-poor-wills During a Lunar Eclipse. 53:39-40
- Avian Pox in a Kansas Song Sparrow. 54:42-43
- Costs of Nest Site Selection for a Cistern-nesting Eastern Phoebe. 54:47-48
- Cink, Calvin L. and Roger L. Boyd.
- Ovenbird Nesting in Douglas County, Kansas. 33:17-19
- The Winter Bird Count for 2001. 53:1-20
- The Winter Bird Count for 2002. 54:1-20
- The Winter Bird Count for 2003. 55:1-20
- Circus cyaneus* 33:1-17; 34:25; 35:24; 38:29-33; 40:1-21; 41:25-26; 42:1-21; 45:1-20; 46:1-20; 48:1-20; 49:1-20; 52:1-20; 53:1-20; 54:21-36
- Cistothorus palustris* 31:1-16; 32:1-18; 35:1-19; 45:1-20; 46:1-20; 47:1-20; 53:21-23
- C. platensis* 31:1-16; 33:22-23; 38:1-19; 40:23-28; 42:1-21; 51:1-20; 52:1-20
- Clangula hyemalis* 34:1-18; 36:1-20; 38:1-19; 39:1-20; 42:1-21; 43:1-16; 46:1-20; 47:1-20; 48:1-20; 52:1-20; 53:1-20; 54:1-20; 55:1-20
- Clark Co. 53:29-33, 37-39
- Clinton Lake 40:35-36; 41:21-24; 44[i.e.45]:29-35; 47:29-33; 48:21-23; 49:29-32
- Clay Co. 37:33-37
- Cnemidophorus sexlineatus* 50:39-40 [i.e. 47-48]
- Coccothraustes vespertinus* 31:1-16; 32:1-18; 33:1-17; 34:1-18; 36:1-20; 37:1-19; 38:1-19; 48:1-20, 33-34; 52:1-20; 53:1-20; 54:1-20

- Coccyzus americanus* 31:17-21; 35:25-33;
38:29-33; 48:33-34; 50:33-36
- C. erythrophthalmus* 38:29-33
- Coffey Co. 52:24-28; 53:25-28
- Colaptes auratus* 31:17-21; 38:29-33; 40:1-21;
42:1-21; 46:1-20; 49:1-20; 50:1-20, 33-36;
51:1-20; 52:1-20, 42-47; 54:21-36
- Colinus virginianus* 31:1-16, 17-21; 36:1-20;
38:29-33; 42:1-21; 48:30-33; 49:1-20, 39-
40; 50:1-20, 33-36; 51:1-20; 52:1-20;
53:1-20; 54:1-20, 21-36
- Colorado, 53:29-33, 37-39
- Columba livia* 35:33-36; 36:32-33; 38:21-23,
32; 40:1-21; 42:1-21; 49:1-20; 50:1-20;
51:1-20; 52:1-20; 54:21-36
- Columbina inca* 39:1-20; 41:1-19; 44:1-16;
44[i.e.45]:36; 47:1-20; 48:1-20; 50:1-20;
51:1-20; 52:1-20, 25; 53:1-20, 26; 54:1-
20, 39-43; 55:1-20, 25-28
- C. passerina* 33:1-17; 54:39-43
- Comanche Co. 53:29-33, 37-39
- Contopus cooperi* 50:27
- C. virens* 40:23-28; 50:33-36
- Coot, American, see *Fulica americana*
- Coragyps atratus* 50:23; 52:27; 53:25, 28;
55:25-28
- Cormorant, Double-crested, see
Phalacrocorax auritus
- Corvus brachyrhynchos* 31:17-21; 40:1-21;
42:1-21; 49:33-38; 50:33-36, 35-38 [i.e.
43-46]; 51:1-20, 21-22; 52:1-20; 53:1-20;
54:21-36
- C. corax* 49:26-29
- C. cryptoleucus* 31:1-16, 17-21; 46:1-20; 48:1-20;
49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20;
54:1-20; 55:1-20
- Corvus ossifragus* 44:21-23; 46:28-29; 49:26-
29; 51:23; 52:26; 54:39-43; 55:25-28
- Coturnicops noveboracensis* 46:33-36; 48:25-27
- Counts and Surveys**
- Cardinalis cardinalis* 33:34-37
- Carpodacus mexicanus* 42:30-31
- Charadriiform Birds 52:29-36
- Corvus brachyrhynchos* 50:35-38 [i.e. 43-
46]; 51:21-22
- Fifty Years in Harvey County 54:21-36
- Fifty Years in NE Kansas 50:33-36
- Harvey County 50 years CBC, 54:21-36
- Hawks along Highway 41:25-26
- Mid-Winter Count 31:1-16; 32:1-18;
33:1-17; 34:1-18; 35:1-19; 36:1-20; 37:1-
19; 38:1-19; 39:1-20; 40:1-21; 41:1-19;
42:1-21; 43:1-16; 44:1-16; 45:1-20; 46:1-
20; 47:1-20; 48:1-20; 49:1-20; 50:1-20;
51:1-20; 52:1-20; 53:1-20; 54:1-20
- Riparian Forests 37:33-37; 43:21-27
- Shorebirds 33:21-22
- Snowy Plovers in Kansas and Northern
Oklahoma 32:25-28
- Southeastern Kansas BBS 32:29-39
- Strix varia* 43:37-39
- Swope Park 32:41-45
- Cowbird, Brown-headed, see *Molothrus ater*
- Cowley Co. 34:27-28; 44:33-39; 53:25-28
- Crane, Sandhill, see *Grus canadensis*
- Whooping, see *Grus americana*
- Crawford Co. 51:22-24; 53:25-28
- Creeper, Brown, see *Certhia americana*
- Crossbill, Red, see *Loxia curvirostra*
- White-winged, see *Loxia leucoptera*
- Crotophaga sulcirostris* 31:37-38
- Crow, American, see *Corvus brachyrhynchos*
- Fish, see *Corvus ossifragus*
- Cryptotis parva* 53:33-36
- Cuckoo, Black-billed, see *Coccyzus*
erythrophthalmus
- Yellow-billed, see *Coccyzus americanus*
- Cully, Jack F., Jr., see Winter, Stephen L.
- Curlew, Long-billed, see *Numenius americanus*
- Cyanocitta cristata* 31:17-21, 25-26; 40:23-28;
42:1-21; 50:33-36; 53:23-24; 54:21-36
- C. stelleri* 41:1-19; 54:1-20; 55:25-28
- Cygnus buccinator* 37:21-29; 43:1-16; 47:1-20;
48:34-36; 50:1-20; 52:1-20, 25; 55:1-20
- C. columbianus* 38:1-19; 41:1-19
- C. olor* 47:1-20; 50:1-20; 51:24; 54:1-20
- Decatur Co. 33:25-29
- Dendrocygna autumnalis* 48:34-36; 50:23;
55:25-28
- Dendroica caerulescens* 46:33-36; 52:27
- D. cerulea* 31:27-28; 37:37-38; 47:37-40
- D. coronata* 34:1-18; 35:1-19; 38:1-19; 48:1-
20, 33-34; 54:21-36
- D. coronata auduboni* 42:1-21; 47:1-20; 50:1-
20; 51:1-20; 52:1-20
- D. coronata coronata* 52:1-20; 53:1-20
- D. discolor* 35:25-33; 51:24; 53:27
- D. dominica* 32:18-19; 43:27-30; 47:37-40
- D. gaciae* 44:21-23
- D. nigrescens* 51:24
- D. palmarum* 51:1-20
- D. pensylvanica* 35:22
- D. petechia* 31:17-21; 35:25-33
- D. pinus* 50:26; 51:1-20, 24; 52:1-20
- D. striata* 46:33-36; 53:27

- D. tigrina* 34:1-18; 46:33-36; 52:27
D. townsendi 48:34-36;
 Dick, J. D. and J. D. Rising. First Record of Costa's Hummingbird for Kansas. 44:29-30
 Dickcissel, see *Spiza americana*
 Dickerman, Robert W., Identification of Red-tailed Hawks Wintering in Kansas. 40:33-34
 The Subspecies of the Great Horned Owls of the Central Great Plains, with Notes on Adjacent Areas. 44:17-21
 Dingus, Wilson J. In Memoriam. 39:32
Disease *Melospiza melodia* 54:44
 Douglas Co. 31:37-38; 33:17-19; 51:22-24, 24-28; 53:23-24, 26, 33-36, 39-40
 Dove, Carla, see Hubbard, John P. et al.
 Dove, Common Ground-dove, see *Columbina passerina*
 Eurasian Collared-, see *Streptopelia decaocto*
 Inca, see *Columbina inca*
 Mourning, see *Zenaida macroura*
 Ringed Turtle-, see *Streptopelia risoria*
 Rock, see *Columba livia*
 White-winged, see *Zenaida asiatica*
 Dowitcher, Long-billed, see *Limnodromus scolopaceus*
Dryocopus pileatus 34:27-28; 43:1-16, 21-27; 45:1-20; 46:1-20; 47:1-20; 50:1-20; 51:1-20; 52:1-20, 42-47; 53:1-20
 Duck, American Black, see *Anas rubripes*
 Black-bellied Whistling-, see *Dendrocygna autumnalis*
 Bufflehead, see *Bucephala albeola*
 Canvasback, see *Aythya valisineria*
 Gadwall, see *Anas streptera*
 Mallard, see *Anas platyrhynchos*
 Old Squaw (Long-tailed), see *Clangula hyemalis*
 Pintail, N., see *Anas acuta*
 Redhead, see *Aythya americana*
 Ring-necked, see *Aythya collaris*
 Shoveler, N., see *Anas clypeata*
 Tufted, see *Aythya fuligula* and *Anas fuligula*
 Wigeon, Am., see *Anas americana*
 Wood, see *Aix sponsa*
Dumetella carolinensis 32:1-18; 34:1-18; 35:25-33; 36:1-20; 37:1-19; 38:1-19; 39:1-20; 40:23-28; 46:1-20; 49:1-20; 50:1-20; 52:1-20; 53:1-20; 54:1-20
 Dunlin, see *Calidris alpina*
 Dwyer, Michael W. Breeding Biology of the Great Egret in Sedgwick Co., Kansas. 39:21-26
 Eagle, Bald, see *Haliaeetus leucocephalus*
 Golden, see *Aquila chrysaetos*
Ectopistes migratorius 46:23-24
 Edwards Co. 51:22-24
 Edwards, Lisa M. see Shane, Thomas G.
 Egret, Great, see *Ardea alba*
 Reddish, see *Egretta rufescens*
 Snowy, see *Egretta thula*
Egretta caerulea 35:21-22; 48:28; 49:33-38
E. rufescens 51:22; 55:25-28
E. thula 35:21-22; 49:33-38
E. tricolor 52:24; 53:25
Elanus caeruleus, see *Elanus leucurus*
E. leucurus 41:26-28; 53:25
Elaphe obsoleta 34:27-28
 Elkhart 51:31-32; 52:24-27
 Ellis Co. 44:25-29; 51:31-32; 53:25-28
 Ellsworth Co. 51:22-24; 52:24-28
Empidonax flaviventris 46:33-36
E. hammondi 49:26-29; 53:28
E. occidentalis 44[i.e.45]:36;
E. virescens 35:25-33; 43:21-27
E. wrightii 44:21-23; 49:26-29; 53:28
Eremophila alpestris 31:17-21; 35:1-19, 26; 39:1-20; 40:1-21, 24; 42:1-21; 45:1-20; 50:29-35[i.e.37-43], 33-36, 39-40[i.e. 47-48]; 52:37-43, 47-48; 53:1-20; 54:21-36; 55:1-20
 Escalona-Segura, Griselda see Ball, Lisa G. et al.
Eudocimus albus 44[i.e.45]:36; 50:23; 51:22
Euphagus carolinus 32:1-18; 50:1-20; 51:1-20; 52:1-20; 54:21-36
E. cyanocephalus 50:1-20; 51:1-20; 54:21-36
Eurynorhynchus pygmeus 51:24

Falco columbarius 31:1-16; 49:1-20; 52:1-20; 54:1-20, 21-36
F. mexicanus 31:1-16; 33:1-17; 35:1-19; 38:1-19, 27; 45:1-20; 46:1-20; 50:1-20; 51:1-20; 52:1-20; 54:21-36
F. peregrinus 35:1-19; 40:1-21
F. rusticolus 43:1-16; 44:21-23; 45:1-20; 47:34-35; 50:26; 52:25; 54:39-43
F. sparverius 38:29-33; 40:1-21; 42:1-21; 46:1-20; 49:1-20; 50:33-36; 51:1-20; 52:1-20; 54:21-36
 Falcon, Peregrine, see *Falco peregrinus*
 Prairie, see *Falco mexicanus*
 Fellows, Suzanne D., and Robert J. Gress. Breeding Mountain Plovers in Kansas 50:29-35[i.e.37-43]

- Finch, Cassin's, see *Carpodacus cassinii*
 House, see *Carpodacus mexicanus*
 Purple, see *Carpodacus purpureus*
- Finck, Elmer J. Also see Podrebarac, Dena K.
 Hail Damage to Breeding Birds and
 their Nests on the Konza Prairie
 Research Natural Area. 33:29-30
 Observations at a Northern Harrier
 Nest. 35:24
- Finney Co. 37:41-42; 38:23-24, 33; 50:39-40
 [i.e.47-48]; 51:1-20; 52:24-28, 37-39, 39-
 42; 53:25-28; 54:45-46
- Fitch, Henry S., A Half Century of Change
 in a Kansan Avian Community. 50:33-36
- Fitch, Henry S., Pennie von Achen, and Galen L.
 Pittman. Probable Succession Related
 Prey Changes of Long-eared Owl in
 Kansas. 54:42-43
- Fitch Natural History Reservation, 50:33-36
- Fleming, American, see *Phoenicopterus ruber*
- Fleischer, Robert C. Brood Parasitism by
 Brownheaded Cowbirds in a Simple Host
 Community in Eastern Kansas. 37:21-29
- Flicker, Northern, see *Colaptes auratus*
 Red-shafted, see *Colaptes auratus cafer*
 Yellow-shafted, see *Colaptes a. auratus*
- Flinthills, 53:29-33
- Flock, Brain E., see Applegate, Roger D.
- Flowers, Thomas L. Brown Pelican in
 Southwestern Kansas. 38:25-26
 Golden Eagles Nesting in Meade
 County, Kansas. 43:33-37
 Letter to the Editor. 44:23
 Early Fall Chipping Sparrow for Meade
 County. 44[i.e.45]:36
 Two New Records for Meade County.
 46:39-40
 Classification and Occurrence of the
 Birds of the Playa Lakes of Meade Co,
 KS 47:21-28
 Rufous Hummingbird in Meade
 County, Kansas 48:27
 Rookery in Meade County, Kansas.
 49:33-38
- Flycatcher, Acadian, see *Empidonax virescens*
 Ash-throated, see *Myiarchus cinerascens*
 Cordilleran, see *Empidonax occidentalis*
 Fork-tailed, see *Tyrannus savana*
 Great-crested, see *Myiarchus crinitus*
 Olive-sided, see *Contopus cooperi*
 Scissor-tailed, see *Tyrannus forficatus*
 Vermilion, see *Pyrocephalus rubinus*
 Yellow-bellied, see *Empidonax flaviventris*
- Folkers, Karen L. Host Behavioral Defenses
 to Cowbird Parasitism. 33:32-34
- Food and Feeding Habits**, 51:32
Asio otus 54:42-43
Athene cucularia 33:25-29
Buteo jamaicensis 42:25-27; 51:39-40
Passer domesticus 36:25-26
Sturnella neglecta 50:39-40 [i.e.47-48]
Tyto alba 53:33-36
- Ford Co. 52:24-28; 53:25-28
- Fort Riley 53:21-23, 27
- Fossils**, *Falco mexicanus* 38:27
 Proavian Wingshape 39:29-32
- Franklin Co. 46:23-24; 50:38-39 [i.e.46-47];
 52:24-28
- Freeman, Craig C. Poisonous Plants of the
 Central United States (Book Review).
 32:46
- Fregata magnificens* 34:18-19; 47:34-35;
 49:26-29
- Friesen, Gregg. In Memoriam: Richard H.
 Schmidt 51:35-37
- Frigatebird, Magnificent, see *Fregata magnificens*
- Fringilla montifringilla* 54:39-43
- Fulica americana* 46:1-20; 47:1-20
- Fuller, David G., and J.C. Johnson, Jr.
 Observations at the Tri-state Great Blue
 Heron Nesting Colony. 32:21-23
- Gallinago delicata* 35:1-19; 45:1-20; 47:1-20;
 51:1-20; 54:21-36
- Gallinule, Purple, see *Porphyryula martinica*
- Garganey, see *Anas querquedula*
- Gavia adamsii* 43:18-19; 47:1-20; 48:34-36;
 54:39-42; 55:25-28
- G. arctica*, see *Gavia pacifica*
- G. immer* 32:1-18, 19; 33:1-17; 40:1-21; 42:1-
 21; 46:1-20; 47:1-20; 49:1-20; 51:1-20;
 52:1-20
- G. pacifica* 32:19; 38:26-27; 42:1-21; 43:18-
 19; 49:1-20; 50:22-3; 52:1-20; 53:1-20;
 54:1-20, 39-42
- G. stellata* 43:18-19; 46:1-20, 28-29; 47:34-35;
 49:1-20, 26-29; 50:26; 54:39-42
- Geary Co. 33:29-30; 35:24; 38:26-27; 41:29-
 30; 42:25-27; 51:22-24; 52:24-28; 53:27,
 29-33
- Geococcyx californianus* 39:1-20; 43:1-16; 50:1-
 20, 25; 52:1-20; 53:1-20; 54:1-20
- Geothypis trichas* 32:1-18; 33:1-17; 34:1-18;
 38:1-19; 40:1-21, 26; 43:21-27; 46:1-20;
 53:1-20
- Gier, Herschel T., In Memoriam, 31:16

- Gnatcatcher, Blue-gray, see *Poliophtila caerulea*
Goldeneye, Barrow's, see *Bucephala islandica*
Common, see *Bucephala clangula*
Goldfinch, American, see *Carduelis tristis*
Lesser, see *Carduelis psaltria*
Goodrich, Arthur L. see Shane, T. G. and E. Lewis. 49:41-43
Goose, Canada, see *Branta canadensis*
Greater White-fronted, see *Anser albifrons*
Ross's, see *Chen rossii*
Snow, see *Chen caerulescens*
Gorton, Robert E. Jr. The Cardinal in Winter. 33:34-37
Goshawk see *Accipiter gentilis*
Grackle, Common, see *Quiscalus quiscula*
Great-tailed, see *Quiscalus mexicanus*
Grant Co. 53:25-28
Grebe, Clark's, see *Aechmophorus clarkii*
Eared, see *Podiceps nigricollis*
Pied-billed, see *Podilymbus podiceps*
Red-necked, see *Podiceps grisegena*
Western, see *Aechmophorus occidentalis*
Greeley Co. 50:29-35 [i.e. 37-43]
Greenwood Co. 43:21-27
Gress, Robert J. , see Fellows, Suzanne D.
Red-breasted Nuthatch Nesting in Sedgwick County. 33:37-39
Great Egrets Nesting in Sedgwick County. 35:21-22
House Sparrow Found Feeding Western Kingbird Nestlings. 36:25-26
Gress, Robert J. and Gerald J. Wiens. Black Rat Snake Predation on Nestling Pileated Woodpeckers. 34:27-28
Grosbeak, Black-headed, see *Pheucticus melanocephalus*
Blue, see *Guiraca caerulea*
Evening, see *Coccythraustes vesperinus*
Rose-breasted, see *Pheucticus ludovicianus*
Grouse, Ruffed, see *Bonasa umbellus*
Grus americana 47:1-20; 50:1-20, 23; 51:1-20
G. canadensis 33:1-17; 39:1-20; 42:1-21; 47:1-20; 48:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 54:39-43
Guiraca caerulea 35:25-33; 48:33-34;
Gull, Bonaparte's, see *Larus philadelphia*
California, see *Larus californicus*
Franklin's, see *Larus pipixcan*
Glaucous, see *Larus hyperboreus*
Glaucous-winged, see *Larus glaucescens*
Great Black-backed, see *Larus marinus*
Herring, see *Larus argentatus*
Iceland, see *Larus glaucoideus*
Lesser Black-backed, see *Larus fuscus*
Little, see *Larus minutus*
Mew, see *Larus canus*
Ring-billed, see *Larus delawarensis*
Sabine's, *Xema sabini*
Thayer's, see *Larus thayeri*
Western, see *Larus occidentalis*
Gymnorhinus cyanocephalus 52:1-20; 52:26; 54:1-20; 55:25-28
Gyr Falcon, see *Falco rusticolus*
- Habitats**, Fitch Natural History
Reservation, 50:33-36
Morton County 31:17-21
Pica hudsonia 51:25-28
Riparian Forests 37:33-37; 43:21-27
Sandsage Prairie 37:41-42
Weston Bottoms 47:37-40
Haliaeetus leucocephalus 31:28-37; 40:35-36; 41:21-24; 43:1-16; 44 [i.e. 45]:29-35; 45:1-20; 46:1-20; 47:29-33; 48:21-23; 49:1-20, 29-32; 50:29-33; 51:37-39; 52:1-20
Hands, Helen. Western Grebes Nesting at Cheyenne Bottoms Wildlife Area. 46:24
Hansen, Steven C. Breeding of the Least Bittern in Pottawatomie County, Kansas. 35:37-39
Harrier, Northern, see *Circus cyaneus*
Harvey Co. 34:29-30; 51:22-24
Haskell Co. 52:24-28
Hawk, Broad-winged, see *Buteo platypterus*
Common Black-, see *Buteogallus anthracinus*
Cooper's, see *Accipiter cooperi*
Ferruginous, see *Buteo regalis*
Gray, see *Asturina nitida* (*Buteo nitida*)
Harlan's, see *Buteo jamaicensis harlani*
Red-shouldered, see *Buteo lineatus*
Red-tailed (Krider's), see *Buteo jamaicensis krideri*
Rough-legged, see *Buteo lagopus*
Sharp-shinned, see *Accipiter striatus*
Swainson's, see *Buteo swainsoni*
Zone-tailed, see *Buteo albonatus*
Hedges, R. Lance, see Mulhern, Daniel W.
Helmitheros vermivora 49:26-29
Henry, Thomas Charlton 52:42-47
Herbert, Lawrence. Shorebirds at McCoid Lake (Seward Co.) 33:21-22
The Breeding Birds of a Sandsage Prairie. 37:41-42
First Nesting Record for the Bewick's Wren in Finney County, Kansas. 38:23-24

- Status of the Ferruginous Hawk in Finney County, Kansas. 38:33
- Heron, Great Blue, see *Ardea herodias*
- Green, see *Butorides virescens*
- Green-backed, see *Butorides virescens*
- Little Blue, see *Egretta caerulea*
- Tri-colored, see *Egretta tricolor*
- Highfill, Kenneth M. A Study of Single Adult Bald Eagle Rearing Young in Kansas. 41:21-24
- A Comparative Study of Two Barn Owl Nesting Sites in Southern Kansas. 44:33-39
- Observations of a Partial Albino Red-winged Blackbird. 45:21-22
- Great Horned Owls Successful Nesting in Flower Pot in Northeast Kansas. 48:23-24
- Highfill, Kenneth M. and Roger L. Boyd. Successful Nesting by Barn Owls in a Nesting Box in the Baker Wetlands, Lawrence, Kansas. 53:33-36
- Hilbish, Madge: KOS Benefactor, 48:29-30
- Hillsdale Lake 44[i.e.45]:29-35; 47:29-33; 48:21-23; 49:29-32
- Himantopus mexicanus* 53:37-39
- Hirundo pyrrhonota*, see *Petrochelidon pyrrhonota*
- H. rustica* 35:25-33; 40:23-28; 46:30-31; 54:46-47
- Histrionicus histrionicus* 53:25
- Hodgeman Co. 44[i.e.45]:29-35; 47:29-33; 48:21-23; 49:29-32
- Hubbard, John P., Carla Dove, and Christopher M. Milensky. T. C. Henry's Harlan's Hawk and other 1850's Kansas Birds. 52:42-47
- Hummingbird, Allen's, see *Selasphorus sasin*
- Anna's, see *Calypte anna*
- Black-chinned, see *Archilochus alexandri*
- Broad-tailed, see *Selasphorus platycercus*
- Calliope, see *Stellula calliope*
- Costa's, see *Calypte costae*
- Ruby-throated, see *Archilochus colubris*
- Rufus, see *Selasphorus rufus*
- Hybrids and Hybridization**
- Sialia currucoides* 49:21-25
- Sialia sialis* 49:21-25
- Hylocichla mustelina* 35:25-33; 50:33-36
- Ibis, Glossy, see *Plegadis falcinellus*
- White, see *Eudocimus albus*
- White-faced, see *Plegadis chihi*
- Icteria virens* 35:25-33; 50:33-36
- Icterus galbula* 31:17-21; 32:1-18; 35:25-33; 36:1-20; 40:23-28; 50:33-36
- I. parisorum* 46:28-29
- I. spurius* 31:17-21; 35:25-33; 40:23-28; 52:42-47
- Ictinia mississippiensis* 31:17-21; 48:28
- Ifland, Anthony K., see Mulhern, Daniel W.
- Iridoprocne bicolor*, see *Tachycineta bicolor*)
- Ixobrychus exilis* 33:1-17; 35:37-39
- Ixoreus naevius* 43:1-16; 49:26-29; 55:1-20
- Jackson Co. 37:33-37
- Jaeger, Long-tailed, see *Stercorarius longicauda*
- Parasitic, see *Stercorarius parasiticus*
- Pomarine, see *Stercorarius pomarinus*
- Janzen, Pete. Revisions to the Status of the Rufous-crowned Sparrow in Kansas. 53:29-33
- New Breeding Records from the Red Hills Region of Kansas. 53:37-39
- Jaramillo, Alvaro P. and James D. Rising. Intense Natural Selection in a Population of Cliff Swallows. 46:21-22
- Jay, Blue, see *Cyanocitta cristata*
- Pinyon, see *Gymnorhinus cyanocephalus*
- Steller's, see *Cyanocitta stelleri*
- Western Scrub, see *Aphelocoma californica*
- Jefferson Co. 39:38-39; 42:30-31; 49:29-32; 51:22-24; 53:25-28
- Jenkinson, Marion A. Correction of a Purported Nesting of the Chestnut-sided Warbler from Kansas. 35:22
- Fork-tailed Flycatcher in Barton County. 42:29-30
- John Redmond Reservoir 53:25-28
- Johnson Co. 52:24-28; 53:25-28
- Johnson, J.C., Jr., see Fuller, David G.
- Johnson, Steven G. see Johnston, Richard F.
- Johnston, Richard F. Barred Owl Sunning Behavior. 50:38-39 [i.e.46-47]
- Johnston, Richard F. and Steven G. Johnson. The Breeding Season of Feral Pigeons in Kansas. 36:32-33
- Junco, Dark-eyed, see *Junco hyemalis*
- Gray-headed, see *Junco hyemalis caniceps*
- White-winged, see *Junco hyemalis aikeni*
- Junco hyemalis* 37:1-19; 40:1-21; 42:1-21; 45:1-20; 47:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:21-36, 42-43
- J. h. aikeni* 37:1-19; 45:1-20; 46:1-20
- J. h. caniceps* 31:1-16; 32:1-18; 37:1-19; 45:1-20; 52:1-20
- Kanopolis Lake 48:21-23;
- Kansas Bird Records Committee** 43:18-19;

44:21-23; 44[i.e.45]:36; 46:28-29; 47:34-35; 48:34-36; 49:26-29; 50:22-27; 51:22-24; 52:24-28; 53:25-28; 54:38-42;
Aechmophorus clarkii 43:18-19; 44:21-23; 44[i.e.45]:36; 48:34-36; 49:26-29; 52:24
Aeronautes saxatalis 43:18-19; 44:21-23; 44[i.e.45]:36; 48:34-36;
Aimophila aestivalis 51:24
A. ruficeps 50:26; 51:24
Ajaia ajaia 53:25; 55:25-28
Ammodramus bairdii 43:18-19
A. henslowii 52:28
Amphispiza belli 47:34-35
A. bilineata 44:21-23; 48:34-36; 50:26
Anhinga anhinga 43:18-19; 54:39-43; 55:25-28
Anas fuligula, *Aythya fuligula* 47:34-35
A. penelope 47:34-35
A. querquedula 48:34-36;
Archilochus alexandri 46:28-29; 48:34-36; 51:23; 52:25; 55:25-28
A. colubris 49:26-29
Asturnia nitida 43:18-19; 50:23
Aythya fuligula 47:34-35; 48:34-36;
Baeolophus ridgwayi 52:26-27; 53:27
Bombycilla garrulus 53:27
Brachyramphus perdix 49:26-29
Branta bernicla 47:34-35
Bucephala islandica 48:34-36; 49:26-29; 52:25; 53:25
Buteo lineatus 50:23; 52:27-28
B. nitidus, *Asturnia nitida*
Calidris alpina 55:25-28
C. canutus 52:28
C. ferruginea 43:18-19; 50:24; 54:39-43
C. fuscicollis 53:26; 54:39-43
Calypte anna 43:18-19; 46:28-29; 49:26-29; 52:25-26
C. costae 44[i.e.45]:36; 46:28-29
Caracara cheriway 55:25-28
Cardinalis sinuatus 46:28-29; 47:34-35; 52:27
Carduelis psaltria 43:18-19; 44:21-23; 48:34-36; 55:25-28
Carpodacus cassinii 49:26-29
Catherpes mexicanus 44:21-23; 46:28-29; 48:34-36; 50:26
Ceryle torquata 51:24
Charadrius montanus 52:25; 54:39-43
C. wilsonia 47:34-35
Chordeiles acutipennis 52:25; 55:25-28
Columbina inca 44[i.e.45]:36; 52:25; 53:26; 54:39-43; 55:25-28
C. passerina 54:39-43
Contopus cooperi 50:27
Coragyps atratus 50:23; 52:27; 53:25-26; 55:25-28
Corvus corax 49:26-29
C. ossifragus 44:21-23; 46:28-29; 51:23; 52:26; 54:39-43; 55:25-28
Cyanocitta stelleri 55:25-28
Cygnus buccinator 48:34-36; 52:25
C. olor 51:24
Dendrocygna autumnalis 48:34-36; 50:23; 55:25-28
Dendroica caerulescens 52:27
D. discolor 51:24; 53:27
D. graciae 44:21-23
D. nigrescens 51:24
D. pinus 50:26; 51:24
D. striata 53:27
D. tigrina 52:27
D. townsendi 48:34-36
Egretta rufescens 51:22; 55:25-28
E. tricolor 52:24, 53:25
Elanus leucurus 53:25
Empidonax hammondi 49:26-29; 53:28
E. occidentalis 44[i.e.45]:35
E. wrightii 44:21-23; 49:26-29; 53:28
Eudocimus albus 44[i.e.45]:36; 50:23; 51:22
Eurynorhynchus pygmeus 51:24
Falco rusticolus 44:21-23; 47:34-35; 50:26; 52:25; 54:39-43
Fregata magnificens 47:34-35; 49:26-29
Fringilla montifringilla 54:39-43
Gavia adamsii 43:18-19; 48:34-36; 54:39-43; 55:25-28
G. pacifica 43:18-19; 50:22-23; 54:39-43
G. stellata 43:18-19; 46:28-29; 47:34-35; 49:26-29; 50:26; 54:39-43
Geococcyx californianus 50:25
Grus americana 50:24
G. canadensis 54:39-43
Gymnorhinus cyanocephalus 52:26; 55:25-28
Helminthos vermivora 49:26-29
Histrionicus histrionicus 53:28
Icterus parisorum 46:28-29
Ixoreus naevius 49:26-29
Larus atricilla 49:26-29; 53:26
L. californicus 43:18-19; 50:24
L. canus 43:18-19; 44:21-23; 49:26-29; 50:24; 51:23; 52:28
L. fuscus 47:34-35; 48:34-36; 49:26-29; 50:25; 51:23; 53:26, 28
L. glaucescens 50:25:52:28

L. glaucoides 47:34-35; 49:26-29; 50:24; 52:28; 53:28; 54:39-43
L. marinus 44:21-23; 48:34-36; 50:25; 51:23; 53:26; 55:25-28
L. minutus 43:18-19; 44[i.e.45]:36; 46:28-29; 48:34-36; 50:24; 53:26
L. occidentalis 52:28
L. ridibundus 44:21-23; 46:28-29; 48:34-36;
L. thayeri 49:26-29; 50:24
Limnithlypis swainsonii 44:21-23; 49:26-29
Loxia leucoptera 49:26-29; 54:39-43
Melanerpes lewis 52:26; 53:27; 54:39-43; 55:25-28
Melanitta nigra 51:23
M. perspicillata 51:23
Motacilla flava 51:24
Mycateria americana 49:26-29; 52:24; 55:25-28
Myiarchus cinerascens 43:18-19; 49:26-29; 52:26; 54:39-43
Myioborus pictus 52:27; 55:25-28
Nucifraga columbiana 49:26-29
Numenius phaeopus 53:25
Oenanthe oenanthe 47:34-35; 49:26-29
Oporornis agilis 44:21-23; 47:34-35; 53:28
Otus flammeolus 52:25
O. kennicottii 43:18-19; 49:26-29; 51:24; 55:25-28
Pandion haliaetus 51:23
Parabuteo unicinctus 46:28-29; 53:25
Pelecanus occidentalis 43:18-19; 44:21-23; 54:39-43
Petrochelidon fulva 53:27
Phainopepla nitens 44[45]:36; 46:28-29
Phalaropus fulicaria 43:18-19; 53:26
Philomachus pugnax 43:18-19
Phoenicopterus ruber 47:34-35
Picoides scalaris 46:28-29; 53:27; 55:25-28
Pipilo fuscus 46:28-29
Piranga ludoviciana 46:28-29
Pitangus sulphuratus 47:34-35
Plegadis falcinellus 44:21-23; 47:34-35; 48:34-36; 49:26-29; 51:22, 53:25; 54:39-43; 55:25-28
Podiceps grisegena 43:18-19; 44:21-23; 49:26-29; 50:23; 55:25-28
Poecile gambeli 52:26
Porphyryla martinica 55:25-28
Pyrocephalus rubinus 46:28-29; 51:23; 52:26; 53:27
Rissa tridactyla 43:18-19; 44:21-23; 46:28-29; 49:26-29; 50:25; 53:28
Sayornis nigricans
S. phoebe 51:23

S. platycercus 44:21-23; 48:34-36; 50:27; 52:26; 53:26; 55:25-28
Selasphorus rufus 43:18-19; 48:34-36; 49:26-29; 54:39-43
S. sasin 44:21-23
Sialia mexicana 49:26-29
Sitta pusilla 49:26-29; 53:27
Sphyrapicus nuchalis 44:21-23; 46:28-29; 52:26; 54:39-43
S. thyroideus 52:26
Spiza americana 54:39-43
Spizella atrogularis 44[i.e.45]:36
S. passerina 50:26
Stellula calliope 48:34-36; 52:26; 53:26; 55:25-28
Stercorarius longicaudus 44:21-23; 53:26; 55:25-28
S. parasiticus 44:21-23; 46:28-29; 48:34-36;
S. pomarinus 44:21-23; 50:26
Sterna nilotica 50:25; 54:39-43
S. paradisaea 46:28-29
Streptopelia decaocto 49:26-29; 50:25; 51:23-24; 52:25; 53:26, 28
Tachycineta bicolor 51:23
T. thalassina 52:28
Toxostoma curvirostre 52:27
T. longirostre 52:28
Tyrannus vociferans 51:23; 53:27
Vermivora celata 54:39-43
V. virginiae 44[i.e.45]:36; 51:23-24; 53:28
Vireo cassinii 49:26-29; 51:23-24; 54:39-43
V. vicinior 49:26-29
Wilsonia citrina 43:18-19; 49:26-29; 51:24; 52:27
Xema sabini 48:34-36; 49:26-29
Zenaida asiatica 44[i.e.45]:36; 47:34-35; 49:26-29; 50:25; 51:23; 53:26; 54:39-43; 55:25-28
Zonotrichia atricapilla 43:18-19; 44[i.e.45]: 36; 46:28-29; 47:34-35; 48:34-36; 50:26; 52:27; 54:39-43; 55:25-28
Kansas Breeding Bird Atlas 53:27-33, 37-39
Kansas, New Species
Anas querquedula 34:29-30
Archilochus alexandri 38:33-34
Asturina nitida 50:23
Aythya fuligula 48:34
Baeolophus ridgwayi 52:26-27
Brachyramphus perdix 49:27
Calypte anna 42:22-23
C. costae 44:29-30
Carduelis psaltria 43:30-31; 44:21-23
Catherpes mexicanus 44:21-23

- Charadrius wilsonia* 47:34
Chordeiles acutipennis 52:25
Egretta rufescens 51:22
Elanus leucurus 41:26-28
Fringilla montifringilla 54:41
Gavia adamsii 48:34
Histrionicus histrionicus 53:25
Larus canus 49:26
L. fuscus 48:34-35
L. glaucescens 50:25
L. glaucooides 49:26
L. thayeri 36:21-22
Myioborus pictus 52:27
Oenanthe oenanthe 49:28
Otus flammeolus 52:25
Petrochelidon fulva 52:39-42; 53:27
Phainopepla nitens 45:23
Pipilo fuscus 46:29
Pitangus sulphuratus 47:34
Plegadis falcinellus 44:21-23
Sayornis nigricans 51:31-32
Selasphorus sasin 44:21-23
Sitta pusilla 49:28
Sterna nilotica 50:25
S. paradisaea 46:28
Streptopelia decaocto 49:27
Tringa erythropus 39:38-39
Tyrannus savana 42:29-30
Vireo cassinii 49:28
V. vicinior 49:28
- Kearny Co. 46:22-23
Kelley, Katharine B. Color-marking of Purple Martins in Baldwin City, Kansas. 34:23-24
Winter Purple Finches. 35:39
In Memoriam: Amelia J. Betts. 36:23-24
Kelley, Katharine, Amelia Betts, Roger L. Boyd, and Calvin Cink. Groove-billed Ani in Douglas County, Kansas. 31:37-38
Kennedy, E. Dale, see Rintoul, David A.
Kestrel, American, see *Falco sparverius*
Kerr, Duane L. Summer Bird Feeding (Book Review) 40:32
Killdeer, see *Charadrius vociferus*
Kingbird, Cassin's, see *Tyrannus vociferans*
Eastern, see *Tyrannus tyrannus*
Western, see *Tyrannus verticalis*
Kingfisher, Belted, see *Ceryle alcyon*
Ringed, see *Ceryle torquata*
Kinglet, Golden-crowned, see *Regulus satrapa*
Ruby-crowned, see *Regulus calendula*
Kingman Co 53:25-28
Kiskadee, Greater, see *Pitangus sulphuratus*
Kite, Mississippi, see *Ictinia mississippiensis*
Kittiwake, Black-legged, see *Rissa tridactyla*
Kluza, Daniel A., Kimberly S. Bostwick, and Eugene A. Young. Late Fall Bird Mortality at a Topeka Television Tower. 52:21-24
Knot, Red, see *Calidris canutus*
Konza Prairie 38:29-33; 40:23-28; 49:21-25; 53:21-23, 25
Kreissler, Thomas. In Memoriam Theodore M. Sperry (1907-1995). 50:21-22
- Langley, William. Changes in Wintering Crow Populations in Kansas. 50:35-38 [i.e.43-46] Changes in Wintering Crow Populations. 51:21-22
Lanius excubitor 32:1-18; 36:1-20; 37:1-19; 38:1-19; 39:1-20; 41:1-19
L. ludovicianus 39:1-20; 40:23-28; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20, 21-36; 55:1-20
Lark, Horned, see *Eremophila alpestris*
Larus argentatus 44:1-16; 47:1-20; 49:1-20; 50:1-20; 55:1-20
L. atricilla 49:26-29; 53:26
L. californicus 43:1-16, 18; 6:1-20; 47:1-20; 50:24; 53:1-20
L. canus 43:18-19; 44:21-23; 47:1-20; 49:26-29; 50:24; 51:23; 52:28
L. delawarensis 44:1-16; 49:1-20; 52:1-20; 53:1-20; 54:21-36
L. fuscus 47:34-35; 48:34-36; 49:26-29; 50:25; 51:23; 53:26; 53:28; 55:1-20
L. glaucescens 44:1-16; 45:1-20; 50:25; 52:28
L. glaucooides 45:1-20; 46:1-20; 47:34-35; 49:26-29; 50:24; 52:28; 53:28; 54:39-43
L. hyperboreus 32:1-18; 33:1-17; 35:22-23; 36:1-20; 40:1-21; 42:1-21; 46:1-20; 47:1-20; 52:1-20; 54:1-20; 55:1-20
L. marinus 44:21-23; 48:1-20, 34-36; 50:1-20, 25; 51:23; 52:1-20; 53:26; 55:25-28
L. minutus 40:31; 43:18-19; 44 [i.e.45]:36; 46:28-29; 48:34-36; 50:24; 53:26
L. occidentalis 52:28
L. philadelphia 33:1-17; 34:1-18; 38:1-19; 40:1-21; 42:1-21; 49:1-20; 50:1-20; 53:1-20
L. pipixcan 40:1-21; 42:1-21; 51:1-20; 54:1-20
L. ridibundus 44:21-23; 46:28-29; 48:34-36;
L. thayeri 36:21-22; 38:1-19; 42:1-21; 45:1-20; 46:1-20; 47:1-20; 49:26-29; 50:24; 52:1-20; 53:1-20; 54:1-20; 55:1-20
LaShelle, Dan. SCANS Key to Birdwatching (Book Review). 34:30-31
Spotted Redshank in Jefferson County,

- Kansas. 39:38-39
 Gray Hawk in Northeastern Kansas. 41:29-30
- Laterallus jamaicensis* 53:37-39
- Leavenworth Co. 43:27-30; 47:37-40; 53:25-28
- Levenson, Howard and James W. Bee. Bald Eagle Use of Kansas River Riparian Habitat in Northeastern Kansas. 31:28-37
- Lewis, Eugene R. First Winter Record of the Lesser Goldfinch in Kansas. 31:21
 In Memoriam: Wilson J. Dingus. 39:32
- Lewis, Eulalia M., see Shane, T. G.
- Limnodromus scolopaceus* 54:1-20
- Limnolybis swainsonii* 44:21-23; 49:26-29
- Linn Co. 31:23-24; 37:37-38; 51:1-20; 52:24-28
- Lohofener, Ren and Mary. Food of Burrowing Owls on the Northwestern Kansas High Plains. 33:25-29
- Lophodytes cucullatus* 32:1-18; 33:1-17; 40:1-21; 42:27-28; 47:1-20; 49:1-20; 51:1-20; 53:1-20
- Longspur, Chestnut-collared, see *Calcarius ornatus*
- Lapland, see *Calcarius lapponicus*
- McCown's, see *Calcarius mccownii*
- Smith's, see *Calcarius pictus*
- Loon Arctic, see *Gavia pacifica*
- Common, see *Gavia immer*
- Pacific, see *Gavia pacifica*
- Red-throated, see *Gavia stellata*
- Yellow-billed, see *Gavia adamsii*
- Lowther, Peter E. Catalog of Brown-headed Cowbird Hosts from Kansas. 35:25-33
 Nest Mortality in House Sparrows. 36:27-32
 Kansas Cowbird Hosts, A Catalog Update. 39:36-37
- Loxia curvirostra* 31:1-16; 33:1-17; 36:1-20; 38:1-19;
 41:1-19; 44:1-16; 48:1-20, 33-34; 51:1-20; 55:1-20
- L. leucoptera* 33:1-17; 36:1-20; 49:26-29; 51:1-20; 53:1-20; 54:39-43
- Lyon Co. 38:35; 51:22-24; 52:24-28
- Magpie, Black-billed, see *Pica hudsonia*
- Mallard, see *Anas platyrhynchos*
- MAPS 53:21-23
- Marais Des Cygnes WMA 31:23-24; 37:37-38
- Marshall Co. 37:33-37
- Martin, Purple, see *Progne subis*
- McAllister, James. Comments on the Wing Shape of the Hypothetical Proavian. 39:29-32
- McHugh, E.S. (Mick). A Guide to Bird Finding in Kansas and Western Missouri (Book Review) 39:27-28
- McLellan, Laura. Pine Siskins nesting in Riley County, Kansas. 35:40
- Meade Co. 34:18-19; 36:34; 38:25-26; 43:33-37; 46:39-40; 47:21-28; 48:27; 49:33-38
- Meadowlark, Eastern, see *Sturnella magna*
- Western, see *Sturnella neglecta*
- Megascyle alcyon*, see *Ceryle alcyon*
- Melanerpes carolinus* 38:29-33; 40:1-21; 42:1-21; 45:23-24; 50:1-20, 33-36; 52:42-47; 54:1-20, 21-36
- M. erythrocephalus* 31:17-21; 38:29-33; 45:1-20; 47:1-20; 49:1-20; 50:1-20; 53:1-20
- M. lewis* 47:1-20; 52:26; 53:27; 54:1-20, 39-43; 55:25-28
- Melanitta fusca* 33:1-17; 36:1-20; 38:1-19; 39:1-20; 41:1-19; 46:1-20
- M. nigra* 36:1-20; 42:1-21; 51:23
- M. perspicillata* 39:1-20; 51:23
- Meleagris gallopavo* 36:1-20; 38:1-19; 40:1-21; 41:1-19; 49:1-20; 50:1-20, 33-36; 51:1-20; 53:1-20; 54:1-20, 21-36
- Melospiza georgiana* 33:1-17; 47:1-20; 51:1-20; 54:21-36
- M. lincolnii* 33:1-17; 46:1-20; 47:1-20; 51:1-20
- M. melodia* 33:23-24; 35:1-19; 42:1-21; 47:1-20; 51:1-20; 52:1-20; 54:21-36, 42-43
- Memoria** Betts, Amelia J. 36:23-24
- Boyd, Ivan L. 37:30-31
- Dingus, Wilson J. 39:32
- Gier, Herschel T. 31:16
- Goodrich, Arthur L. 49:41-43
- Hilbish, Madge 48:29-30
- Nuss, E. Maurice, 49:38-39
- Schmidt, Richard H. 51:35-37
- Sperry, Theodore M., 50:21-22
- Mephitis mephitis* 53:23-24
- Merganser, Common, see *Mergus merganser*
- Hooded, see *Lophodytes cucullatus*
- Red-breasted, see *Mergus serrator*
- Mergus merganser* 37:1-19; 42:1-21; 45:1-20; 46:1-20; 47:1-20; 48:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20; 55:1-20
- M. serrator* 33:1-17; 34:1-18; 38:1-19; 40:1-21; 41:1-19; 42:1-21; 45:1-20; 46:1-20; 52:1-20; 53:1-20
- Merlin, see *Falco columbarius*
- Messerly, Emma H. Early Painted Bunting Specimen Record for Saline County, Kansas. 47:28
- Microtus ochrogaster* 53:33-36; 54:42-43
- Migration** *Carduelis pinus* 35:24
Cygnus buccinator 37:21-29

- Scolopax minor* 33:21
Spizella passerina 44[i.e.45]:36
Milensky, Christopher M., see Hubbard,
John P. et al.
Milford Lake 38:26-27; 41:29-30
Mimus polyglottos 31:17-21; 35:25-33; 46:1-
20; 47:1-20; 51:1-20; 52:1-20; 54:1-20,
21-36; 55:1-20
Mniotilta varia 35:25-33; 48:33-34;
Mockingbird, Northern, see *Mimus polyglottos*
Molothrus ater 31:17-21; 32:1-18, 19; 33:32-
34; 37:21-29; 39:36-37; 40:23-28; 47:1-
20; 48:1-20; 49:1-20; 50:1-20; 51:1-20;
52:1-20; 54:1-20, 21-36
Molts and Plumages 53:21-23
Montgomery Co. 51:22-24; 52:24-28
Mortality, 51:32, 53:23-24
Hail Damage, several species 33:29-30
Haliaeetus leucocephalus 51:37-39
Melanerpes carolinus 45:23-24
Numerous species (at TV tower) 46:33-36;
51:29-30; 52:21-24
Passer domesticus 36:27-32
Rallus elegans 44[45]:35
Tyto alba 49:43-44
Morton Co. 31:17-21; 32:23-25; 38:33-34;
42:37-38; 43:37-39; 44:21-23; 50:29-35
[i.e.37-43]; 51:22-24, 31-32; 52:24-28;
53:27, 29-33
Motacilla flava 51:24
Mouras, Ted, see Schukman, John M.
Mulhern, Daniel W., R. Lance Hedges,
Anthony K. Ifland. Bald Eagle Nestling
Ensnared by Devil's Claw. 51:37-39
Murrelet, Long-billed, see *Brachyramphus perdix*
Myadestes townsendi 42:1-21; 46:1-20; 47:1-
20; 48:33-34; 50:1-20; 51:1-20; 52:1-20;
54:21-36
Mycteria americana 49:26-29; 52:24; 55:25-28
Myiarchus cinerascens 36:34; 42:37-38; 43:18-
19; 49:26-29; 52:26; 54:39-43
M. crinitus 40:23-28; 50:33-36; 53:23-24
Myioborus pictus 52:27; 55:25-28
Nemaha Co. 37:33-37
Neosho Co. 52:24-28
Neotoma floridana 48:23-24;
New Mexico 52:42-47
Newton, Jay, see Thompson, Max C.
Nighthawk, Common, see *Chordeiles minor*
Lesser, see *Chordeiles acutipennis*
Night-heron, Black-crowned, see *Nycticorax*
nycticorax
Yellow-crowned, see *Nyctanassa violacea*
Nonhof, Arthur G. Note on Movements of
Kansas Pine Siskins. 35:24
Nucifraga columbiana 48:33-34; 49:26-29;
54:1-20
Numenius americanus 31:17-21; 50:29-35
[i.e.37-43]
N. phaeopus 53:25
Nuss, E. Maurice, In Memoriam 49:38-39
Nutcracker, Clark's, see *Nucifraga columbiana*
Nuthatch, Brown-headed, see *Sitta pusilla*
Pygmy, see *Sitta pygmaea*
Red-breasted, see *Sitta canadensis*
White-breasted, see *Sitta carolinensis*
Nycticorax nycticorax 35:21-22; 37:1-19; 45:1-
20; 46:1-20; 48:28; 49:1-20, 33-38; 53:1-20
Nyctanassa violacea 32:1-18; 47:1-20
Nyctea scandiaca 32:1-18; 36:1-20; 46:1-20;
48:1-20; 53:1-20
Obermeyer, Brian. Effect of Logging on
Breeding Bird Diversity in Riparian
Forests on Fall River Wildlife Area.
43:21-27
Oenanthe oenanthe 47:34-35; 49:26-29
Oklahoma 53:29-33, 37-39
Oldsquaw, see *Clangula hyemalis*
Ondatra zibethicus 48:23-24;
Oporornis agilis 44:21-23; 47:34-35; 53:28
O. formosus 35:25-33
O. philadelphia 50:33-36
Oreoscoptes montanus 33:1-17; 51:1-20
Oriole, Baltimore, see *Icterus spurius*
Orchard, see *Icterus parisorum*
Scott's, see *Icterus parisorum*
Osage Co. 44[i.e.45]:25-28; 53:25-28
Osprey, see *Pandion haliaetus*
Osterbuhr, Marie B., see Shane, T. G. et al.
Osterbuhr, Ronald G., see Shane, T. G. et al.
Otte, Chuck. 2003 Report of the Kansas
Bird Records Committee. 55:25-28
Otus asio 46:1-20; 47:1-20; 50:33-36; 53:1-20;
54:21-36; 55:1-20
O. flammeolus 52:25
O. kennicottii 35:1-19; 39:1-20; 42:37-38;
43:18-19; 49:26-29; 51:24; 55:1-20, 25-28
Ovenbird, see *Seiurus aurocapillus*
Owl, Burrowing, see *Athene cucularia*
E. Screech, see *Otus asio*
Flammulated, see *Otus flammeolus*
Great Gray, see *Strix nebulosa*
Great Horned, see *Bubo virginianus*
Long-eared, see *Asio otus*

- N. Hawk, see *Surnia ulula*
 N. Saw-whet, see *Aegolius acadicus*
 Short-eared, see *Asio flammeus*
 Snowy, see *Nyctea scandiaca*
 W. Screech, see *Otus kennicottii*
Oxyura jamaicensis 31:1-16; 32:1-18; 33:1-17;
 34:1-18; 36:1-20; 37:1-19; 39:1-20; 40:1-
 21; 44:1-16; 45:1-20; 46:1-20; 47:1-20;
 49:1-20; 53:1-20
- Pandion haliaetus* 33:1-17; 36:1-20; 37:1-19;
 39:1-20; 40:1-21; 47:1-20; 48:28; 50:1-20;
 51:23; 52:1-20; 53:1-20
- Parabuteo unicinctus* 46:1-20, 28-29; 53:25
- Parasitism**
Colinus virginianus 49:39-40
Molothrus ater 33:32-34; 35:25-33; 37:21-
 29; 39:36-37
Phasianus colchicus 49:39-40
- Parker, James, Elizabeth Bennett, and
 Richard Chipman. Second Record of
 the Magnificent Frigatebird for Kansas.
 34:18-19
- Parrish, John W. Paula S. Parrish, Wesley A.
 Parrish, and Corrine D. Parrish.
 Wintering Hawks Along a Kansas
 Roadside. 41:25-26
- Parrish, John W. and Gina M. Wendt.
 Biliverdin and Bilirubin in the Serum
 of Rock Doves. 38:21-23
- Parrish, John W., and David M. Workman.
 Hematological Characteristics of the
 Serum of the Rock Dove. 35:33-36
- Partridge, Gray, see *Perdix perdix*
Parula americana 32:18-19; 35:25-33; 47:37-
 40; 51:1-20
- Parula, Northern, see *Parula americana*
Parus bicolor, see *Baeolophus bicolor*
P. carolinensis, see *Poecile carolinensis*
Passer domesticus 31:25-26; 35:25-33; 36:25-
 26, 27-32; 40:1-21, 28; 42:1-21; 47:1-20;
 49:1-20; 50:1-20, 33-36; 51:1-20; 52:1-20;
 53:21-23; 54:21-36
- Passerculus sandwichensis* 31:1-16; 32:1-18;
 33:1-17; 34:1-18; 35:1-19; 36:1-20; 37:1-
 19; 39:1-20; 45:1-20; 46:1-20; 47:1-20;
 51:1-20; 53:1-20
- Passerella iliaca* 33:1-17; 40:1-21; 46:1-20;
 47:1-20; 51:1-20; 54:21-36
- Passerina amoena* 48:33-34;
P. ciris 47:28
P. cyanea 35:25-33; 40:23-28; 44:1-16; 48:33-34;
- Pate, Maureen B. see Young, Eugene A.
- Patti, Sebastian, see Busby, W. H. et al.
 Pyrrhuloxia (*Cardinalis sinuatus*), a
 New Bird For Kansas. 43:30-31
 Letter to the Editor. 44:31-32
- Patti, Sebastian and Marc Radell. First
 Record of the Black-chinned
 Hummingbird in Kansas. 38:33-34
- Patti, Sebastian and Thomas G. Shane.
 Cave Swallows in Kansas – a species
 new to the state. 52:39-42
- Pawnee Co. 52:24-28
- Pearse, A. T., see J. T. Cavitt et al.
- Pelecanus erythrorhynchos* 31:1-16; 32:1-18;
 35:1-19; 36:1-20; 38:1-19; 39:1-20; 40:1-
 21; 41:1-19; 42:1-21; 43:18-19; 46:1-20;
 47:1-20; 48:33-34; 49:1-20; 50:1-20; 51:1-
 20; 52:1-20; 53:1-20
- P. occidentalis* 38:25-26; 44:21-23; 54:39-43
- Pelican, American White, see *Pelecanus*
erythrorhynchos
 Brown, see *Pelecanus occidentalis*
- Perdix perdix* 47:33-34
- Peromyscus maniculatus* 53:33-36; 54:42-43
- Perry Reservoir 39:38-39; 44[i.e.45]:29-35;
 47:29-33; 48:21-23; 49:29-32; 53:25-28
- Petrochelidon fulva* 52:39-42; 53:27
- P. pyrrhonota* 46:21-22
- Pewee, Eastern Wood-, see *Contopus virens*
- Phainopepla nitens* 44[i.e.45]:36; 46:28-29;
 55:25-28
- Phalacrocorax auritus* 32:1-18; 33:1-17; 39:1-
 20; 40:1-21; 42:1-21; 46:1-20; 47:1-20;
 48:28; 51:1-20; 52:1-20; 53:1-20
- Phalaenoptilus nuttallii* 38:29-33; 53:37-39,
 39-40
- Phalaropus fulicaria* 43:18-19; 53:26
- Phasianus colchicus* 36:1-20; 38:29-33; 49:1-
 20, 39-40; 50:1-20; 51:1-20; 54:21-36
- Pheasant, Ring-necked, see *Phasianus colchicus*
- Pheucticus ludovicianus* 50:33-36
- P. melanocephalus* 35:25-33; 48:33-34;
- Philohela minor*, see *Scolopax minor*
- Philomachus pugnax* 43:18-19
- Phoebe, Black, see *Sayornis nigricans*
 Eastern, see *Sayornis phoebe*
 Say's, see *Sayornis saya*
- Phoenicopterus ruber* 47; 34-35
- Pica hudsonia* 31:17-21; 36:34; 44:1-16;
 51:25-28; 55:1-20
- Pica pica*, see *Pica hudsonia*
- Picoides pubescens* 31:17-21; 40:1-21; 42:1-21;
 46:1-20; 50:33-36; 51:1-20; 54:21-36
- P. scalaris* 39:1-20; 40:1-21; 42:1-21; 45:1-20;

- 46:28-29; 47:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20, 27; 55:25-28
- P. villosus* 40:1-21; 42:1-21; 54:21-36
- Pigeon, Passenger, see *Ectopistes migratorius*
- Piper, William C. Bird Sightings in Thomas County, Kansas. 48:28, 33-34
- Pipit, American, see *Anthus rubescens*
- Sprague's, see *Anthus spragueii*
- Water, see *Anthus rubescens*
- Pipilo chlorurus* 44:1-16; 48:33-34;
- P. erythrophthalmus* 35:25-33; 40:1-21, 26; 47:1-20; 48:1-20; 50:33-36
- P. fuscus* 41:1-19; 46:28-29; 47:1-20; 52:1-20
- P. maculatus* 47:1-20; 48:1-20, 33-34; 54:21-36
- Piranga ludoviciana* 34:1-18; 46:28-29
- P. olivacea* 35:25-33; 48:33-34
- P. rubra* 35:25-33
- Pitangus sulphuratus* 47:34-35
- Pittman, Galen L., also see Fitch, H.C. et al.;
- 1991 Report of the Kansas Bird Records Committee (KBRC). 43:18-19
- 1992 Report of the KBRC. 44:21-23
- 1993 Report of the KBRC. 44[45]:36
- 1994 Report of the KBRC. 46:28-29
- 1995 Report of the KBRC. 47:34-35
- 1996 Report of the KBRC. 48:34-36
- 1997 Report of the KBRC. 49:26-29
- Platt, Dwight R. Fifty Years of Early Winter Bird Counts in Harvey County, Kansas. 54:21-36
- Plectrophenax nivalis* 31:1-16; 35:1-19; 37:1-19; 40:1-21; 41:1-19; 45:1-20; 47:1-20; 48:1-20; 52:1-20; 54:1-20
- Plegadis chihi* 34:26; 49:33-38; 51:1-20
- P. falcinellus* 44:21-23; 47:34-35; 48:34-36; 49:26-29, 33-38; 51:22; 53:25; 54:39-43; 55:25-28
- Plover, Mountain, see *Charadrius montanus*
- Semipalmated, see *Charadrius semipalmatus*
- Snowy, see *Charadrius alexandrinus*
- Wilson, see *Charadrius wilsonia*
- Podiceps auritus* 32:1-18; 35:1-19; 40:1-21; 52:1-20; 53:1-20
- P. grisegena* 43:18-19; 44:21-23; 49:26-29; 50:23; 55:25-28
- P. nigricollis* 31:1-16; 32:1-18; 33:1-17; 34:26; 35:1-19; 42:1-21; 48:28; 51:1-20; 52:1-20; 55:1-20
- Podilymbus podiceps* 31:1-16; 32:1-18; 37:1-19; 39:1-20; 40:1-21; 47:1-20; 49:1-20; 50:1-20; 52:1-20; 53:1-20
- Podrebarac, Dena K. and Elmer J. Finck. The Winter Distribution of the House Finch in Kansas. 42:33-36
- Poecile atricapilla* 36:1-20; 39:1-20; 40:23-28; 42:1-21; 46:1-20; 50:1-20, 33-36; 51:1-20; 53:1-20; 54:21-36; 55:1-20
- P. carolinensis* 32:18-19; 46:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20
- P. gambeli* 44:1-16; 47:1-20; 48:1-20; 52:1-20; 52:26
- Poliotilta caerulea* 40:23-28; 43:21-27; 50:33-36
- Poecetes gramineus* 31:1-16; 32:1-18; 33:1-17; 34:1-18; 35:1-19; 36:1-20; 37:1-19; 39:1-20; 46:1-20; 47:1-20; 50:1-20, 33-36; 53:1-20; 54:1-20; 55:1-20
- Poorwill, Common, see *Phalaenoptilus nuttallii*
- Porphyryla martinica* 55:25-28
- Ports, Mark A. Avian Density and Diversity in Four Habitat Types in Morton County, Kansas. 31:17-21
- Ports, Mark A., Marvin D. Schwilling, and Max C. Thompson. The Brewer's Sparrow in Kansas: Status and Breeding Habitat. 32:23-25
- Porzana carolina* 38:1-19; 39:1-20; 47:1-20; 55:1-20
- Post, Will, and Douglas B. McNair. Evaluation of an Historical Egg Set of the Passenger Pigeon in Kansas. 46:23-24
- Pottawatomie Co. 35:37-39; 40:31; 41:26-28; 42:27-28; 51:22-24; 52:24-28
- Prairie-Chicken, Greater, see *Tympanuchus cupido*
- Lesser, see *Tympanuchus pallidicinctus*
- Pratt Co. 52:24-28
- Procyon lotor* 49:33-38; 53:23-24
- Progne subis* 34:23-24; 48:33-34;
- Protonotaria citrea* 35:25-33
- Psaltriparus minimus*; 44:1-16; 55:1-20
- Ptacek, James, and Marvin Schwilling. Mountain Plover Reintroduction in Kansas. 34:21-22
- Pyrocephalus rubinus* 46:28-29; 51:23; 52:26; 53:27
- Pyrrhuloxia, see *Cardinalis sinuatus*
- Quail, Scaled, see *Callipepla squamata*
- Bobwhite, Northern, see *Colinus virginianus*
- Quiscalus mexicanus* 38:1-19; 39:1-20; 48:33-34; 49:1-20; 53:21-23; 54:1-20
- Q. quiscula* 32:1-18; 33:29-30; 35:25-33; 40:23-28; 46:30-31; 48:1-20; 49:1-20, 33-38; 50:1-20; 51:1-20; 52:1-20; 54:1-20, 21-36
- Quivira National Wildlife Refuge 31:38; 32:25-28; 34:26, 27; 51:1-20; 52:24-27; 53:25-28
- Rader, Mike, see Busby, W. H. et al.
- Rail, Black, see *Laterallus jamaicensis*
- King, see *Rallus elegans*

- Sora, see *Porzana carolina*
 Virginia, see *Rallus limicola*
 Yellow, see *Coturnicops noveboracensis*
- Rakestraw, John. Large Frog Predation By a Greater Yellowlegs. 46:40
- Rana blairi* 46:40; 49:33-38
Rana catesbeiana 46:40
Rallus elegans 44[i.e.45]:35
R. limicola 33:1-17; 37:1-19; 38:1-19; 39:1-20; 40:1-21; 45:1-20; 46:1-20; 47:1-20; 50:1-20; 51:1-20; 52:1-20; 53:37-39
- Raven, Chihuahuan, see *Corvus cryptoleucus*
 Common, see *Corvus corax*
 White-necked, see *Corvus cryptoleucus*
- Redhead, see *Aythya americana*
- Red Hills 53:29-33, 37-39
- Repoll, Common, see *Carduelis flammea*
- Reshank, Spotted, see *Tringa erythropus*
- Restart, Painted, see *Myioborus pictus*
- Regulus calendula* 31:1-16; 34:1-18; 36:1-20; 37:1-19; 38:1-19; 39:1-20; 40:1-21; 45:1-20; 46:1-20; 47:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:21-36
- R. satrapa* 43:1-16; 45:1-20; 46:1-20; 47:1-20; 48:33-34; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20, 21-36
- Reithrodontomys megalotis* 53:33-36
- Reno Co. 51:21-22
- Rice, Nathan H., Kristof Zyskowski, and William H. Busby. Charadriiform bird surveys in North Central Kansas. 52:29-36
- Rice, Orville O. Tree Swallow Nesting Colony at Marais Des Cygnes Wildlife Management Area. 31:23-24
- Rich, Leonard and Betty. First Verified Record of the Phainopepla from Kansas. 45:23
- Riley Co. 33:29-30; 35:22-23, 40; 36:21-22, 23; 51:22-24; 52:24-28; 53:25-28
- Rintoul, David A., also see J. F. Cavitt, et al., and Cable, Ted T.
 Glaucous Gulls in Riley County. 35:22-23
 House Finch in Riley County. 36:23
 Barrow's Goldeneye at Tuttle Creek. 42:27-28
 1998 Report of the KBRC. 50:22-27
 1999 Report of the KBRC. 51:22-24
 2000 Report of the KBRC. 52:24-28
 2001 Report of the KBRC. 53:25-28
 2002 Report of the KBRC. 54:39-42
- Rintoul, David, and Ted T. Cable.
 Breeding Record for the Black-shouldered Kite in Kansas. 41:26-28
- Rintoul, David A. and E. Dale Kennedy.
 Albinism in a Carolina Wren and Two House Wrens From Kansas. 53:21-23
 Rising, James D., Birds in Kansas (Book Review) 41:30-31
 also see Jaramillo, Alvaro P.
Rissa tridactyla 43:1-16, 18; 44:21-23; 46:28-29; 49:26-29; 50:25; 53:28
- Rivers, James. W. Unusually High Rate of Barn Owl Roadkills in Kansas. 49:43-44
- Roadrunner, Greater, see *Geococcyx californianus*
- Robbins, Mark B., Brain R. Barber, and Eugene A. Young. Major Bird Mortality at a Topeka Television Tower. 51:29-30
- Robin, American, see *Turdus migratorius*
- Roosting.** *Corvus brachyrhynchos* 50:35-38 [i.e. 43-46]
Turdus migratorius 52:47
Sialia currucoides 52:1-20
Sialia sialis
- Roth, Stanley, see Schwilling, Marvin D.
- Ruff, see *Philomachus pugnax*
- Russell Co. 53:25-28
- Saline Co. 47:28; 51:25-28; 52:24-28
- Salia mexicana* 53:27
- Salpinctes obsoletus* 31:1-16; 34:1-18; 35:25-33; 45:1-20; 48:1-20, 33-34; 52:1-20; 54:1-20; 55:1-20
- Sandpiper, Curlew, see *Calidris ferruginea*
- Dunlin, see *Calidris alpina*
- Least, see *Calidris minutilla*
- Semipalmated, see *Calidris pusilla*
- Snipe, Common (Wilson's), see *Gallinago delicata*
- Spoonbill, see *Eurynorhynchus pygmeus*
- Spotted, see *Actitis macularia*
- Western, see *Calidris mauri*
- Upland, see *Bartramia longicauda*
- Sapsucker, Red-naped, see *Sphyrapicus nuchalis*
 Williamson's, see *Sphyrapicus thyroideus*
 Yellow-bellied, see *Sphyrapicus varius*
- Sayornis nigricans* 44:25-29; 51:31-32; 53:27
S. phoebe 35:25-33; 40:23-28; 42:29; 44:25-29; 50:33-36; 51:1-20, 23; 52:1-20; 53:1-20; 54:1-20, 47-48; 55:1-20
S. saya 31:1-16; 33:1-17; 35:25-33; 44:25-29; 48:1-20
- Scaup, Greater, see *Aythya marila*
 Lesser, see *Aythya affinis*
- Schmidt, Richard H. In Memoriam 51:35-37
- Schukman, John M. Breeding Ecology and Distribution Limits of Phoebes in Western Kansas. 44:25-29
 Temporal and Spatial Relationships of

- Three Canopy-Dwelling Warblers in a Missouri River Bottomland Forest. 47:37-40
- An Unusually Large Barn Swallow Nest. 54:46-47
- Schukman, John M. and Ted Mouras. Probable Breeding of the Yellow-throated Warbler (*Dendroica dominica*) in Northeast Kansas. 43:27-30
- Schulenberg, Jean H. and Edward F. Breeding Bird Associations in Riparian Habitat in North East Kansas. 37:33-37
- Schulenberg, Ed, Jean, Margaret, see Boyd, Roger L.
- Schulenberg, Jean H., G.L. Horak, M.D. Schwilling, E.J. Finck. Nesting of Henslow's Sparrow in Osage County, Kansas. 44[45]:25-28
- Schwilling, Marvin D. A Review of Curve-billed Thrasher Records from Kansas. 31:24
- Sedge Wrens Nesting into September. 33:22-23
- Tree Swallows Nesting in Bluebird Nest Boxes in Kansas. 41:24
- Ash-throated Flycatcher and Probable Western Screech-Owl Nesting in Morton County, Kansas. 42:37-38
- Also see Thompson, Max C.; see Ports, Mark A.; see Ptacek, James
- Schwilling, Marvin D. and Joanne Brier. Louisiana Waterthrush Nests in Lyon and Shawnee Counties, Kansas. 38:35
- Schwilling, Marvin D., Daniel Mulhern, and Gerald Horak. The Bald Eagle Nesting in Kansas. 40:35-36
- Schwilling, Marvin D. and Stanley Roth. Violet-green Swallow Nesting in Wallace County, Kansas. 38:35
- Schwilling, Marvin D., Ed and Jean Schulenberg, Southeast Kansas Nesting Notes, 32:18-19
- Schwilling, Marvin D. and T.E. Webster. American Woodcock Nest in Bourbon County. 34:26-27
- Scolopax minor* 33:21; 34:26-27; 38:29-33
- Scoter, Black, see *Melanitta nigra*
- Surf, see *Melanitta perspicillata*
- White-winged, see *Melanitta fusca*
- Scott Co. 51:32; 53:25-28
- Screech-Owl, Western, see *Otus kennicottii*
- Sebelius Reservoir 49:29-32
- Sedgwick Co. 33:37-39; 35:21-22; 39:21-26; 52:24-28; 53:25-28
- Seibel, David E. Headlong Downward Climbing by the Brown Creeper. 31:21-22
- Artic Loon in Cowley County, Kansas. 32:19
- Seiurus aurocapillus* 33:17-19
- S. motacilla* 35:25-33; 38:35; 40:23-28; 46:39-40; 53:37-39
- Selasphorus platycercus* 31:27-28; 44:21-23; 48:34-36; 50:27; 52:26; 53:26; 55:25-28
- S. rufus* 42:22-23; 43:18-19; 48:27, 34-36; 49:26-29; 54:39-43
- S. sasin* 44:21-23;
- Serpentes 53:23-24
- Seltman, Scott S. see Shane, Thomas G.
- Seward Co. 33:21-22
- Shane, Sara J., see Shane, Thomas G.
- Shane, Thomas G. Also see Patti, Sebastian, and -; Chipping Sparrow Trapped by *Taraxacum*. 51:32
- The Black Phoebe: A Hypothetical Species for Kansas. 51:31-32
- Shane, Thomas G. and Lisa M. Edwards. Racer as a Winter Prey Item of Red-tailed Hawk. 51:39-40
- Shane, Thomas G. and Eulalia M. Lewis. Arthur L. Goodrich: A Kansas Ornithological Society Founder. 49:41-43
- Shane, Thomas G., and Scott S. Seltman. The Historical Development of Wintering Lark Bunting Populations North of the Thirty Seventh Parallel in Colorado and Kansas. 46:36-39
- Shane, Thomas G., and Sara J. Shane. A Late Fall Flock of Mountain Plovers in Kearny County, KS. 46:22-23
- Possible Western Meadowlark Predation on a Six-lined Racerunner. 50:39-40 [i.e.47-48]
- The Cedar Waxwing: A Western Kansas Breeding Species. 51:33-35
- Wintering American Tree Sparrows Fly-Catching. 54:45-46
- Shane, Thomas G., Sara J. Shane, Marie B Osterbuhr, and Ronald G. Osterbuhr. Late summer Roseate Spoonbills in Western Kansas. 52:37-39
- Shawnee Co. 38:35; 51:22-24; 51:29-30, 31-32; 52:21-24
- Shawnee Mission Park 53:25-28
- Shrike, Loggerhead, see *Lanius ludovicianus*
- Northern, see *Lanius excubitor*
- Sialia currucoides* 38:1-19; 40:1-21; 42:1-21; 45:1-20, 37; 46:1-20; 47:1-20; 48:1-20; 49:21-25; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20
- S. mexicana* 41:1-19; 49:26-29; 53:27

- S. sialis* 35:25-33; 40:23-28; 42:30-31; 43:1-16, 21-27; 45:1-20; 46:1-20; 47:1-20; 49:21-25; 50:1-20, 33-36; 51:1-20; 52:1-20; 53:1-20; 54:21-36
- Sigmodon hispidus* 48:23-24; 53:33-36; 54:42-43
- Siskin, Pine, see *Carduelis pinus*
- Sitta canadensis* 32:1-18; 33:37-39; 35:1-19; 44:1-16; 45:1-20; 46:1-20; 47:1-20; 48:33-34; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:21-36
- S. carolinensis* 32:1-18; 40:1-21, 24; 42:1-21; 45:1-20; 46:1-20; 47:1-20; 50:1-20, 33-36; 51:1-20; 52:1-20; 54:1-20, 21-36
- S. pusilla* 49:26-29
- S. pygmaea* 37:1-19; 38:1-19;
- Slate Creek Wetlands, 46:29-30
- Snipe, Common (Wilson's) see *Gallinago delicata*
- Solitaire, Townsend's, see *Myadestes townsendi*
- Sparrow, American Tree, see *Spizella arborea*
- Bachman's, see *Aimophila aestivasis*
- Black-chinned, see *Spizella atrogularis*
- Black-throated, see *Amphispiza bilineata*
- Brewer's, see *Spizella breweri*
- Cassin's Sparrow, see *Aimophila cassinii*
- Chipping, see *Spizella passerina*
- Clay-colored, see *Spizella pallida*
- Field, see *Spizella pusilla*
- Fox, see *Passerella iliaca*
- Golden-crowned, see *Zonotrichia atricapilla*
- Grasshopper, see *Ammodrammus savannarum*
- Harris's, see *Zonotrichia querula*
- Henslow's, see *Ammodramus henslowii*
- House, see *Passer domesticus*
- Lark, see *Chondestes grammacus*
- Le Conte's, see *Ammodramus leconteii*
- Lincoln's, see *Melospiza lincolni*
- Rufous-crowned, see *Aimophila ruficeps*
- Sage, see *Amphispiza belli*
- Savannah, see *Passerculus sandwichensis*
- Song, see *Melospiza melodia*
- Swamp, see *Melospiza georgiana*
- Vesper, see *Poocetes gramineus*
- White-crowned, see *Zonotrichia leucophrys*
- White-throated, see *Zonotrichia albicollis*
- Sperry, Theodore M. Breeding-Bird Population Trends in Southeastern Kansas. 32:29-39
- Memoriam 50:21-22
- Sphyrapicus nuchalis* 44:21-23; 46:28-29; 52:26; 54:39-43
- S. thyroideus* 52:26
- S. varius* 43:1-16; 45:1-20; 46:1-20; 47:1-20; 52:1-20; 54:21-36
- Spiza americana* 33:29-30; 35:25-33; 40:23-28; 46:30-31; 48:1-20; 50:33-36; 54:39-43
- Spizella arborea* 33:1-17; 35:1-19; 40:1-21; 42:1-21; 45:1-20; 46:1-20; 47:1-20; 49:1-20; 50:1-20, 39-40 [i.e.47-48]; 51:1-20; 52:1-20; 54:21-36, 45-46; 55:1-20
- S. atrogularis* 44[i.e.45]:36; 54:45-46
- S. breweri* 31:17-21, 27-28; 32:23-25; 40:1-21; 41:1-19; 54:45-46
- S. pallida* 32:23-25; 52:1-20; 54:45-46
- S. passerina* 31:1-16; 32:23-25; 35:25-33; 37:1-19; 43:1-16; 44[i.e.45]:36; 45:1-20; 47:1-20; 48:1-20; 50:26; 51:32; 52:1-20; 54:42-43, 45-46
- S. pusilla* 33:1-17; 35:1-19, 25-33; 40:23-28; 44:1-16; 46:1-20; 50:33-36; 54:1-20, 21-36; 54:42-43, 45-46
- Spoonbill, Roseate, see *Ajaja ajaja*
- Stafford Co. 47:29-33; 48:21-23; 49:29-32; 51:21-22; 52:24-28; 53:25-28
- Starling, European, see *Sturnus vulgaris*
- Stelgidopteryx serripennis* 40:23-28;
- Stellula calliope* 48:34-36; 52:26; 53:26; 55:25-28
- Stercorarius longicaudus* 44:21-23; 53:26; 55:25-28
- S. parasiticus* 44:21-23; 48:34-36;
- S. pomarinus* 40:1-21; 43:1-16; 44:21-23; 50:26
- Sterna forsteri* 42:1-21;
- S. nilotica* 50:25; 54:39-43
- S. paradisaea* 46:28-29
- Stevens Co. 52:24-28; 53:25-28
- Stilt, Black-necked, see *Himantopus mexicanus*
- Streptopelia decaocto* 49:26-29; 50:1-20, 25; 51:23-24; 52:1-20; 52:25; 53:1-20, 26, 28; 54:1-20; 55:1-20
- S. risoria* 44:1-16; 45:1-20; 48:1-20; 49:1-20; 50:1-20; 52:1-20
- Strix nebulosa* 50:38-39[i.e.46-47]
- S. varia* 43:37-39; 46:1-20; 47:1-20; 50:33-36, 38-39[i.e.46-47], 46-47; 53:1-20; 54:1-20, 21-36
- Sturnella magna* 33:29-30; 35:25-33; 40:23-28; 45:1-20; 46:1-20; 47:1-20; 49:1-20; 50:1-20, 33-36; 51:1-20; 52:1-20; 53:1-20; 55:1-20
- S. neglecta* 31:17-21; 35:1-19, 29; 45:1-20; 46:1-20; 47:1-20; 49:1-20; 50:1-20, 39-40 [i.e. 47-48]; 52:1-20; 53:1-20; 55:1-20
- Sturnus vulgaris* 32:1-18; 40:1-21, 25; 47:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20, 21-36; 55:1-20

- Sumner Co. 42:22-23; 46:29-30
Surnia ulula 50:38-39 [i.e.46-47]
 Swallow, Barn, see *Hirundo rustica*
 Cave, see *Petrochelidon fulva*
 Cliff, see *Petrochelidon pyrrhonota*
 Tree, see *Tachycineta bicolor*
 Violet-green, see *Tachycineta thalassina*
 Rough-winged, see *Stelgidopteryx serripennis*
 Swan, Mute, see *Cygnus olor*
 Trumpeter, see *Cygnus buccinator*
 Tundra, see *Cygnus columbianus*
 Swan, Tom and Max C. Thompson.
 Records of the Yellow Rail in Kansas.
 48:25-27
 Swartz Canyon, 53:29-33, 37-39
 Swift, Chimney, see *Chaetura pelagica*
 White-throated, see *Aeronautes saxatalis*
Sylvilagus floridanus 48:23-24;
- Tachycineta bicolor* 31:23-24; 41:24; 51:1-20, 23
T. thalassina 38:35; 52:28
 Tanager, Scarlet, see *Piranga olivacea*
 Summer, see *P. rubra*
 Western, see *Piranga ludoviciana*
 Teal, Blue-winged, see *Anas discors*
 Cinnamon, see *Anas cyanoptera*
 Garganey, see *Anas querquedula*
 Green-winged, see *Anas crecca*
 Tern, Arctic, see *Sterna paradisaea*
 Forster's, see *Sterna forsteri*
 Gull-billed, see *Sterna nilotica*
Thamnophis radix 49:33-38
 Thomas Co. 48:28, 33-34
 Thompson, Max C. Nesting Records of the
 Northern Harrier from Kansas. 34:25
 The Winter Bird Count for 1992. 44:1-16
 Iowa Birdlife (Book Review) 44:31
 Unusual Death of a Red-bellied
 Woodpecker. 45:23-24
 The Winter Bird Count for 1996. 48:1-20
 Madge Hilbish: KOS Benefactor. 48:29-30
 In Memoriam – E. Maurice Nuss. 49:38-39
 Also see Swan, Tom; see Ports, Mark
 A.; see Young, Eugene A.
 Thompson, Max C., Wallace Champeny,
 and Jay Newton. Records of the
 Garganey in Kansas. 34:29-30
 Thompson, Max C., Marvin Schwillig,
 and J. Allen White. New Distributional
 Records for the State of Kansas. 31:27-28
 Thompson, Max C. and Eugene A. Young.
 The Winter Bird Count for 1993. 45:1-20
 The Winter Bird Count for 1994. 46:1-20
 The Winter Bird Count for 1995. 47:1-20
 The Winter Bird Count for 1998
 [i.e.1997]. 49:1-20
 The Winter Bird Count for 1998. 50:1-20
 The Winter Bird Count for 1999. 51:1-20
 The Winter Bird Count for 2000. 52:1-20
 Thrasher, Brown, see *Toxostoma rufum*
 Curve-billed, see *Toxostoma curvirostre*
 Long-billed, see *Toxostoma longirostre*
 Sage, see *Oreoscoptes montanus*
 Thrush, Hermit, see *Catharus guttatus*
 Varied, see *Ixoreus naevius*
 Wood, see *Hylocichla mustelina*
Thryomanes bewickii 38:23-24; 40:23-28;
 53:21-23
Thryothorus ludovicianus 31:1-16; 32:1-18;
 35:1-19, 26; 36:1-20; 40:1-21; 43:1-16;
 44:1-16; 46:1-20; 50:33-36; 52:42-47;
 53:1-20, 21-23; 54:21-36
 Titmouse, Juniper, see *Baeolophus ridgwayi*
 Tufted, see *Baeolophus bicolor*
 Tomb, Spencer. Pheasants of the World
 (Book Review) 38:24
 Towhee, Canyon, see *Pipilo fuscus*
 Eastern, see *Pipilo erythrophthalmus*
 Green-tailed, see *Pipilo chlorurus*
 Rufous-sided, see *Pipilo erythrophthalmus*
 Spotted, see *Pipilo maculatus*
Toxostoma curvirostre 31:24; 32:1-18; 40:1-21;
 42:1-21; 45:1-20; 46:1-20; 51:1-20; 52:1-
 20, 27; 53:1-20
T. longirostre 52:28
T. rufum 31:1-16, 17-21; 33:1-17; 34:1-18;
 35:1-19, 27; 36:1-20; 40:23-28; 45:1-20;
 46:1-20; 51:1-20; 54:21-36
Tringa erythropus 39:38-39
T. melanoleuca 35:1-19; 36:1-20; 46:1-20, 40;
 50:1-20; 51:1-20; 53:1-20; 54:1-20
T. flavipes 46:1-20
Troglodytes aedon 31:17-21; 32:1-18; 33:1-17;
 40:23-28; 43:1-16; 49:21-25; 50:1-20;
 53:1-20, 21-23; 54:1-20; 55:1-20
T. troglodytes 54:1-20, 21-36
 Trumpeter Swan, see *Cygnus buccinator*
Turdus migratorius 31:1-16; 35:25-33; 38:1-
 19; 40:1-21, 25; 42:1-21; 44:1-16; 46:1-
 20, 30-31; 47:1-20; 48:1-20; 50:1-20;
 51:1-20, 37; 52:47; 53:21-23; 54:21-36
 Turkey, Wild, see *Meleagris gallopavo*
 Turtle-Dove, Ringed, see *Streptopelia risoria*
 Tuttle Creek Reservoir 40:31; 41:26-28;
 53:25-28
Tympanuchus cupido 38:29-33; 45:1-20; 49:1-
 20; 50:1-20; 51:1-20; 52:1-20
T. pallidicinctus 31:17-21; 45:1-20; 48:1-20;

- 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20, 37-39; 55:1-20
- Tyrannus forficatus* 40:23-28
- T. savana* 42:29-30
- T. tyrannus* 31:17-21; 35:25-33; 40:23-28; 46:30-31; 50:33-36
- T. verticalis* 31:17-21; 36:25-26
- T. vociferans* 51:23; 53:27
- Tyto alba* 42:36-37; 44:33-39; 49:33-38, 43-44; 50:38-39 [i.e.46-47]; 53:33-36
- Van Why, Kyle, see Applegate, Roger D.
- Vannoy, Donald. First Anna's Hummingbird in Kansas. 42:22-23
- Vermivora celata* 31:1-16; 39:1-20; 41:1-19; 49:1-20; 53:1-20; 54:1-20, 39-43
- V. ruficapilla* 34:1-18
- V. virginiae* 44 [i.e.45]:36; 51:23-24; 53:28
- Vireo bellii* 35:25-33; 40:23-28; 46:33-36; 50:33-36
- V. cassinii* 49:26-29; 51:23-24; 54:39-43
- V. flavifrons* 35:25-33
- V. gilvus* 31:17-21;
- V. griseus* 35:25-33; 52:42-47
- V. olivaceus* 35:25-33; 43:21-27; 50:33-36
- V. vicinior* 49:26-29;
- Vireo, Bell's, see *Vireo bellii*
- Cassin's, see *Vireo cassinii*
- Gray, see *Vireo vicinior*
- Red-eyed, see *Vireo olivaceus*
- Warbling, see *Vireo gilvus*
- White-eyed, see *Vireo griseus*
- Yellow-throated, see *V. flavifrons*
- von Achen, Pennie, see Fitch, H. C. et al.;
- Vulpes fulva* 53:23-24
- Vulpes velox* 50:29-35 [i.e.37-43]
- Vulture, Black, see *Coragyps atratus*
- Turkey, see *Cathartes aura*
- Wabaunsee Co. 51:22-24
- Wagtail, Yellow, see *Motacilla flava*
- Wallace Co. 34:21-22; 38:35; 44:29-30
- Warbler, Black-and-white, see *Mniotilta varia*
- Black-throated Blue, see *Dendroica caerulescens*
- Black-throated Gray, see *Dendroica nigrescens*
- Cape May, see *Dendroica tigrina*
- Grace's, see *Dendroica gaciae*
- Hooded, see *Wilsonia citrina*
- Kentucky, see *Oporornis formosus*
- Mourning, see *Oporornis philadelphia*
- Nashville, see *Vermivora ruficapilla*
- Northern Parula, see *Parula americana*
- Orange-crowned, see *Vermivora celata*
- Palm, see *Dendroica palmarum*
- Pine, see *Dendroica pinus*
- Prairie, see *Dendroica discolor*
- Prothonotary, see *Protonotaria citrea*
- Swainson's, see *Limnothlypis swainsonii*
- Townsend's, see *Dendroica townsendi*
- Virginia's, see *Vermivora virginiae*
- Worm-eating, see *Helminthes vermivorus*
- Yellow, see *Dendroica petechia*
- Yellow-rumped, see *Dendroica coronata*
- Yellow-rumped (Audubon's), see *Dendroica coronata auduboni*
- Yellow-rumped (Myrtle), see *Dendroica coronata coronata*
- Warnock, Terri. Diets of Birds in Captivity (Book Review) 32:45-46
- Washington Co. 37:33-37; 52:24-28; 53:25-28
- Waterthrush, Louisiana., see *Seiurus motacilla*
- Watkins, Michael A. and Daniel W. Mulhern. Bald Eagle Nesting Activity in Kansas – 1996. 48:21-23
- Bald Eagle Nesting Activity in Kansas. 49:29-32
- Ten Years of Successful Bald Eagle Nesting in Kansas. 50:29-33
- Watkins, Michael A., Daniel W. Mulhern, and Eva Willis. A History of Successful Bald Eagle Nesting in Kansas. 44[45]:29-35
- Bald Eagle Nesting Activity in Kansas – 1995. 47:29-33
- Waxwing, Bohemian, see *Bombycilla garrulous*
- Cedar, see *Bombycilla cedrorum*
- Wendt, Gina N. see Parrish, J. W.
- Weston Bottoms, 43:27-30; 47:37-40
- Wheatear, Northern, see *Oenanthe oenanthe*
- Whip-poor-will, see *Caprimulgus vociferus*
- Whistling-Duck, Black-bellied, see *Dendrocygna autumnalis*
- White, J. Allen, see Thompson, Max C.
- Wiens, Gerald, White-throated Swift (*Aeronautes saxatalis*) from Cowley County, Kansas. 44:30-31
- Also see Gress, Robert J.
- Wigeon, Am., see *Anas americana*
- Wigeon, Eurasian, see *Anas penelope*
- Willet, see *Catoptrophorus semipalmatus*
- Willis, Eva, see Watkins, M. A.
- Wilsonia citrina* 43:18-19; 49:26-29
- Wilson Lake 53:25-28
- Winter, Stephen L., Ralph E. Charlton, and Jack F. Cully, Jr. A New County Breeding Record for Black-billed Magpies: Symptom of Habitat Changes in a Grassland Landscape. 51:25-28

- Wolf Creek Lake 44[i.e.45]:29-35; 47:29-33; 48:21-23; 49:29-32
- Wolfe, Donald H. King Rail Impaled on Barbed Wire Fence. 44[i.e.45]:35
- Woodcock, American, see *Scolopax minor*
- Workman, David M. see Parrish, J. W.
- Wren, Canyon, see *Catherpes mexicanus*
 Carolina, see *Thryothorus ludovicianus*
 House, see *Troglodytes aedon*
 Long-billed Marsh, see *Cistothorus palustris*
 Marsh, see *Cistothorus palustris*
 Rock, see *Salpinctes obsoletus*
 Sedge, see *Cistothorus palustris*
 Short-billed Marsh, see *Cistothorus platensis*
 Winter, see *Troglodytes troglodytes*
- Wilsonia citrina* 51:24; 52:27
- Woodpecker, Downy, see *Picoides pubescens*
 Hairy, see *Picoides villosus*
 Ladder-backed, see *Picoides scalaris*
 Lewis', see *Melanerpes lewis*
 Pileated, see *Dryocopos pileatus*
 Red-bellied, see *Melanerpes carolinus*
 Red-headed, see *Melanerpes erythrocephalus*
- Woodstork, see *Mycateria americana*
- Wyandotte Co. 33:23-24; 53:25-28
- Xanthocephalus xanthocephalus* 32:1-18; 33:1-17; 36:1-20; 37:1-19; 40:1-21; 41:1-19; 46:1-20; 48:1-20, 33-34; 50:1-20; 53:1-20
- Xema sabini* 48:34-36; 49:26-29
- Yellowlegs, Greater, see *Tringa melanoleuca*
 Lesser, see *Tringa flavipes*
- Yellowthroat, Common, see *Geothlypis trichas*
- Young, Eugene A. The Status of the Barred Owl *Strix varia* in Kansas. 43:37-39
 Green-winged Teal Nest in South-central Kansas. 46:29-30
 Also see Kluza, Daniel A. et al., see Robbins, Mark B.
 see Thompson, Max C.
- Young, Eugene A. and Maureen B. Pate. Winter Distribution of the Great Blue Heron in Kansas. 46:25-28
- Young, Eugene A. and Max C. Thompson. Notes on Some Large Concentrations of Migrating Birds in South-Central Kansas. 46:30-32
- Zenaida asiatica* 44[i.e.45]:36; 47:34-35; 49:26-29; 50:25; 51:23; 52:47-48; 53:1-20, 26; 54:39-43; 55:1:20, 25-28
- Zenaida macroura* 31:17-21; 33:29-30; 35:25-33; 38:29-33; 49:1-20; 50:1-20, 33-36; 51:1-20; 52:1-20; 54:21-36
- Zimmerman, John L. Mid-Winter Bird Count for 1979. 31:1-16
 Mid-Winter Bird Count for 1980. 32:1-18
 The Audubon Society Handbook for Birders (Book Review). 32:39
 The Winter Bird Count for 1981. 33:1-17
 The Winter Bird Count for 1982. 34:1-18
 Bird Conservation: No. 1 (Book Review). 34:30
 The Birdwatcher's Companion: an Encyclopedic Handbook of North American Birdlife (Book Review). 34:19-20
 The Winter Bird Count for 1983. 35:1-19
 The Winter Bird Count for 1984. 36:1-20
 Birding with a Purpose: Of Raptors, Gaboons and Other Creatures (Book Review). 36:24
 The Winter Bird Count for 1985. 37:1-19
 The Winter Bird Count for 1986. 38:1-19
 Non-Passerine Breeding Birds of Konza Prairie. 38:29-33
 The Winter Bird Count for 1987. 39:1-20
 Arkansas Birds, Their Distribution and Abundance (Book Review). 39:26
 The Winter Bird Count for 1988. 40:1-21
 Passerine Breeding Birds of Konza Prairie. 40:23-28
 Ecology and Conservation of Grassland Birds (Book Review). 40:31-32
 The Winter Bird Count for 1989. 41:1-19
 The Winter Bird Count for 1990. 42:1-21
- Zonotrichia albicollis* 33:1-17; 40:1-21; 47:1-20; 51:1-20; 54:21-36
- Z. atricapilla* 39:1-20; 40:1-21; 41:1-19; 43:18-19; 44[i.e.45]:36; 45:1-20; 46:28-29; 47:34-35; 48:1-20, 34-36; 49:1-20; 49:26-29; 50:1-20, 26; 52:27; 54:39-43; 55:25-28
- Z. leucophrys* 32:23-25; 33:1-17; 44:1-16; 51:1-20; 52:1-20; 54:21-36
- Z. querula* 33:1-17; 36:1-20; 40:1-21; 42:1-21; 44:1-16; 45:1-20; 47:1-20; 49:1-20; 50:1-20; 51:1-20; 52:1-20; 53:1-20; 54:1-20, 21-36; 55:1-20
- Zyskowski, Kristof see Rice, Nathan H. et al.
 See Ball, Lisa G. et al.