

Kansas Ornithological Society

BULLETIN

PUBLISHED QUARTERLY

Vol. 75

SEPTEMBER/DECEMBER 2024

No. 3 & 4

TWENTY-YEAR INDEX TO THE KANSAS ORNITHOLOGICAL SOCIETY BULLETIN 2005-2024

Eugene A. Young¹ and Max C. Thompson²

¹*Agriculture and Biological Sciences, Northern Oklahoma College, 1220 E. Grand,
PO Box 310, Tonkawa, OK 74653-0310 (eugene.young@noc.edu);*

²*Southwestern College, 100 College St., Winfield, KS 67156 (max.thompson@schkans.edu).*

For this index we followed the standards set by Roger Boyd (2004. Twenty-five Year Index to the Bulletin 1980-2004. KOS Bulletin 55[4]:29-52). This index is published as Numbers 3 and 4 of Volume 75, and it indexes volumes 56 through 75 allowing for easy binding, or referencing online (<https://www.ksbirds.org/kos/bulletin/Bulletin.htm>). This index includes entries for authors, common and scientific names, geographic localities, and a number of special subjects listed below. Avian taxonomy and nomenclature follows the American Ornithologists' Union Checklist of North American Birds (online, 7th edition, 1998) through the 65th supplement (Chesser, R. T., S. M. Billerman, K. J. Burns, C. Cicero, J. L. Dunn, B. E. Hernández-Baños, R. A. Jiménez, Oscar Johnson, A. W. Kratter, N. A. Mason, P. C. Rasmussen, and J. V. Remsen, Jr. 2024. Check-list of North American Birds [online]. American Ornithological Society. <https://checklist.americanornithology.org/taxa/>). Exceptions are when species are not part of the AOU Checklist, we followed Birds of the World (2025. Birds of the World Cornell Lab of Ornithology, <https://birdsoftheworld.org/bow/home>). For bird species we index page numbers with the scientific names, thus all common names reference the scientific name. For non-avian species we provide the common name with the scientific name in parenthesis. When Errata's were published we used the corrected information in the index.

We attempted to index each bird species mentioned in every article, with the exception of Winter Bird Counts (or CBC's), where we only indexed those species mentioned in text narrative and supporting figures or tables, but not within main summary tables for all counts. We did not index pages for localities within CBC summary table, however, all are included as part of the text narrative for those issues.

Subject heading have been broadly defined and include: Abnormalities, Author Instructions, Authors/Names, Banding, Behavior, Counties, Counts and Surveys,

Errata, Food and Feeding Habitat, General, Habitat, Hybrids, KBRC Reports, Locations and Sites, Memoria, Migration, Mortality, Museums, Nesting, Officers of KOS, Records (first), Scientific and Common Names, and Species of Concern. Common acronyms used include: NWR (National Wildlife Refuge); SP (State Park); WA (Wildlife Area); and WMA (Wildlife Management Area).

In addition, we publish one **Errata** here, which is included within the index: Volume 75, Issue 2, page 39, the correct epithet for Fork-tailed Flycatcher in Figure 8 is *savana*, to read as *Tyrannus savana*.

Lastly, we thank Chuck Otte and Sebastian Patti for their reviews and comments on the index, which enhanced the final layout.

Abnormalities: Beak Deformity

Brown-headed Cowbird 56:29-32;
Sublingual Oral Fistula in a Franklin's
Gull (*Leucophaeus pipixcan*) 70:53-56.

Author Instructions: 58:24; 70:52;
71:51-52; 72:40, 47; 74:40; 75:75.

Authors/Names

Agpalo, Elizabeth see Young, E.A. *et al.*
Amerson, A. Binion, Jr. 74:47.
Andersen, Michael 74:42; also see Cable
et al.
Andres, Brad A. see Penner *et al.*
Antonio, Bob. 74:42.
Arcilla, Nicole see Caven *et al.*

Bass, M. Neil see Guilfoyle *et al.*
Beckman, Matt see Young *et al.*
Blundell, Melissa A. and Ben Von Korf.
Bobolinks (*Dolichonyx oryzivorus*)
Nesting At Konza Prairie Biological
Station, Riley County, Kansas. 59:21.
Boyd, Ivan 74:41-42.
Boyd, Roger L. In Memoriam:
Katharine B. Kelley. 56:37-38.

74:41-43; also see Cink.

Brecheisen, William R. and William H.
Busby. Probable Nesting by a
Young-of-the-Year Eastern Bluebird.
67:33-35.

Buckley, Emma M. Brinley see Caven *et al.*
Busby, William H. see Brecheisen.

Cable, Ted T. see Raynor *et al.*

Cable, Ted T., David Wiggins and
Michael. Andersen. The First
Successful Nesting Record of The
Common Raven (*Corvus corax*) in
Kansas. 63:27-30.

Cao, Thuy T. see Flowers.

Caven, Andrew J., Kelsey C. King,
Emma M. Brinley Buckley, Greg D.
Wright, Nicole Arcilla, and Ross P.
McLean. Sustained Early Interior
Greater Prairie-Chicken (*Tympanuchus*
cupido pinnatus) Lekking Behavior at
Lek in Central Nebraska. 69:29-39.

Cink, Calvin L. Autumnal Foraging in
Floodplain Tallgrass Prairie by House
Wrens. 56:11-12.

Recoveries of Eastern Phoebe
Banded as Nestlings in Northeastern
Kansas. 57:12.

Kentucky Warbler Nest
Characteristics in Northeastern
Kansas. 57:24 (corrected not 16).

Parting Note from the Editor. 58:12.

Cink, Calvin L., and Roger L. Boyd.
The Winter Bird Count for 2004.
56:1-20.

The Winter Bird Count for 2005.
57:1-11, 13-20.

- The Winter Bird Count for 2006. 58:1-10, 13-20.
- Cooper, Michael. In Memoriam: Harold Hedges. 56:24.
- Corder, Mark A. First Kansas Nesting Record of the Vermilion Flycatcher. 57:25-26.
- Crispin, Blake see Young *et al.*
- Dunn, Shaun M. see Farley.
- Ely, Charles A. 74:45-47.
- Farley, Greg H., and Shaun M. Dunn. Observation of a Squirrel Eating an Adult Northern Flicker. 58:29-30.
- Fischer, Richard A. see Guilfoyle *et al.*
- Flowers, Emily T. Unusual Death of Western Kingbird. 63:30.
- Flowers, Thomas L. Notes on Banding Common Grackles in Meade County, Kansas. 66:33-36.
- The Eurasian Collared-Dove in Meade County Kansas. 62:25-31.
- Hybrid *Vermivora* Warbler Banded in Meade County, Kansas. 61:29-31.
- Flowers, Thomas L. and Edwin J. Miller. Two New Banding Returns for Cedar Waxwings from Kansas. 62:46-47.
- Flowers, Thomas L., Thuy T. Cao, Delia M. Hernandez, Arthur G. Nonhof, and Thomas G. Shane. White-winged Dove (*Zenaida asiatica*) Nesting in Meade and Finney Counties in Kansas. 64:25-32.
- Fretwell, Steve 74:42.
- Frey, Christopher M. and Brian D. Monser. Recent and Historical Sightings of The Magnificent Frigatebird Preceded By Hurricanes in The Gulf Of Mexico with Notes on Foraging in Kansas. 60:25-28.
- Gabriele, Jennings see Young and Young *et al.*
- Graham, Rob see Young *et al.*
- Greer, Ashley A. see Young *et al.*
- Groeneweg, Kevin see Young *et al.*
- Guilfoyle, Michael P., M. Neil Bass, and Richard A. Fischer. Breeding Bird Surveys in Forested Habitats on the Fort Leavenworth Military Reservation, Kansas. 70:33-51.
- Harding, Maren see Young *et al.*
- Hernandez, Delia M. see Flowers *et al.*
- Hicks, C. Leon see Hicks.
- Hicks, Tyler L. Fish Crow (*Corvus ossifragus*) Range Expansion in Kansas. 60:29-36.
- Hicks, Tyler L. and C. Leon Hicks. Phenology of Twenty-five Species of Migratory Birds on a Postal Route in Sedgwick County Kansas. 64:33-36.
- Hobbs, Chris see Robbins, M.B. *et al.*
- Humphrey, Philip S. 74:45-47.
- Janzen, Pete, Chuck Otte, and Mike Umscheid. Weather-Related Observations of American Woodcock (*Scolopax minor*) in Kansas During Late October 2020. 73:33-42.
- Johnson, Lowell B. Extralimital Ladder-backed Woodpecker of Apparent Extended Longevity in Riley County, Kansas. 59:33-36.
- Jones, J. Know, Jr. 74:47.
- Kellogg, Remington 74:46.
- King, Jon C. Breeding Distribution of Yellow-throated Warbler (*Setophaga dominica*) in Kansas Extends Westward to Douglas County. 74:41-44.
- King, Jon C. and Carolyn Schwab. Apparent Pacific Northwest Orange-crowned Warbler (*Leiothlypis celata lutescens*) in Kansas: A Hypothetical First State Record. 74:33-39 (corrected scientific name).
- King, Jon C., Robert L. Penner, and Mike D. Rader. A Sight Record of Bean Goose (*Anser fabalis/serrirostris*) in

- Kansas. 71:33-40.
- King, Jon C. Mark B. Robbins, and Matthew A. Young. Red Crossbill (*Loxia curvirostra*) Call Types in Kansas During the Past Decade (2010-2020) with Comments on Identification of Historical Specimens. 71:41-51.
- King, Kelsey C. see Caven *et al.*
- Klema, Dave see Young *et al.*
- Land, Mark. 2010 Report of the KBRC. 62:21-23.
2011 Report of the KBRC. 63:31-34.
2012 Report of the KBRC. 64:37-40.
2013 Report of the KBRC. 65:25-28.
2014 Report of the KBRC. 66:29-32.
- LaShelle, Dan. Banded White-faced Ibis Observed in Northeastern Kansas. 62:32.
- Lyons, James E. see Penner *et al.*
- Matamoros, Jorge L. see Young *et al.*
- McDowell, Kathy 74:33, 42.
- McLean, Ross P. see Caven *et al.*
- Miller, Edwin J. see Flowers.
- Monser, Brian D. see Frey.
- Mulhearn, Daniel W. and Michael Watkins An Attempt to Relocate Pre-Fledged Least Tern Chicks On The Kansas River. 59:23.
- Mulligan, Dylan see Young *et al.*
- Nonhof, Arthur G. see Flowers *et al.*
- Nyari, Arpad see Robbins, M.B. *et al.*
- Otte, Chuck, 2004 Report of the KBRC. 56:21-23.
2005 Report of the KBRC. 57:21-23 (pages corrected, not 13-16).
2006 Report of the KBRC. 58:21-23.
2007 Report of the KBRC. 59:26-28.
2008 Report of the KBRC. 60:21-24.
2009 Report of the KBRC. 61:21-24.
2015 Report of the KBRC. 67:29-32.
2016 Report of the KBRC. 68:29-36.
2017 Report of the KBRC. 69:25-28.
2018 Report of the KBRC. 70:25-32.
- 2019 Report of the KBRC. 71:25-31.
2020 Report of the KBRC. 72:25-31.
2021 Report of the KBRC. 73:25-30.
2022 Report of the KBRC. 74:25-32.
2023 Report of the KBRC. 75:33-44.
- Status of Iceland/Thayer's Gull in Kansas. 68:37-40.
- Also see Janzen *et al.*; Robbins; Robbins and Young *et al.*
- Otto, Breanne see Young *et al.*
- Palmquist, John D. see Shane, T.G.
- Penner, Robert L. see King *et al.*
- Penner, Robert L., Brad A. Andres, James E. Lyons, and Eugene A. Young. Spring Surveys (2011-2014) for American Golden-Plovers (*Pluvialis dominica*), Upland Sandpipers (*Bartramia longicauda*), and Buff-breasted Sandpipers (*Calidris subruficollis*) in the Flint Hills. 66:37-52.
- Patti, Sebastian see Robbins *et al.*
- Pitman, Galen 74:42.
- Plinsky, Mary 74:33.
- Powell, Alexis 74:42.
- Prum, Rick 74:42.
- Rader, Mike see King *et al.*, and Young *et al.*
- Raynor, Edward J., Ted T. Cable, David Wiggins. Common Black-Hawk: A Probable Kansas Record and Recent Range Expansion in the Southwestern U.S. 62:33-41.
- Reynolds, S. James see Rintoul.
- Rintoul, David A. Active Anting by a Scissor-tailed Flycatcher. 63:35-38.
- Beak Deformity in a Brown-headed Cowbird, With Notes on Causes of Beak Deformities in Birds. 56:29-32.
- Rintoul, David A. and S. James Reynolds. Sublingual Oral Fistula in a Franklin's Gull (*Leucophaeus pipixcan*).

- 70:53-56.
- Rintoul, David A. and Suntesha Wustrack. Observations of an Apparently Folivorous Barred Owl (*Strix varia*). 69:41-46.
- Robbins, Mark B. Buff-breasted Sandpiper (*Trynites subruficollis*) at Sod Farms in Kansas. 58:25-28.; 74:42.
- See King *et al.*
- Robbins, Mark B. and Chuck Otte. The Irruptive Movement of Snowy Owls (*Bubo scandiaca*) into Kansas and Missouri During the Winter of 2011-2012. 64:41-44.
- Robbins, Mark B. and Isaac N. Rush. The Status of the Migratory Great Horned Owl, (*Bubo virginianus subarcticus*) in Kansas and Missouri, with Comments on the Breeding Distribution of Subspecies in the Great Plains. 72:33-37.
- Robbins, Mark B., Sebastian Patti, Arpad Nyari, Chris Hobbs, and Max C. Thompson. Common Raven Nesting Attempt in Morton County, Kansas. 57:27-28.
- Rucker, Richard 74:42.
- Rush, Isaac N. see Robbins.
- Schwab, Carolyn see King.
- Seibel, David see Subramaniam *et al.*
- Shane, Sara J. see Shane T.G., and Shane T.G. *et al.*
- Shane, Thomas G. Significant Midcontinental Stopover Site for the Long-billed Curlew. 56:33-37.
- Aerial Pursuit of a Red- tailed Hawk by a Wild Turkey in Kansas. 56:39-40.
- Alloparenting by a Pine Siskin 61:27-28.
- See Flowers *et al.*
- Shane, Thomas G., and John D. Palmquist. The Monk Parakeet in Sherman County Kansas. 57:29-30.
- Shane, Thomas G., and Sara J. Shane. The Dickcissel Nesting in Kansas Sandsage Prairie. 57:31-32.
- Predator Avoidance Behavior by the Calliope Hummingbird. 58:11.
- Shane, Thomas G., Sara J. Shane, Wayne L. Simpkins, and Nedra R. Simpkins. Hailstone Strike Reduction Behaviors in Southwest Kansas Birds. 58:31-32.
- Silliman, Shawn see Subramaniam *et al.*
- Simpkins, Nedra, R. see Shane, T.G. *et al.*
- Simpkins, Wayne L. see Shane, T.G. *et al.*
- Simpson, Owen see Young *et al.*
- Subramaniam, Raagini Vasan, Eugene A. Young, Shawn Silliman, and David Seibel. Notes on Food Items of a Snowy Owl in Kansas 62:42-45.
- Thompson, Max C. In Memoriam Wallace H. Champeny (1925-2020).72:38-39.
- 74:45-47; also see Robbins *et al.*, Young, and Young *et al.*
- Thompson Max C. and Eugene A. Young. The Winter Bird Count For 2011-2012. 63:1-26.
- Umscheid, Mike see Janzen *et al.*
- Von Korf, Ben see Blundell.
- Watkins, Michael see Mulhern.
- Watkins, Michael A. and Virginia L. Winder. Displaced Bald Eagle (*Haliaeetus leucocephalus*) Nestling Successfully Raised in Foster Nest. 72:41-46.
- Wedge, Phil 74:43.
- Whiles, Alexis see Young, and Young *et al.*
- Wiggins, David see Cable *et al.*, and

- Raynor *et al.*
- Wilgers, Larry see Young *et al.*
- Winder, Virginia see Watkins.
- Wright, Greg D. see Caven *et al.*
- Wustrack, Suntesha see Rintoul.
- Young, Eugene A. Note on Spring Migration of the Buff-breasted Sandpiper in the Flint Hills of South-Central Kansas. 58:32.
- A Bibliography of Marvin D. Schwilling's Publications in The KOS Bulletin. 59:31-32.
- Little Stint (*Calidris minuta*) New (Hypothetical) Species for Kansas. 68:41-48.
- Science, Secrecy, and the Smithsonian: The Strange History of the Pacific Ocean Biological Survey Program (Book Review). 74:45-48.
- Also see Penner *et al.*, Subramaniam *et al.*, and Thompson.
- Young, Eugene A. and Alexis Whiles. Black-billed Magpie (*Pica hudsonia*) Winter Populations in Kansas from 1949 to 2015 Based on Christmas Bird Count Data. 67:36-46.
- Young, Eugene A., Blake Crispin, Rob Graham, Chuck Otte, Matt Beckman, and Dave Klema. Prey Items from Snowy Owl (*Bubo scandiaca*) Pellets During the 2011-2012 Irruption in Kansas. 65:33-40.
- Young, Eugene A., and Jennings Gabriele. The Winter Bird Count for 2010-2011. 62:1-20.
- Young, Eugene A., Jennings Gabriele, and Elizabeth Agpalo. The Winter Bird Count for 2009-2010. 61:1-20.
- Young, Eugene A., Maren N. Harding, Mike Rader, and Larry Wilgers. Notes on Food Habits of Wintering Long-eared Owls in North-Central Kansas. 56:25-29.
- Young, Eugene A. and Max C. Thompson. The Winter Bird Count For 2007. 59:1-20.
- The Winter Bird Count for 2012-2013. 64:1-24.
- Use of Shade by Upland Sandpipers (*Bartramia longicauda*) during Fall Migration: An Example of Thermal Refugia in a Grasslands Species? 65:29-32.
- Young, Eugene A., Max C. Thompson, Alexis Whiles, Ashley A. Greer and Chuck Otte. The Winter Bird Count for 2014-15. 66:1-28.
- Young, Eugene A., Max C. Thompson, Alexis Whiles, and Chuck Otte. The Winter Bird Count for 2013-2014. 65:1-22.
- Young, Eugene A, Max C. Thompson, and Chuck Otte. The Winter Bird Count for 2017-2018. 69:1-24.
- The Winter Bird Count for 2018-2019. 70:1-24.
- The Winter Bird Count for 2019-2020. 71:1-24.
- The Winter Bird Count for 2020-2021. 72:1-24.
- The Kansas Winter Bird Count for 2022-2023. 74:1-24.
- The Kansas Winter Bird Count for 2023-2024: The 75th Season for the Kansas Ornithological Society. 75:1-32.
- Young, Eugene A., Max C. Thompson, Chuck Otte, and Breanne Otto. The Winter Bird Count for 2016-2017. 68:1-28.
- Young, Eugene A., Max C. Thompson, Chuck Otte, Dylan Mulligan, and

- Owen Simpson. The Winter Bird Count for 2015-2016. 67:1-28.
- Young, Eugene A, Max C. Thompson, and Elizabeth Agpalo. The Winter Bird Count for 2008. 60:1-20.
- Young, Eugene A., Max C. Thompson, Kevin Groeneweg, and Jorge L. Matamoros. New County Record for the White Ibis (*Eudocimus albus*) in Sumner County, Kansas. 65:23-24 (corrected).
- Young, Matthew A. see King *et al.*
- Banding:** 61:29-31; 62:29, 46-47; 66:33-36; 67:33-35.
- Behavior:** Red-tailed Hawk pursued by Wild Turkey 56:39; predator avoidance (Calliope Hummingbird) 58:11; hailstone avoidance 58:31; alloparenting (Pine Siskin) 61:27-28; thermal regulation (Upland Sandpiper) 65:29-32; anting 63:35-38.
- Counties**
- Allen 66:2; 67:33; 71:31; 75:36.
- Anderson 59:21; 64:38; 67:33.
- Atchison 59:21; 64:25-26.
- Barber 60:23; 63:33; 66:30; 68:34; 70:31; 71:27.
- Barton 59:21, 28; 60:23; 64:38, 42; 65:34; 66:39; 67:30; 68:30; 70:26; 71:26, 35; 72:27, 31; 75:37.
- Brown 58:23; 59:21; 60:21.
- Buchanan (MO) 72:34.
- Butler 66:39, 44; 68:30; 71:27; 73:26, 35; 74:30.
- Chase 66:39, 44; 75:35-36.
- Cherokee 60:29-30, 32; 68:35; 74:29.
- Cheyenne 68:32, 34; 70:28; 71:29.
- Clark 58:1, 4; 59:2, 5, 33; 60:6; 61:3, 5; 62:1, 5; 63:5, 7; 64:6, 31, 38; 65:6; 66:11; 67:3, 11, 32; 68:2-3, 11, 30, 32; 69:2, 7; 70:7; 71:1-2, 7; 72:2, 7; 73:27.
- Clay 67:29; 73:36; 74:27.
- Clay (MO) 64:42-43.
- Cloud 59:21.
- Coffey 58:22; 60:31; 68:35; 70:27; 70:30; 74:27, 29; 75:37.
- Cowley 58:26, 32; 59:27; 60:21, 31; 62:28; 65:28; 66:39, 44; 68:29.
- Crawford 70:31; 74:28.
- Cummings (NE) 72:34.
- Decatur 69:27; 73:36.
- Dickenson 64:42; 65:34-35, 37; 72:27; 75:40.
- Doniphan 56:5; 57:5; 59:5, 21; 60:6; 63:8.
- Douglas 58:22-23, 25; 60:22, 31; 63:34, 39; 65:25-27; 66:31; 67:31; 68:35; 70:26; 71:27; 72:27; 73:29, 35; 74:26, 30, 41-44.
- Edwards 63:34.
- Elk 66:39, 44.
- Ellis 58:22, 29-30; 60:21; 64:25; 71:46.
- Ellsworth 56:3; 57:3; 58:3; 59:27; 60:23; 63:31-32; 66:31; 70:29; 71:26, 30.
- Finney 56:33-37; 57:31; 58:31; 60:21-23; 64:25, 27, 29-31; 69:3, 26; 70:27; 71:43; 73:26, 28, 36; 74:26-27, 32; 75:38.
- Ford 59:33; 64:39; 67:31; 68:31; 71:31, 47; 72:26; 73:27, 35-36.
- Franklin 65:28; 67:33.
- Geary 56:26; 60:22; 66:39; 68:30; 75:37.
- Gove 59:28; 64:2; 72:29; 75:37, 39, 41.
- Graham 60:25.
- Grant 59:27, 33.
- Gray 62:25; 63:33; 69:26.
- Greeley 58:23; 72:29.
- Greenwood 60:31; 66:39, 44; 69:26.
- Hamilton 59:33; 68:32; 71:28-29; 72:28; 73:29; 74:31; 75:33-35.
- Harper 69:27; 70:30.
- Harvey 63:31; 72:27; 73:35.
- Haskell 70:28; 73:36; 75:41.
- Hodgeman 63:32; 64:39; 68:31; 69:27.

Holt (MO) 64:41; 72:34.

Jasper (MO) 64:42.

Jefferson 58:22; 59:28; 60:23; 62:32;
65:27.

Johnson 58:21-22, 26; 59:28; 64:38-40;
65:26-28; 66:32; 67:31-32; 68:31, 33,
35; 69:27; 70:30; 72:26, 31; 73:35;
74:27-28, 31; 75:37, 40.

Kay (OK) 62:28.

Kearny 56:33-37; 71:26.

Kingman 72:30.

Kiowa 67:32; 69:26.

Labette 73:29; 74:29-30; 75:1.

Lane 65:27.

Leavenworth 59:21; 70:33, 51; 71:47.

Linn 56:7; 57:1, 7; 58:1, 6; 59:1, 7, 33;
60:2-3, 8, 29; 61:4; 62:1-2, 8; 63:2, 5,
10; 64:2, 9, 37; 65:2, 9; 66:2, 5, 15,
23-24, 29, 31-32; 67:3-5, 14; 68:2-3,
14; 69:2, 10; 70:2, 10; 71:2-3, 11;
72:2-3, 10; 73:2-3, 11, 26; 74:2, 10, 27;
75:3, 5-6, 14, 42.

Logan 64:38.

Lyon 64:39; 66:39, 44; 70:27; 73:30;
74:27.

Marion 63:34; 68:30; 72:28; 73:26.

McPherson 65:27; 69:26; 72:30; 75:37.

Meade 56:7, 34; 57:1-2, 7; 60:25;
61:29-30; 62:25-31, 46; 64:25-26,
28-31; 66:33-36; 71:43.

Miami 58:26; 67:30; 69:27; 72:28, 33.

Mitchell 64:42; 69:28; 73:36; 74:32.

Montgomery 62:46; 67:32; 75:43.

Morris 58:22; 66:39.

Morton 57:25, 27; 58:23; 59:27, 33;
60:22; 62:33, 46; 63:27, 34; 64:2, 25;
65:27-28; 66:30-32; 68:31-34; 70:28,
31; 71:28, 31; 72:26, 28, 30-31;
73:27-28; 74:30-31, 36; 75:37, 39,
41-43.

Nemaha 59:21.

Neosho 67:31, 33; 68:35; 71:31; 72:29;

73:36; 74:26, 28; 75:37.

Norton 62:47; 74:30.

Osage 60:31; 68:30; 69:26; 72:26; 75:37.

Osbourne 60:25; 71:43.

Ottawa 75:38.

Pawnee 56:39; 58:22; 73:36.

Pottawatomie 64:37-38; 66:29; 70:33-36,
53-56; 73:26; 74:28.

Pratt 58:22; 64:39; 66:30, 32; 72:29.

Reno 57:30; 58:22; 59:27; 60:22; 63:33;
66:31; 67:30-32; 68:31; 69:28; 70:28,
31; 71:27, 46; 73:35; 75:39.

Rice 69:28; 73:29.

Riley 59:21, 27, 33; 60:22-23, 25; 63:33;
64:25; 39; 66:29; 68:33-34; 69:26;
71:31; 73:35; 74:28, 30; 75:34, 43.

Russell 56:25; 62:47; 63:32; 64:39;
65:28, 34; 66:31-32; 67:29, 31; 68:30;
69:27; 70:29; 71:26, 33; 72:26, 28.

Saline 58:22; 68:33; 70:26-27; 72:33.

Scott 62:47; 64:38; 65:27; 67:31; 69:27;
71:29; 72:26, 29; 74:33; 75:40-41.

Sedgwick 58:23, 25-26; 59:28, 33; 60:23,
30-32; 63:31; 67:31-32; 69:26; 70:27,
31; 73:28, 35; 74:31; 75:37.

Seward 56:1, 7; 57:3, 7; 59:33; 61:1, 3, 8;
64:31; 68:31-32; 70:29; 72:30.

Shawnee 67:31; 69:27-28; 70:27; 74:32.

Sherman 57:29-30; 58:23; 59:2; 62:25.

Stafford 58:21; 59:21, 27; 60:22; 63:32;
64:38-39; 65:25, 27-30; 66:30-31, 39;
68:33, 41; 69:26; 70:29; 71:29, 35;
72:26; 74:30; 75:38.

Stanton 68:2-3, 18, 32; 69:27; 71:28-29;
72:28; 75:39.

Stevens 69:26-27; 70:28; 71:28, 30.

Sumner 60:31; 62:42-43; 64:43; 65:22
(corrected), 37; 66:39; 68:33; 75:37.

Trego 63:34; 64:25; 75:40.

Wabaunsee 59:23, 28; 66:39.

Wallace 71:47.

Washington 58:23; 63:32; 74:30.
Wichita 58:23; 59:27; 62:47.
Woodson 60:31.
Wyandotte 64:40; 65:26; 72:26; 75:37.

Counts and Surveys: Breeding Bird
70:33-51.

Winter Bird Count (CBC) 56:1-20; 57:1-
11, 13-20; 58:1-10, 13-20; 59:1-20;
60:1-20; 61:1-20; 62:1-20; 63:1-26;
64:1-24; 65:1-22; 66:1-28; 67:1-28;
68:1-28; 69:1-24; 70:1-24; 71:1-24;
72:1-24; 73:1-24; 74:1-24; 75:1-32.

Errata: 57:28 (corrects month and page
numbers in issue 2); 60:24 (corrects
KBRC errors 2005-2007); 67:35-36
(corrects alignment in issue 1); 67:50
(corrects pagination in issue 3); 69:28
(corrects errors in KBRC 2016
report); 74:48 (corrects genera names
in issues 2 and 3); 75:46 (corrects
species name in Figure 8, page 39).

Food and Feeding Habits: Long-eared
Owl 56:25-29; squirrel feeds on
Northern Flicker 58:29-30; Barred
Owl 69:41-46.

General

Army, U.S. 74:45-47.

CBC Species List 75:21-24.

DNA (*Corvus corax*) 63:28.

eBird 74:33, 35, 41.

KSBLD-L 74:36.

Lekking 69:29-39.

National Audubon Society (NAS) 56:3;
57:3; 58:3; 59:3; 60:4; 61:4; 62:3;
63:5-6; 64:4; 65:5; 66:9; 67:9; 68:9;
69:5; 70:5; 71:5; 72:5; 73:6; 74:5;
75:1, 9.

Pacific Ocean Biological Survey Program
(Pacific Project) 74:45-47.

Rural Mail Carriers Survey 64:33, 35.

Voucher Specimens 58:25.

Weather Related 58:31 (hail).

Habitat: Flint Hills 58:26, 32; 59:21;
61:2; 66:37-52; Glaciated Region 61:2;
Osage Cuestas 61:2; Sandsage Prairie
57:31-32; Smoky Hills 61:2; Sod
Farms 58:25-28, 32; 66:39.

Hybrids: Common Goldeneye x
Hooded Merganser 57:1; *Vermivora*
Warbler 61:29-31; Ross's x Snow
Goose 66:3; Mallard x Gadwall
(Brewer's Duck) 66:3.

KBRC Reports: 56:21-23; 57:21-23
(pages corrected, not 13-16);
58:21-23; 59:26-28; 60:21-24;
61:21-24; 62:21-23; 63:31-34;
64:37-40; 65:25-28; 66:29-32;
67:29-32; 68:29-36; 69:25-28;
70:25-32; 71:25-31; 72:25-31;
73:25-30; 74:25-32; 75:33-44, 74.

Locations and Sites

Abilene 75:40.

Alma/Lake Wabaunsee 56:3; 57:3; 58:3;
59:3; 60:4; 61:4; 62:1, 4; 63:6; 64:4.

Altamont (Altamount) 75:1.

Alta Vista 58:22.

Anthony 67:2-3, 9; 68:2, 9; 69:5; 70:2, 4,
5; 71:2-3, 5; 72:5; 73:3, 6; 74:2, 5.

Arkansas City 56:2-3; 57:1, 3; 58:1, 3;
59:1-3; 60:2-3, 21; 61:1-2, 4; 62:4, 28;
63:6; 64:1-2, 4; 65:2, 5; 66:2-5, 7, 9;
67:3-4, 9; 68:2-4, 9, 29; 69:2, 6; 70:5;
71:2-5; 73:2, 5, 7; 74:2, 5; 75:3, 5-6, 8-9.

Arkansas River 60:29-31; 62:36, 38;
64:31.

Atchison 56:7; 57:1, 7; 58:6; 59:7; 60:8;
61:8; 63:10; 74:2, 9; 75:5-6, 14.

Atwood 63:1-2, 6; 64:1-2, 4.

Baker University 74:41.

Baker Wetlands 74:42-43.

Baldwin City (Baldwin) 56:1-3; 57:3;
58:3; 59:1, 3; 60:3-4; 62:4; 63:2, 4, 6;
64:5; 65:2, 5; 66:4, 9; 67:5, 10; 68:9;
69:6; 70:5; 71:2, 6; 72:3, 5; 73:7;
74:2-3, 5, 26; 75:3, 10.

Baldwin Woods 74:42.

Barrel Creek 74:33.

Bartlett Arboretum 75:37.

Baxter Springs 72:2, 6.

Belle Plaine 61:1-2, 5; 64:3, 6; 65:5, 7;
75:37.

Benedictine Bottoms 57:1, 3; 58:3; 60:4;
61:4; 63:6; 64:5; 65:3, 6; 66:9; 67:4,
10; 69:6; 70:4, 6; 71:6; 72:1, 6; 73:7;
74:2, 6; 75:10.

Black Wolf 56:3; 57:2-3; 58:3; 59:3;
60:2-3, 5; 62:4; 63:2, 7; 64:5; 65:5-6;
66:10; 67:6, 10; 68:2, 10; 69:6; 70:6;
71:3, 6; 72:6; 73:3, 7; 74:3, 6; 75:10.

Blue Rapids 56:3; 57:1, 4; 58:3; 59:4;
60:5; 61:2, 4.

Belvue 59:23.

Bonner Springs 56:4; 57:4; 58:4; 59:4;
60:5; 61:4; 62:2, 5; 63:7; 64:5; 65:2, 6;
66:3, 7, 10; 67:3-4, 10; 68:3, 10; 69:6;
70:6; 71:6; 72:6; 73:7; 74:6; 75:3, 10.

Burcham Park 74:42-43.

Byron Walker Wildlife Area 62:3.

Camp Naish 56:4; 57:4; 58:4; 59:4; 60:5;
75:3.

Caney River 60:30.

Carnahan Creek Marsh 58:1.

Cedar Bluff (Reservoir) 56:2, 4; 57:4;
60:5; 63:34; 71:6; 75:40.

Cedar Niles Park and Lake 75:37.

Chase County State Fishing Lake 75:35-
36.

Cheney Reservoir 58:22; 63:33; 66:31.

Chetopa 74:29.

Cheyenne Bottoms 56:4; 57:4; 58:1, 4;
59:1-2, 4, 21, 28, 30; 60:5, 23; 61:5;
62:1-2, 5; 63:2, 4, 7; 64:2-5, 38, 42;

65:1-2, 6, 23 (corrected), 34-35, 37;
66:2-3, 6, 10; 39; 67:2-4, 6, 10, 30;
68:2, 4, 10, 30; 69:2, 7; 70:6; 71:3, 7,
35; 72:2-3, 6; 73:2-3, 8; 74:2, 5-6;
75:3, 5-6, 10, 37.

Chicken Creek 74:43.

Cimarron National Grasslands 56:1-4;
57:1-4, 25, 27-28; 58:2-4, 23; 59:1-4,
27; 60:2-3, 5; 61:2-5; 62:1, 3, 5, 38;
63:2, 4-5, 7, 27-28, 34; 64:1-3, 5; 65:2;
6, 27; 66:3-4, 6, 10, 30, 32; 67:3-6, 9,
11, 38; 68:2-4, 10, 31; 69:2-3, 7; 70:2,
4-6; 71:2-4, 7, 30; 72:5, 26; 73:2-4, 8;
74:1, 3-6, 30; 75:3, 5-6, 8, 11, 41-42.

Cimarron River 62:36; 63:27; 64:31.

Clark County State Fishing Lake 64:38.

Clinton Lake (Reservoir/WA) 63:34;
65:25-26; 72:41-46; 74:42-43.

Coffeyville 62:46; 75:43.

Colony 75:36.

Columbia (MO) 64:43.

Colwich 58:25-26; 59:27.

Council Grove 62:1, 5; 63:2, 7; 64:6;
65:2, 7; 66:11; 68:11; 69:7; 70:1, 7;
71:7; 72:7; 73:8; 74:7; 75:11.

Crooked Creek 64:31.

Deerfield 56:34.

Derby 60:30, 32; 61:1-2, 5; 62:1-3, 5;
63:2, 7; 64:3, 6; 64:34; 65:2, 5, 7, 26;
66:3, 11; 68:4.

Dodge City 56:2, 4; 57:2, 5; 58:1, 4;
61:1, 3, 5; 62:1, 3, 6, 26; 63:4, 8; 64:3,
6; 65:7; 66:3-4, 6, 11; 67:3-4, 6, 11, 38;
68:2, 4, 11, 31; 69:3, 7; 70:1, 3-4, 7;
71:4-5, 7; 72:3-5, 7; 73:2-4, 8; 74:4-5;
75:3, 5, 8, 11.

Douglas State Lake 57:24 (corrected).

Dragoon Creek 75:37.

El Dorado Lake/Reservoir 56:1, 5; 57:1,
5; 58:4; 59:1, 5; 60:6; 61:3, 6; 63:8;
64:6; 65:7; 66:11; 67:4, 11; 68:11;
69:2, 8; 70:2-3, 7; 71:2-4, 8; 72:7;
73:9; 74:3, 7; 75:6, 8, 11.

Elkhart (including Cemetery and
Shelterbelt) 58:23; 60:22; 62:33, 36,

- 38; 63:34; 65:28; 66:31; 75:37, 39, 42-43.
- Emporia 56:5; 57:5; 58:1, 5; 59:5; 60:2-3, 6; 61:6; 62:4, 6, 44; 63:2, 8; 64:6; 65:7; 66:3, 12; 67:3-4, 11; 68:2, 12; 69:2, 4, 8; 70:7; 71:2, 8; 72:3, 8; 73:9; 74:7, 27; 75:3, 5, 12.
- Fall River 62:1-2, 6; 63:2, 8; 64:7; 66:2-4, 12; 71:3, 8.
- Fortescue (MO) 64:41.
- Flint Hills NWR 75:38.
- Fort Hays State University 58:29-30; 60:21; 74:46; 75:12.
- Fort Leavenworth Military Reservation 70:33-51.
- Fort Riley (including Military Reservation) 61:1-2, 6; 62:6; 63:2-3, 8; 64:7; 65:2, 7; 66:3, 12; 67:3, 12; 68:2-4, 12; 69:2-4, 8; 70:2-3, 8; 71:2, 4, 8; 72:2-3, 8; 73:2, 9; 74:3, 7, 30; 75:3.
- Garden City 56:1-2, 33-35; 57:1-2, 5; 58:2, 5, 11, 31; 59:2, 5; 60:2-3, 6, 22-23; 61:2-3, 6, 27; 62:3, 6; 63:4, 8; 64:1-3, 7, 26-28; 65:2-3, 8; 66:3-4, 6, 12; 67:4-6, 12, 38; 68:1, 3-4, 7, 12; 69:2-3, 8; 70:2, 4, 8; 71:4, 8; 72:2-4, 8; 73:3-4, 9; 74:4, 8, 26-27, 32; 75:3, 5, 8, 12, 38.
- Gardner Lake 75:37.
- Gardner Wetlands 64:38.
- Geary State Fishing Lake 75:37.
- Goodland 57:30; 59:2.
- Great Plains 74:35-36.
- Grinnell 75:37, 39, 41.
- Hain State Fishing Lake 64:39.
- Halstead/Newton 56:1-2, 5; 57:5; 58:1, 5; 59:6; 60:6; 63:2, 6, 9; 64:2, 7; 65:2, 8; 66:2-3, 6, 8, 12; 67:3, 12; 68:3-4, 12; 69:2, 9; 70:8; 71:2, 9; 72:2, 5, 8; 73:3, 6, 10; 74:3, 5, 8; 75:1, 3, 5, 12.
- Hays 56:1-2, 5; 57:1, 5; 58:5, 22; 59:3, 6; 60:7; 61:1, 6; 62:1-2, 6; 63:9; 64:7; 65:1, 8; 66:2, 13; 67:1, 4, 12, 38; 68:12; 69:5, 9; 70:2, 8; 71:3-4, 9; 72:8; 73:2, 10; 74:1, 8; 75:3, 12.
- Heritage Park/Lake 58:21; 74:28, 31; 75:37.
- Hillsdale Reservoir 67:30.
- Holcomb 56:33, 35; 57:31; 64:26.
- Holton 62:1, 7; 63:2, 9; 64:2, 8; 65:8; 66:5, 13; 67:1, 3, 13; 68:13; 69:9; 70:2, 8; 71:9; 72:2, 9; 73:3, 10; 74:8; 75:5, 13.
- Horsethief Canyon Reservoir 63:32; 64:39.
- Humboldt 66:2, 13.
- Hutchinson 60:22.
- Ingalls/Cimarron 57:6; 60:1, 7; 61:3, 7; 62:1-2, 7; 63:6, 9; 64:2-3, 8.
- Isabelle 64:39.
- Jetmore 56:1, 6; 57:1, 6; 60:1-2, 7; 64:8; 65:2, 8; 66:13; 67:1, 4, 13; 69:9; 71:1, 3, 9.
- John Redmond Reservoir 56:1, 6; 57:1, 6; 58:1, 5; 59:2, 6; 60:2-3, 7, 32; 61:1-2, 7; 62:2, 7; 63:2, 9; 64:2, 8; 65:2, 9; 66:3, 13; 67:2-4, 13; 68:2-3, 13; 69:2, 9; 70:3, 9; 71:3, 9; 72:3, 9; 73:3, 10; 74:2-3, 8, 27, 29; 75:3, 5, 8, 13.
- Johnson City 75:39.
- Junction City 56:6; 57:6; 58:6; 59:6; 60:2-3, 7; 61:7; 62:2, 7; 63:5, 10; 64:8; 65:9; 66:3, 14; 67:2-3, 13; 68:13; 69:2, 10; 70:4, 9; 71:2, 10; 72:2, 9; 73:2, 10; 74:3, 9; 75:3, 13.
- Kanopolis Reservoir 56:6; 57:1, 6; 58:1, 6; 59:1-3, 6, 23, 27; 60:1-2, 7, 23; 61:7; 62:2, 7; 63:5, 10, 31-32; 64:4, 8; 65:2; 65:5, 9; 66:3, 14; 67:13; 68:2, 13; 69:10; 70:2-3, 9; 71:10; 72:2, 9; 73:2, 11; 74:2, 9; 75:5-6, 13.
- Kansas City 74:41; 75:37.
- Kansas River 58:22; 59:23, 28; 60:30; 65:26; 74:41, 43.
- Kaw River SP 74:32.
- Kirwin NWR 56:6; 57:6; 59:7; 70:9;

71:10; 72:3, 9; 74:9.
 Konza Biological Research Station
 59:21.

Lake Quivira 65:27.

Lakin 56:2, 6; 59:2; 59:7; 60:8, 61:3, 7;
 62:3, 7; 63:4, 10; 64:3, 9.

Larned 58:22.

Lansing 56:4; 58:4; 61:4; 75:3, 10.

Lawrence 56:2, 6; 57:1, 6; 58:3, 6, 22-23,
 25-26; 59:1, 7; 60:1-3, 8, 22; 61:1-2, 7;
 62:1-2, 8; 63:2-3, 5; 64:1, 3, 9; 65:1-2,
 9; 66:2-5, 7, 14, 31, 39; 67:1-5, 14;
 68:1-3, 13; 69:1-2, 10; 70:1-2, 9; 71:1,
 10; 72:1-3, 10; 73:2-3, 11; 74:1-3, 9,
 41-42; 75:1, 3-6, 9, 14.

Leavenworth 56:7; 57:7; 58:6; 59:7;
 60:8; 61:8; 62:8; 63:10; 64:2, 9; 65:9;
 66:3, 14; 67:1, 3-4, 14; 68:14; 69:6, 10;
 70:3, 10; 71:2, 10; 72:10; 73:11; 74:2,
 9; 75:5-6, 14.

Lee Richardson Zoo 74:32.

Lenexa 64:39.

Leoti High School 58:23.

Liberal 56:1, 7; 57:3, 7; 61:1, 3, 8; 62:4.

Lindsborg 75:37.

Lonestar 74:42-43.

Lovewell Reservoir 71:11; 72:10; 74:2,
 10.

Lowe Lake 56:35.

Manhattan 56:1-2, 7; 57:7; 58:1-2, 6;
 59:8; 60:1-2, 4, 8, 22, 25; 61:1-2, 8;
 62:1-3, 8; 63:2, 11, 35; 64:1-2, 9; 39;
 65:1-3, 5, 10; 66:2, 7, 9, 15; 67:1-5, 14;
 68:1-2, 14; 69:1, 11; 70:1, 5, 10;
 71:1-2, 11; 72:1-2, 11; 73:2-3, 6, 11;
 74:1-3, 5, 10; 75:1, 3-5, 8, 14.

Marais Des Cygnes WMA 59:30; 64:37;
 66:29; 74:27; 75:42.

Marion 63:1-2, 11; 64:10; 74:5, 10;
 75:8-9, 15.

Marion Reservoir 65:2, 10; 66:3-4, 6, 15;
 67:15; 68:15, 30; 69:11; 70:11; 71:11;
 72:3, 11; 73:12.

Market Lake WMA (ID) 62:32.

Marmaton River 60:30.

McPherson State Fishing Lake 65:27.

Meade 56:1; 61:8; 62:1-3, 25-31, 46;
 63:11; 64:25-26; 66:33-36.

Meade SP 61:29; 62:8.

Medicine Lodge 63:33.

Melvorn Reservoir 64:1, 10; 65:2, 10;
 66:3, 5, 15; 67:4-5, 15; 68:2, 15; 69:2,
 11; 70:2, 11; 71:2, 12; 72:2, 11 74:2,
 11; 75:6, 15.

Middle Spring 74:30.

Milford Reservoir 59:23; 60:22; 67:29;
 68:30.

Missouri 58:26.

Monument Rocks 59:28.

Mulvane 66:30.

Nebraska 58:26; 69:29-39.

Neosho River 60:30; 74:27.

Neosho WA 74:26, 28; 75:37.

New Mexico 58:31.

Newton 63:31.

Oak Park 75:38.

Olathe 56:1, 8; 57:8; 58:2, 7, 21; 59:8;
 60:2, 9; 62:9; 63:2, 11; 64:10; 65:2, 10,
 28; 66:2-5, 16; 67:1, 3-5, 15; 68:3, 15;
 70:11; 71:4, 12; 72:2, 11; 73:2-3, 12;
 74:1, 11, 28, 31; 75:3-5, 15, 40.

Old Garfield 60:9; 62:1; 62:9; 63:11;
 64:1-2, 10.

Olsburg 56:1, 8; 57:8; 58:1, 7; 59:8;
 60:1, 9; 61:8; 62:1, 9; 63:12; 64:10;
 65:3, 10; 66:2-3, 16; 67:15; 68:15;
 69:2-3, 12; 70:2-4, 11; 71:12; 72:12;
 73:2-3, 12; 74:11; 75:3, 8, 15.

Oskaloosa/Perry Lake 56:1, 8; 57:8;
 58:1, 7; 59:8, 28; 60:1-3, 9, 23; 61:1-4,
 9; 62:2, 9; 63:2, 5, 12; 64:11; 65:1-3,
 11, 27; 66:2-3, 7, 9, 16; 67:1, 4-5, 16;
 68:2, 15; 69:2, 12; 70:2, 11; 71:4, 12;
 72:1-2, 12; 73:2-3, 12; 74:11; 75:3,
 5-6, 16.

Ottawa State Fishing Lake 75:38.

Overland Park 66:32; 74:31.

Oxford 56:1; 57:1, 9; 58:8; 59:10;
 60:2-3, 10; 61:10.

Parsons 56:8; 57:8; 58:1, 7; 59:8; 60:9;
61:2, 9; 63:12; 64:3, 11; 65:1-2, 11;
66:4, 16; 67:2-4, 16; 68:2-3, 9, 16;
69:2, 12; 70:2, 12; 71:2-3, 5, 12;
72:1-3, 12; 73:2-3, 13; 74:2-3, 12,
29-30; 75:6, 16.

Paxico 59:23.

Perry WA 62:32.

Pierson Park 75:37.

Pittsburg 74:28.

Pittsburg State University 62:46.

Pomona Lake 56:8; 57:8; 58:1, 7; 68:30;
69:12; 74:3, 12.

Pratt 58:2, 22; 75:3.

Pratt Hatchery Ponds 66:30.

Quivira NWR 56:1-2, 8; 57:2-3, 8; 58:1,
3, 8, 21; 59:1, 3, 9, 21, 27; 60:2-3, 9,
22; 61:1-2, 4, 9; 62:1-4, 9; 63:2, 5-6,
12, 32; 64:2-3, 11, 38-39, 43; 65:1-3, 5,
11, 23-24 (corrected); 65:25, 27-30;
66:2-3, 5, 17, 30-31, 39; 67:1-3, 9, 16;
68:1-2, 16, 41; 69:1-2, 12; 70:2, 5, 12;
71:2-3, 5, 13, 35; 72:2-3, 12; 73:2-3,
13; 74:2, 5, 12; 75:3, 5-6, 16, 38.

Ramsey 56:35.

Red Hills 56:1-2, 8; 57:1, 9; 58:8; 59:2,
9; 60:2-3, 9; 61:2, 9; 62:2-3, 9; 63:2, 5,
12; 64:2-3, 11; 65:2, 11; 66:3-4, 7, 17;
67:3-4, 6, 16; 68:2-3, 16; 69:2, 13;
70:12; 71:2-3, 13; 72:2-3, 12; 73:3, 13;
74:2-3, 12; 75:3, 5-6, 8, 16.

Russell 64:39.

Saint (St.) Francis 57:9; 59:9; 60:10;
63:2, 12; 64:11; 65:2, 11.

Saint (St.) Mary's (Marys) 69:13; 70:1, 3,
12; 71:13; 72:13; 73:13; 74:12; 75:17.

Salina 56:9; 57:9; 58:1, 8; 59:9; 60:2, 10;
61:9; 62:3; 63:2, 13; 64:11; 65:1, 12;
66:2-3, 17; 67:4, 16; 68:16; 69:13;
70:2, 13; 71:3, 13; 72:3, 13; 73:14;
74:13; 75:3, 5-6, 17.

Sam's Pond (near Syracuse) 75:33-35.

Sandsage Bison Area 60:21.

Sawyer 56:1, 9; 57:1, 9; 58:8; 59:2, 9;

60:2, 10; 61:1-2, 10; 63:6, 13; 64:2, 4,
12; 65:2, 12; 66:3-4, 17; 67:3, 17;
68:2-4, 17; 69:13; 70:2, 13; 71:3, 14;
72:2, 13; 73:2-3, 14; 74:3-4, 13; 75:3,
8, 17.

Scott City 59:2; 63:2; 64:12.

Scott Lake SP (Lake Scott and Scott
Lake) 56:2-3, 9; 57:1-3, 9; 58:1-3, 8;
59:2, 10; 60:3, 10; 61:3-4, 10; 62:3, 10;
63:4, 6, 13; 64:2-4, 12, 38; 65:3, 27;
66:3, 6-9, 18; 67:6, 17, 31; 68:4, 17;
69:2-4, 14; 70:3-4, 13; 71:2-4, 14;
72:2-4, 13; 73:3-4, 14, 26; 74:3-4, 13,
33; 75:3, 5, 8, 17, 40-41.

Sedan 68:3, 17; 69:14; 70:2, 13; 71:2,
14; 72:2, 14; 73:2-3, 14; 74:2-3, 13;
75:5-6, 8, 17.

Seneca 56:9; 57:9; 58:8; 59:10; 60:10;
61:2, 10; 62:1, 10; 63:13; 64:12.

Shawnee Mission Park 58:22; 74:28.

Slate Creek Wetlands (SCW) 56:1, 9;
57:1, 9; 58:8; 59:1, 10; 60:2-3, 10;
61:1-3, 10; 62:1-3, 10, 44; 63:1-2, 5-6,
13; 64:2-4, 12; 65:2, 5, 12, 23
(corrected); 66:2-5, 18, 39; 67:2-4, 6,
8, 17; 68:3-4, 17; 69:1-2, 14; 70:2, 14;
71:2-5, 14; 73:5, 14; 74:4, 14; 75:5, 8,
18.

Smithville Lake (MO) 64:42-43.

Smoky Hills Audubon Pond 58:22.

Southeastern Gove County 64:1, 12;
65:2, 12.

Southeast Kansas (KS) Mined Land
56:9; 57:1, 10; 58:9; 59:10; 60:2, 11;
61:2, 10; 62:2, 10; 63:13; 64:13; 65:13;
66:3, 6, 18; 67:3, 8, 17; 68:2-3, 17;
69:2-3, 14; 70:2-3, 14; 71:2, 14;
72:2-3, 14; 73:2-3, 15; 74:2-3, 14;
75:4-5, 18.

South Hutchinson 57:30.

Southwestern College 74:47.

Spring River 60:29-30.

Sublette Water Treatment Plant 75:41.

Syracuse 56:1, 9; 59:2, 10; 60:11; 62:2-3,
10; 63:3-4, 14; 64:3-4, 13; 66:4, 18;
67:38; 69:2-3, 14; 72:2-3, 14; 74:2-3,
14; 75:5-6, 8, 18, 33-35.

Tall Grass Prairie Preserve 62:1, 10;
 63:2, 14; 64:2, 13; 65:2, 13; 67:3, 17;
 68:2, 18; 69:2, 15; 70:2, 14; 71:2, 15;
 72:2, 14; 73:2, 15; 74:2, 14; 75:5, 18.

Topeka 56:2, 10; 57:1, 10; 58:1, 9; 59:2,
 11; 60:1-2, 11; 62:1-2; 10; 63:4, 14;
 64:1-3, 13; 65:1-3, 13; 66:2, 18; 67:1,
 3-4, 18, 31; 68:1-2, 18; 69:4, 15; 70:14;
 71:1-2, 15; 72:1, 3, 14; 73:2-3, 15;
 74:2, 14, 32, 41; 75:3-6, 19.

Tonkawa (OK) 62:28.

Towanda 68:30.

Tuttle Creek 59:23, 27; 60:22-23, 25;
 64:37-38; 66:29; 74:28; 75:34, 43.

Udall/Winfield 56:1, 3, 10; 57:1, 3, 10;
 58:1, 3, 9; 59:1-3, 11; 60:2, 4, 11;
 61:1-4, 11; 62:1-4, 11; 63:2-3, 5, 6, 14;
 64:2-4, 13; 65:1-3, 5, 13; 66:2-4, 9, 19;
 67:2-3, 5, 9, 18; 68:2, 4, 9, 18; 69:2, 5,
 15; 70:2, 5, 14; 71:2, 4-5, 15; 72:5;
 73:2, 5, 15; 74:2, 4, 15; 75:3, 5-6, 9, 19.

Ulysses 56:1-2, 10; 57:10; 59:27; 60:2-3,
 11; 61:2-3, 11; 62:3, 11; 63:2, 4, 14;
 65:2, 13; 66:4, 6, 19.

University of Kansas/Ecological Field
 Station and Reserves (including Fitch)
 57:24 (corrected); 58:22; 74:42-43,
 46-47.

Verdigris River 60:30; 75:43.

Wabaunsee Lake 59:28.

Waconda Lake 56:1-3, 10; 57:3, 10; 58:1,
 3, 9; 59:3; 60:11; 62:2-3, 11; 63:2, 5-6,
 14; 64:2, 13; 65:2, 5, 13; 66:2-3, 19;
 67:3-4, 9, 18; 68:2, 4, 9, 18; 69:5, 15;
 70:2, 15; 71:2-3, 15; 72:15; 73:3, 15;
 74:15, 32; 75:6, 19.

Wakarusa River 74:43.

Wakeeney 64:25.

Wakefield 56:10; 57:10; 58:1, 9; 59:11;
 60:1, 12; 61:11; 62:2, 11; 63:15; 64:14;
 65:2, 14; 66:3, 19; 67:3, 18; 68:3, 19;
 69:15; 70:4, 15; 71:16; 72:15; 73:2, 16;
 74:3, 15, 27; 75:3, 5, 19.

Walnut River 60:30.

Washington 63:32.

Webster Reservoir 56:10; 57:10; 58:1, 9;
 60:2, 12; 61:2, 11; 62:11; 63:15; 64:14;
 65:3, 14; 65:26; 66:3, 20, 30; 67:1, 3-4,
 19; 68:4, 19; 69:2, 16; 70:1-2; 70:3, 15;
 71:16; 72:2, 15; 73:2, 6, 16; 74:2, 5,
 15; 75:9.

West Lassiter Marsh 63:32.

Wichita 56:1-2, 10, 57:1, 11; 58:1, 10;
 59:1-2, 11, 28; 60:1-3, 12, 23; 61:1-2,
 4, 11; 62:1-2, 11; 63:2, 15; 64:2, 14;
 65:1-2, 14; 66:2-4, 20; 67:2-4, 6, 18,
 31; 68:2-4, 19; 69:2, 4, 16; 70:2-3, 15;
 71:2-3, 16; 72:2-3, 15; 73:2-3, 16;
 74:2-3, 15; 75:3, 5-6, 19, 38.

Wilson 63:32.

Wilson Lake/Reservoir 56:1-3, 11; 57:1,
 11; 58:1, 10; 59:11; 60:2-3, 12; 61:2,
 11; 62:2-3, 12; 63:2, 15, 32; 64:1-3, 14;
 65:1-2, 14, 35, 37; 66:2-3, 7, 9, 20, 31;
 67:2-4, 19, 29, 31; 68:2-4, 19, 30; 69:2,
 16; 70:2-3, 15; 71:1, 16; 72:2-3, 15;
 73:16; 74:1-4, 16; 75:3-4, 6, 8, 20.

Wilson SP 56:25-26.

Winfield 59:27; 75:5-6, 9, 19.

Winfield City Lake 65:28.

Wolf Creek Lake 60:32.

Yoder 57:3, 11; 58:10; 59:2, 12; 60:1, 3,
 12; 61:12; 62:2, 12; 63:5, 15; 64:14;
 65:2, 5, 14; 66:2, 20; 67:3, 19; 68:2,
 19; 69:16; 70:16; 71:3, 16; 72:3, 16;
 73:2-3, 16; 74:2, 16; 75:5, 20.

Memoria: Champeny, Wallace H.
 72:38-39; Fitch, Henry S. 61:25-27;
 Hedges, Harold 56:24; Kelley,
 Katharine B. 56:37-38; Menninger,
 Phillip B. 67:49-50; Schwilling,
 Marvin D. 59:29-31.

Migration: Curlew, Long-billed
 56:33-37; Grackle, Common 66:33-36;
 Phenology 64:33-36; Sandpiper,
 Buff-breasted (fall) 58:25-28, also
 (spring) 58:32; shorebirds 56:33-37;
 spring 56:33-36; Warbler, Orange-

- crowned 74:35-37.
- Mortality:** 58:29-30 (mammal), 58:31 (weather).
- Museums:** Smithsonian Institution 74:45-47; University of Kansas Natural History Museum 74:37.
- Nesting:** Bluebird, Eastern 67:33-35; Bobolink 59:21; Crow, Fish 60:29; Dickcissel (habitat) 57:31-32; Dove, White-winged 64:32; Flycatcher, Vermilion (first record) 57:25-26, 58:23; Raven, Common 57:27-28 (possible), 63:27-30; Warbler, Kentucky (characteristics) 57:24 (corrected).
- Officers, KOS:** 56:40; 57:11; 58:12; 59:12, 36; 60:24, 28; 61:24, 32; 62:23, 48; 63:38; 67:20, 47; 69:47; 70:32; 71:32, 52; 72:32, 48; 73:31, 43; 74:48; 75:76.
- Records, First:** Booby, Brown 69:26; Duck, Mexican 75:33; Flycatcher, Piratic 67:31; Junco, Yellow-eyed 72:29; Rosy-Finch, Gray-crowned 58:23; Sandpiper, Purple 67:2; Stint, Little 68:41-48, 69:26; Tanager, Hepatic 58:23; Tern, Royal 73:26; Whip-poor-will, Mexican 72:26; Wren, Pacific 67:31.
- Scientific and Common Names**
- Acanthis flammea* 56:2; 58:1; 60:2; 61:3; 62:2; 63:2; 64:2; 65:5; 67:4; 68:9; 69:4; 70:4; 73:3, 5.
- Accipiter atricapillus* 56:1; 57:1; 58:1; 60:3; 61:2; 62:2; 63:2; 66:3; 68:2, 34; 69:27-28; 71:3; 72:3, 27-28; 73:27.
- A. cooperi* 56:2; 58:2; 62:29, 33-34.
- A. gentilis* see *Accipiter atricapillus*.
- A. striatus* 56:2; 58:2; 62:29.
- Actitis macularia* 56:1; 73:3.
- Aechmophorus clarkii* 64:2, 39; 70:2.
- A. occidentalis* 58:1; 62:2; 64:2; 66:3; 67:4 74:2; 75:6.
- Aegolius acadicus* 58:1; 61:2; 74:2.
- Aeronautes saxatalis* 57:22 (corrected); 70:26.
- Agelaius phoeniceus* 56:1; 57:1, 3; 58:1; 59:1; 60:2; 61:1; 62:1; 63:2; 64:2; 65:2, 33-34, 37; 66:2; 67:3; 68:2; 69:2; 70:2, 5; 71:2; 72:2, 5; 73:2, 6; 74:2, 5; 75:5.
- Aimophila cassinia* see Cassin's Sparrow.
- A. ruficeps* 63:2; 65:2-3; 69:2; 71:2; 72:2 74:3; 75:6.
- Ajaia ajaia* see Roseate Spoonbill.
- Alcid 59:28.
- Ammodramus bairdii* see *Centronyx bairdii*.
- A. savannarum* 59:21-22; 66:38.
- Amphispiza bilineata* 60:22; 67:3; 68:34; 70:28; 72:31; 75:5, 41.
- A. lecontei* 61:2; 62:2; 63:5; 65:1; 66:4; 67:4; 68:3; 71:3; 72:3; 73:3; 74:3; 75:6.
- A. nelsoni* 73:3.
- Anas acuta* 58:31.
- A. bahamensis* 62:3.
- A. diazi* 75:33-35.
- A. falcata* see Falcated Duck.
- A. fulvigula* 73:26; 74:26.
- A. platyrhynchos* 58:1; 60:2; 62:1, 43; 63:2; 64:2; 65:2; 66:2; 68:2; 69:2; 70:2; 71:2; 73:6; 74:5.
- A. querquedula* 59:27; 60:21; 66:3; 67:4.
- A. rubripes* 57:2; 63:2; 64:2; 66:3; 71:2; 72:2; 73:3; 74:2.
- Anhinga see *Anhinga anhinga*.
- Anhinga anhinga* 60:21; 62:22; 67:32; 70:31; 74:29-30.
- Anser albifrons* 56:2; 57:1, 3; 58:1, 3; 59:3; 60:2; 61:4; 62:3; 64:4; 68:4; 71:34-35.
- A. anser* 71:35.
- A. brachyrhynchus* 71:35.
- A. caerulescens* 56:1-2; 57:1, 3; 58:1; 59:1, 3; 60:2; 61:4; 62:1, 3; 63:2; 64:2; 65:2, 5; 66:2, 9; 67:3, 9; 68:2; 69:2, 5; 70:2; 71:2, 33; 72:2; 73:3; 74:2; 75:5, 9.
- A. erythropus*. 71:35.
- A. fabilis* 66:31; 71:26, 71:33-40.

- A. indicus* 71:31.
A. rossii 56:2; 57:1, 3; 58:1; 59:30; 60:3; 61:2; 62:2; 73:6.
A. serrirostris 71:26, 71:33-40.
Anthus rubescens 60:2; 61:2; 62:2; 63:3; 64:3; 65:2; 66:4; 67:3; 68:3; 74:3; 75:5.
A. spragueii 56:1; 66:3, 38.
Antigone canadensis 59:3; 60:3; 61:2; 62:2; 63:2; 64:3; 65:2; 66:3; 67:4; 71:37; 72:3; 73:3; 74:2; 75:6.
Anrostomus arizonae 72:26.
Aphelocoma woodhouseii 61:2; 62:2; 63:2; 64:2; 65:2; 66:4; 69:2; 72:2; 74:3.
Aquila chrysaetos 56:39; 58:23; 60:3; 61:2; 62:2; 63:3; 64:3; 65:3; 66:4; 67:5; 68:3; 69:3; 70:3; 71:3; 72:3; 73:4; 74:3; 75:6.
Aramus guarana 74:27-28; 75:37-38, 43.
Archilochus alexandri 57:23 (corrected); 59:28; 62:22; 67:31; 70:26; 75:37.
A. colubris 64:35.
Ardea alba 57:1; 59:1; 60:32; 62:2; 64:35; 65:23 (corrected); 67:3; 68:2; 70:3; 71:3; 73:3; 74:2; 75:6.
A. herodias 59:28; 60:31-32; 62:2.
Asio flammeus 60:3; 61:3; 62:3; 63:4; 64:3.
A. otus 56:25-29; 60:3; 61:3; 62:3; 63:4; 64:3.
Asturina nitida see Gray Hawk.
Athene cunicularia 57:28.
Avocet, American see *Recurvirostra americana*.
Aythya collaris 65:27.
A. fuligula 65:27.
A. marila 56:2; 59:1; 60:3; 65:2-3; 67:4; 71:2.
A. valisineria 58:2.

Baeolophus atricristatus 68:35.
B. bicolor 58:2; 63:4; 64:3; 65:4; 66:7; 67:43; 72:4; 73:5; 74:4; 75:8.
Bartramia longicauda 65:29-32; 66:37- 39, 44-45, 48.
Basilinna leucotis 62:22.
Bittern, American see *Botaurus lentiginosus*.
Blackbird, Brewer's see *Euphagus cyanocephalus*.
Red-winged see *Agelaius phoeniceus*.
Rusty see *Euphagus carolinus*.
Species 63:2.
Yellow-headed see *Xanthocephalus xanthocephalus*.
Bluebird, Eastern see *Sialia sialis*.
Mountain see *Sialia currucoides*.
Western see *Sialia mexicana*.
Bobolink see *Dolichonyx oryzivorus*.
Bobwhite, Northern see *Colinus virginianus*.
Bombycilla garrulus 56:1; 61:2; 69:2.
Booby, Brown see *Sula leucogaster*.
Botaurus lentiginosus 58:1; 68:2; 69:2.
Brachyramphus perdix 63:34; 67:30.
Brambling see *Fringilla montifringilla*.
Brant see *Branta bernicla*.
Branta bernicla 63:31.
B. canadensis 56:1; 57:1-3; 58:1-3; 59:1, 3; 60:2; 62:1, 3; 63:2; 64:2; 65:2; 66:2; 67:3; 68:2, 3; 69:2; 70:2; 71:2, 33; 72:2; 74:2; 75:5.
B. hutchinsii 56:1, 21; 57:2; 58:2; 60:2; 61:2; 62:2; 68:3-4.
Bubo bubo 69:41.
B. virginianus 56:39; 57:2; 62:35; 69:41, 45.
B. v. subarcticus 72:33-37.
B. scandiacus 58:1; 62:42-45; 63:2; 65:2, 33-40; 67:3, 32; 68:2; 73:3.
Bubulcus ibis 59:30.
Bucephala islandica 57:21 (corrected); 58:1-2; 59:1, 27; 60:21, 23-24; 61:2, 21; 62:2; 63:2; 65:1; 69:2; 70:2.
Bunting, Blue see *Cyanocompsa parcellina*.
Indigo see *Passerina cyanea*.
Lark see *Calamospiza melanocorys*.
Painted see *Passerina ciris*.
Snow see *Plectrophenax nivalis*.
Bushtit see *Psaltirparus minimus*.
Buteo albonotatus 56:39; 62:34.
B. jamaicensis 56:39; 57:27; 58:2; 60:3; 61:3; 62:2, 34-35; 63:4; 64:3, 41; 65:3; 66:5; 67:5; 68:4, 9; 69:3; 70:3, 5; 71:3; 72:4; 73:4; 74:3; 75:5, 7.
B. j. harlani 62:2; 63:4; 64:3; 65:3; 66:5; 68:4, 9; 69:3; 70:3; 71:4; 72:4; 73:4.

B. lagopus 62:4; 63:3; 66:38; 67:5; 68:3;
 69:3; 70:3; 71:3; 72:4; 73:4; 74:3; 75:7.
B. lineatus 57:2; 58:2; 60:3; 61:3; 62:2;
 63:4; 64:3; 65:3; 66:5; 67:3, 5; 68:4;
 69:3, 45; 70:3; 71:3; 72:4; 73:4; 74:3;
 75:7.
B. plagiatus 57:22 (corrected).
B. platypterus 62:34; 67:3.
B. regalis 56:22; 57:3; 58:2; 60:3-4; 61:2;
 62:2; 64:3-4; 65:3; 66:4; 67:5; 68:3;
 69:3; 70:3; 71:3; 72:3; 73:4 74:3; 75:6.
B. swainsoni 59:28; 66:38.
Buteogallus anthracinus 62:33-41; 63:34.
B. urubitinga 62:33-34, 38.
Butorides virescens 58:1.

Calamospiza melanocorys 68:3.
Calcarius lapponicus 56:3; 57:1, 3; 58:3;
 59:1, 3; 60:4; 61:3; 62:3-4; 63:6; 67:9;
 69:5; 70:5; 71:5; 72:5; 75:9.
C. ornatus 62:4.
C. pictus 66:38.
Calidris alpina 63:3; 66:2; 71:1; 72:3;
 73:3.
C. bairdii 68:42-45.
C. fuscicollis 63:33; 64:39; 66:30;
 68:42-46.
C. himantopus 68:42, 44.
C. maritima 67:2-3, 29; 75:2.
C. mauri 68:43, 45.
C. melanotos 68:44.
C. minuta 68:41-48; 69:26; 70:26.
C. minutilla 56:1; 57:1; 58:1; 63:2; 64:3;
 65:2; 67:4; 68:42, 44-45; 73:3.
C. pugnax 56:22; 57:22 (corrected);
 61:22; 65:25, 27; 66:30; 67:32.
C. pusilla 68:42, 44-45.
C. ruficollis 64:38; 68:46, 48.
C. subminuta 68:47.
C. subruficollis 58:25-28, 32; 66:37-39, 44,
 45, 48-49.
C. temminckii 68:47.
Callipepla squamata 60:3; 61:2; 62:2; 63:3;
 64:3; 65:3; 66:4; 67:4; 68:3; 69:2;
 70:3; 71:3; 72:3; 73:41; 74:3; 75:6.
Calypte anna 57:23 (corrected); 58:22;
 59:28; 62:22; 71:26; 72:26; 73:26;

74:26-27; 75:37.
C. costae 57:22 (corrected).
 Canvasback see *Aythya valisineria*.
 Caracara, Crested see *Caracara plancus*.
Caracara cheriway see *C. plancus*.
C. plancus 63:32; 66:30; 73:29; 74:30.
 Cardinal, Northern see *Cardinalis*
cardinalis.
Cardinalis cardinalis 61:27; 63:4; 64:4, 30;
 65:5; 66:8; 67:9; 68:7; 69:4; 70:4;
 71:5; 72:5; 73:5; 74:5; 75:5, 9.
C. sinuatus 70:30.
Carduelis pinus see Pine Siskin.
Carpodacus mexicanus see House Finch.
 Catbird, Gray see *Dumetella carolinensis*.
Cathartes aura 57:1; 58:1; 60:2; 62:2;
 64:34-35; 65:2; 68:2; 70:3; 71:2; 72:2;
 75:6.
Catharus bicknelli 71:31.
C. guttatus 56:2; 57:2; 60:4; 61:3; 66:7;
 67:6; 68:7; 69:4; 70:4; 71:4; 72:4;
 73:5; 74:4; 75:8.
Catherpes mexicanus 66:32; 68:33; 70:28.
Centronyx bairdii 63:34.
C. henslowii 59:30; 66:38.
Certhia americana 56:2.
Chaetura pelagica 64:34-35.
Charadrius melodus 68:42, 44.
C. montanus 61:22; 65:29-30.
C. nivosus 68:42, 44.
C. vociferus 60:3; 60:2; 63:2; 64:3, 34-35;
 65:23 (corrected); 66:3, 44; 67:4.
C. wilsonia 58:22; 59:27; 66:31.
 Chickadee Black-capped see *Poecile*
atricapillus.
 Carolina see *Poecile carolinensis*.
 Mountain see *Poecile gambeli*.
Chondestes grammacus 56:2; 57:1; 59:22;
 64:1; 68:3; 70:2; 73:3.
Chordeiles minor 26:21.
Chroicocephalus philadelphia 60:3; 62:2.
C. ridibundus 61:22; 68:30.
Circus cyaneus see Northern Harrier (*C.*
hudsonius).
Circus hudsonius 56:36; 57:2; 66:4, 38;
 67:5; 68:3; 69:3; 70:3; 71:3; 72:3;
 73:4; 74:3; 75:6.

- Cistothorus palustris* 59:2; 60:4; 61:3.
C. stellaris 58:1; 59:30; 64:2; 66:2; 67:3;
68:3; 72:3; 73:3; 74:3.
Clangula hyemalis 56:1; 57:1; 60:2; 61:2;
60:2; 66:3; 67:4; 68:2; 70:2-3; 72:3;
73:3; 74:2; 75:5.
Coccothraustes vespertinus 56:2; 59:3; 61:3;
62:3; 66:9; 69:2.
Coccyzus americanus 64:34.
Colaptes auratus 58:29-30; 64:30.
Colibri thalassinus 63:33; 74:26.
Colinus virginianus 60:3; 61:2; 62:2-3;
63:3; 64:3-4, 35; 65:3; 66:4; 67:4, 34;
68:3; 69:2; 70:3, 5; 71:3; 72:3; 73:4;
74:3; 75:6.
Collared-Dove, Eurasian see *Streptopelia*
decaocto.
Columba fasciata see Band-tailed Pigeon.
C. livia 61:3; 62:3; 64:27; 66:6; 67:6;
68:4; 69:3; 70:4; 71:4; 72:4; 73:4;
74:4, 8.
Columbina inca 56:2; 58:31; 60:3, 22;
61:3; 62:3; 66:3; 70:2.
C. passerina 59:30; 61:23; 63:33; 67:31;
71:31; 75:36.
Contopus sordidulus 68:31.
C. virens 64:34.
Coot, American see *Fulica americana*.
Coragyps atratus 56:22; 57:22 (corrected);
58:22; 61:22; 62:34; 64:37-38; 68:30;
70:27; 71:2, 27; 72:2; 73:3; 74:2; 75:6.
Cormorant, Double-crested see
Nannopterum auritum.
Neotropic see *Nannopterum brasilianum*.
Corvus brachyrhynchos 57:2; 60:31; 67:36;
71:2; 73:3.
C. corax 56:1; 57:27-28; 63:2, 27-30;
65:2; 66:4; 67:3; 68:32; 71:3, 29, 31;
72:3, 28-29; 73:3; 74:3, 31; 75:5.
C. cryptoleucus 56:1; 57:27; 60:3, 23; 61:2;
62:1; 63:2, 28-29; 65:2; 66:4; 68:34;
71:3, 28-29; 72:28; 74:3, 31; 75:5, 39.
C. ossifragus 56:22; 58:23; 60:29-36.
Coturnicops noveboracensis 64:38.
Coturnix japonica 67:34.
Cowbird, Brown-headed see *Molothrus*
ater.
Bronzed see *Molothrus aeneus*.
Shiny see *Molothrus bonariensis*.
Coyote (*Canis latrans*) 59:25.
Crane, Common see *Grus grus*.
Sandhill see *Antigone canadensis*.
Whooping Crane see *Grus americana*.
Creeper, Brown see *Certhia americana*.
Crossbill, Red see *Loxia curvirostre*.
White-winged see *Loxia leucoptera*.
Crow, American see *Corvus*.
brachyrhynchos.
Fish see *Corvus ossifragus*.
Cuckoo, Yellow-billed see *Coccyzus*
americanus.
Curlew, Eskimo see *Numenius borealis*.
Long-billed see *Numenius americanus*.
Cyanocitta cristata 57:2; 63:37; 72:36.
C. stelleri 70:28; 74:30.
Cyanocompsa parellina 59:28.
Cygnus buccinator 56:1; 57:1-2; 58:1;
59:1; 60:2; 61:2; 62:2; 63:3; 64:2;
65:2; 66:4; 67:4; 68:3; 69:2; 70:3;
71:3; 72:3; 73:3; 74:3; 75:6.
C. columbianus 56:1; 57:1; 60:2; 65:1.
C. olor 56:23; 60:23; 65:1; 66:2; 67:2.
Cyananthus latirostris 56:22; 58:22; 63:33;
73:26; 74:27.
Dendrocygna autumnalis 56:21; 57:21
(corrected); 58:21; 59:27; 73:3.
D. bicolor 59:27.
Dendroica nigrescens 56:23.
Dickcissel see *Spiza americana*.
Dolichonyx oryzivorus 59:21-22, 30.
Dowitcher, Long-billed see *Limnodromus*
scolopaceus.
Dove, Common Ground see *Columbina*
passerina.
Inca see *Columbina inca*.
Mourning see *Zenaida macroura*.
Ringed Turtle see *Streptopelia decaocto*.
White-winged see *Zenaida asiatica*.
Dryobates nuttalli 59:35.
D. pubescens 59:33-35; 63:4; 64:3; 65:3;
66:6; 67:6; 68:7; 69:4; 70:4; 71:4;
72:4; 73:5; 74:4; 75:5, 8.
D. scalaris 57:23 (corrected); 59:33; 60:2;

- 65:2; 66:4; 67:3; 68:2, 30; 69:27-28;
71:27-28; 72:28.
- D. villosus* 59:34-35; 75:8.
- Dryocopus pileatus* 56:2; 57:2; 60:3; 63:4;
64:3; 65:3; 66:6; 67:6; 68:7, 31; 69:4;
70:4; 71:4; 72:4; 73:5; 74:4; 75:8.
- Duck, American Black see *Anas rubripe*.
Brewer's see Hybrids.
Falcated see *Mareca falcata*.
Long-tailed see *Clangula hyemalis*.
Mexican see *Anas diazi*.
Mottled see *Anas fulvigula*.
Tufted see *Aythya fuligula*.
Ring-necked see *Aythya collaris*.
Ruddy see *Oxyura jamaicensis*.
- Dumetella carolinensis* 56:1; 57:1; 58:1;
61:2; 63:2; 66:3; 67:3; 68:3; 69:4;
72:3; 73:3; 74:2; 75:5.
- Eagle, Bald see *Haliaeetus leucocephalus*.
Golden see *Aquila chrysaetos*.
- Egret, Cattle see *Bubulcus ibis*.
Great see *Ardea alba*.
Reddish see *Egretta rufescens*.
Snowy see *Egretta thula*.
- Egretta caerulea* 59:30; 60:32; 65:23
(corrected).
- E. rufescens* 63:32; 69:26.
- E. thula* 60:32; 65:23 (corrected); 66:2.
- E. tricolor* 59:30.
- Elanoides forficatus* 57:22 (corrected);
60:21; 64:38; 68:30; 69:26; 70:27, 31;
72:27; 74:30.
- Elanus leucurus* 58:22; 64:39; 65:28; 69:2,
26; 73:27; 74:30.
- Empidonax difficilis* 56:23; 75:39.
- E. hammondi* 57:23 (corrected); 58:23;
67:32; 68:31; 71:28; 72:28; 73:28.
- E. occidentalis* see Western Flycatcher.
- E. traillii* 70:34.
- E. wrightii* 56:22; 65:27-28; 66:30; 70:28;
72:28; 74:30.
- Eremophila alpestris* 56:3; 59:1, 3; 60:4;
62:3.
- Eudocimus albus* 57:21 (corrected); 59:30;
61:22; 63:32; 66:30; 67:29.
- Eugenius fulgens* 56:22.
- Euphagus carolinus* 60:3; 61:2; 62:2; 63:4;
64:3; 65:3; 66:4; 67:5; 68:3; 69:3;
70:3; 71:3; 72:3; 73:4; 74:3.
- E. cyanocephalus* 61:2; 62:2; 63:4; 64:3;
65:3; 66:4; 67:5; 68:3; 69:3; 70:3;
71:3; 72:3; 73:4; 74:3, 5; 75:7.
- Falco columbarius* 60:3; 61:3; 62:2; 63:4;
64:3; 65:3; 66:5; 67:5; 68:4; 69:3;
70:3; 71:4; 72:4; 73:4; 75:7.
- F. mexicanus* 60:3; 62:2; 63:4; 64:3; 65:3;
66:5, 9; 67:5; 68:4; 69:3; 70:3; 71:4;
72:4; 73:4; 74:3; 75:7.
- F. peregrinus* 60:2-3; 62:2; 63:3; 64:3;
65:3; 67:3; 68:2; 69:3; 70:3, 34; 72:3;
73:3; 74:2; 75:6.
- F. rusticolus* 63:32; 72:30.
- Falcon, Peregrine see *Falco peregrinus*.
Prairie see *Falco mexicanus*.
- Finch, Cassin's see *Haemorhous cassinii*.
House see *Haemorhous mexicanus*.
Purple see *Haemorhous purpureus*.
- Flamingo, American see *Phoenicopterus
ruber*.
- Flicker, Northern (also Red-shafted and
Yellow-shafted) see *Colaptes auratus*.
- Flycatcher, Ash-throated see *Myiarchus
cinerascens*.
- Cordilleran see Western.
- Fork-tailed see *Tyrannus savana*.
- Gray see *Empidonax wrightii*.
- Great Crested see *Myiarchus crinitus*.
- Hammond's see *Empidonax hammondi*.
- Piratic see *Legatus leucophaeus*.
- Scissor-tailed see *Tyrannus forficatus*.
- Vermilion see *Pyrocephalus rubinus*.
- Western see *Empidonax difficilis*.
- Willow see *Empidonax traillii*.
- Fregata ariel* 60:25.
- F. magnificens* 59:27; 60:25; 62:21; 72:26-
27.
- F. minor* 60:25.
- Frigatebird, Great see *Fregata minor*.
Lesser see *Fregata ariel*.
Magnificent see *Fregata magnificens*.
- Fringilla montifringilla* 75:40.
- Fringillidae* 61:27-28.

Fulica americana 60:2; 63:2; 64:3, 43;
65:33, 35; 66:3.

Gallinago delicata 62:2; 63:3; 64:3; 66:3;
67:4.

Garganey see *Anas querquedula*.

Gavia arctica 60:23.

G. adamsii 59:1; 64:37, 39; 72:2.

G. immer 59:2; 60:3; 61:2; 63:2; 64:3.

G. pacifica 59:30; 63:2; 65:2; 67:3; 68:2;
72:3; 74:1; 75:6.

G. stellata 58:21; 74:2; 75:38.

Geococcyx californianus 56:1; 57:1; 58:1;
60:2; 64:2; 65:2; 66:3; 68:2; 71:3;
73:2; 74:2.

Geothlypis formosa 57:24 (corrected);
70:33.

G. trichas 60:2; 65:2; 68:3; 70:1; 72:3;
74:3.

Gnatcatcher, Blue-gray see *Polioptila*
caerulea.

Goldeneye, Barrow's see *Bucephala*
islandica.

Goldfinch, American see *Spinus tristis*.
Lesser see *Spinus psaltria*.

Goshawk, American see *Accipiter*
atricapillus.

Northern see *Accipiter atricapillus*.

Goose, Bar-headed Goose see *Anser*
indicus.

Cackling see *Branta hutchinsii*.

Canada see *Branta canadensis*.

Graylag see *Anser anser*.

Greater White-fronted see *Anser*
albifrons.

Lesser White-fronted *Anser erythropus*.

Pink-footed see *Anser brachyrhynchus*.

Ross's see *Anser rossii*.

Snow see *Anser caerulescens*.

Taiga Bean-Goose see *Anser fabilis*.

Tundra Bean-Goose see *Anser*
serrirostris.

Grackle, Common see *Quiscalus quiscula*.

Great-tailed see *Quiscalus mexicanus*.

Grassquit, Yellow-faced see *Tiaris*
olivaceus.

Grebe, Clark's see *Aechmophorus clarkia*.

Eared see *Podiceps nigricollis*.

Horned see *Podiceps auratus*.

Pied-billed see *Podilymbus podiceps*.

Red-necked see *Podiceps grisegena*.

Western see *Aechmophorus occidentalis*.

Grosbeak, Black-headed see *Pheucticus*
melanocephalus.

Blue see *Passerina caerulea*.

Evening see *Coccothraustes vespertinus*.

Pine see *Pinicola enucleator*.

Rose-breasted see *Pheucticus*
ludovicianus.

Grus americana 63:2; 73:2; 75:5.

G. grus 60:22; 71:37.

Gull, Black-headed see *Chroicocephalus*
ridibundus.

Bonaparte's see *Chroicocephalus*
philadelphia.

California see *Larus californicus*.

Franklin's see *Leucophaeus pipixcan*.

Glaucous see *Larus hyperboreus*.

Great Black-backed see *Larus marinus*.

Herring see *Larus argentatus*.

Iceland (also Thayer's) see *Larus*
glaucoides (also *L. g. kumlieni*).

Laughing see *Larus atricilla*.

Lesser Black-backed see *Larus fuscus*.

Little see *Hydrocoloeus minutus*.

Mew see Short-billed.

Ring-billed see *Larus delawarensis*.

Ross's see *Rhodostethia rosea*.

Short-billed see *Larus brachyrhynchus*.

Slaty-backed see *Larus schistisagus*.

Thayer's see *Larus glaucoides*.

Gymnorhinus cyanocephalus 60:2; 64:1.

Gyrfalcon see *Falco rusticolus*.

Haemorrhous cassini 56:1; 67:32; 69:27.

H. mexicanus 56:3; 58:3; 61:27-28; 63:4;
64:4; 65:5; 66:9; 67:9; 68:9; 69:4;
70:4; 71:5; 72:5; 73:5; 74:5; 75:9.

H. purpureus 56:3; 58:2; 59:2; 60:3; 61:3;
62:3; 63:5; 64:2; 65:5; 66:9; 67:9; 68:7;
69:4; 70:4; 71:5; 72:5; 73:5; 74:5; 75:9.

Haliaeetus leucocephalus 59:30; 60:3; 61:2;
62:2; 63:3; 64:3; 65:3; 66:4; 67:5;
68:3; 69:3; 70:3; 71:3; 72:3, 41-46;

- 73:4; 74:3; 75:6.
 Harrier, Northern see *Circus hudsonius*.
 Hawk, Broad-winged see *Buteo platypterus*.
 Common Black (also Common Black-hawk) see *Buteogallus anthracinus*.
 Cooper's see *Accipiter cooperi*.
 Ferruginous see *Buteo regalis*.
 Gray see *Buteo plagiatus*.
 Great Black (also Greater Black-hawk) see *Buteogallus urubitinga*.
 Harlan's (also Red-tailed) see *Buteo jamaicensis harlani*.
 Harris's see *Parabuteo unicinctus*.
 Krider's see Red-tailed.
 Red-shouldered see *Buteo lineatus*.
 Red-tailed see *Buteo jamaicensis*.
 Rough-legged see *Buteo lagopus*.
 Sharp-shinned see *Accipiter striatus*.
 Zone-tailed see *Buteo albonotatus*.
Helmitheros vermivorum 74:41.
 Heron, Great Blue see *Ardea herodias*.
 Green see *Butorides virescens*.
 Little Blue see *Egretta caerulea*.
 Tricolored see *Egretta tricolor*.
 Hornet, Black (*Vespula maculate*) 58:11.
 Hummingbird, Anna's see *Calypte anna*.
 Black-chinned see *Archilochus alexandri*.
 Broad-billed see *Cyananthus latirostris*.
 Broad-tailed see *Selasphorus platycercus*.
 Calliope see *Selasphorus calliope*.
 Costa's see *Calypte costae*.
 Magnificent see Rivoli's.
 Rivoli's see *Eugenes fulgens*.
 Ruby-throated see *Archilochus colubris*.
 Rufous see *Selasphorus rufus*.
 White-eared see *Basilinna leucotis*.
Hydrobates castro 57:23 (corrected).
Hydrocoloeus minutus 58:22; 64:38; 65:26; 66:30; 67:30; 68:30; 72:26.
Hydroprogne caspia 59:25; 60:2.
 Ibis, Glossy see *Plegadis falcinellus*.
 White see *Eudocimus albus*.
 White-faced see *Plegadis chihi*.
Icterus bullockii 60:2; 64:40.
I. cucullatus 66:31; 68:34.
I. galbula 64:35; 68:3; 70:1; 71:2; 72:2.
I. bullockii/galbula 60:2.
I. parisorum 67:32; 74:31.
Ixoreus naevius 56:1, 23; 57:23 (corrected); 63:34; 72:2.
 Jaegar, Long-tailed see *Stercorarius longicaudus*.
 Parasitic see *Stercorarius parasiticus*.
 Pomarine see *Stercorarius pomarinus*.
 Jay, Blue see *Cyanocitta cristata*.
 Gray see *Perisoreus canadensis*.
 Pinyon see *Gymnorhinus cyanocephalus*.
 Steller's see *Cyanocitta stelleri*.
 Junco, Dark-eyed see *Junco hyemalis*.
 Gray-headed see Dark-eyed.
 Slate-colored see Dark-eyed.
 White-winged see Dark-eyed, also see 60:2; 61:2.
 Yellow-eyed see *Junco phaeonotus*.
Junco hyemalis 57:2-3; 60:2; 63:2; 65:33, 35; 66:3; 68:3; 72:5.
J. phaeonotus 72:2, 29.
 Killdeer see *Charadrius vociferus*.
 Kingbird, Couch's see *Tyrannus couchii*.
 Eastern see *Tyrannus tyrannus*.
 Western see *Tyrannus verticalis*.
 Kiskadee, Great see *Pilangus sulphuratus*.
 Kite, Swallow-tailed see *Elanoides forficatus*.
 White-tailed see *Elanus leucurus*.
 Kittiwake, Black-legged see *Rissa tridactyla*.
Lampornis clemenciae 64:39.
Lanius borealis 59:2; 60:3; 61:2; 62:2; 63:3; 64:3; 65:3; 66:4; 67:4; 68:3; 69:2; 70:3; 71:3; 72:3; 73:4; 74:3; 75:6.
L. ludovicianus 56:2; 57:2; 58:2; 59:2; 60:3; 61:2; 62:2; 63:3; 64:2; 65:3; 66:4; 67:4; 68:3; 69:2; 70:3; 71:3; 72:3; 73:4 74:3; 75:6.
 Lark, Horned see *Eremophila alpestris*.
Larus argentatus 56:2; 58:2; 68:37.
L. atricilla 60:22.
L. brachyrhynchus 59:27; 61:22; 62:23;

65:26; 67:32; 70:30; 72:26; 73:29;
74:29.

L. californicus 56:1; 60:2; 67:3; 68:2;
71:3; 73:3.

L. delawarensis 57:2; 62:2; 64:43; 65:26.

L. fuscus 57:22 (corrected); 58:1; 59:27;
62:2; 65:2; 66:2; 68:2; 75:6.

L. glaucoides (also *L. g. kumlieni* and *L. g. thayeri*) 56:1; 57:1; 58:22; 62:2; 65:2;
26; 66:3, 30; 67:2, 30; 68:2, 37-40;
69:26; 76:6.

L. hyperboreus 56:1; 58:1; 60:2; 62:2;
65:2; 67:3; 68:2.

L. marinus 60:23; 62:22; 64:38; 65:26-
28; 67:31; 75:6.

L. schistisagus 66:31.

L. thayeri see *Larus glaucoides*.

Legatus leucophaius 67:31.

Leiothlypis celata 56:2; 59:2; 60:2; 62:2;
63:3; 64:2; 65:2; 66:4; 67:4; 68:3;
72:3; 73:3.

L. c. celata 74:34-36 (corrected).

L. c. lutescens 74:33-39.

L. c. orestera 74:34-36.

L. c. sordida 74:34-35.

L. ruficapilla 70:31; 73:3; 74:36.

Leucophaeus atricilla 56:1; 61:4; 62:2.

L. pipixcan 60:3; 63:2; 66:3; 67:3; 68:44;
70:53-56; 71:3.

Leucosticte tephrocotis 58:3.

Limicola falcinellus 68:47.

Limnodromus scolopaceus 64:1; 69:1; 72:3;
73:3.

Limnithlypis swainsonii 61:24; 62:22;
66:32; 70:30.

Limpkin see *Aramus guarana*.

Longspur, Chestnut-collared see
Calcarius ornatus.

Lapland see *Calcarius lapponicus*.

McCown's see Thick-billed.

Smith's see *Calcarius pictus*.

Thick-billed see *Rhynchophanes*
mccownii.

Loon, Arctic see *Gavia arctica*.

Common see *Gavia immer*.

Pacific Loon see *Gavia pacifica*.

Red-throated see *Gavia stellata*.

Yellow-billed see *Gavia adamsii*.

Lophodytes cucullatus 66:3.

Loxia curvirostre 56:3; 59:2; 60:3; 63:2;
64:2; 66:9; 67:4; 68:9; 69:4; 70:4;
71:5, 41-51; 74:3.

L. curvirostre stricklandi 71:47.

L. leucoptera 64:2.

Mallard see *Anas platyrhynchos*.

Magpie, Black-billed see *Pica hudsonia*.

Mantis, Carolina (*Stagmomantis carolina*)
58:11.

Mareca americana 59:30.

M. falcata 56:23.

M. penelope 62:21; 69:25; 71:26; 73:26;
75:34.

Meadowlark, Eastern see *Sturnella*
magna.

Western see *Sturnella neglecta*.

Megascops asio 72:36.

M. kennicottii 64:2.

Melanerpes aurifrons 58:23.

M. carolinus 58:23.

M. erythrocephalus 61:3-4; 62:3; 63:4-5;
64:3; 65:3; 66:6; 67:6; 68:7; 69:4;
70:4; 71:4; 72:4; 73:4; 74:4; 75:8.

M. lewis 68:2; 69:2; 71:2.

Melanitta americana 66:3; 68:2; 70:2;
71:1; 72:2; 74:2; 75:6.

M. deglandi 60:2; 64:1; 66:3; 67:2; 68:2.

M. perspicillata 60:2; 66:3; 69:1; 70:2;
71:2; 72:2.

Meleagris gallopavo 56:39; 57:2; 58:2;
64:35; 70:3; 71:3; 72:3; 73:4; 74:3;
75:6.

Melospiza melodia 75:5.

Melospiza fusca 56:2; 59:28; 61:2;
68:33-34; 71:30; 75:5, 42.

Merganser, Common see *Mergus*
merganser.

Hooded see *Lophodytes cucullatus*.

Red-breasted see *Mergus serrator*.

Mergus merganser 56:3; 57:3; 58:3; 59:3;
62:3; 63:5; 65:5; 67:4; 68:9.

M. serrator 56:2; 60:3; 65:2; 66:3; 67:4.

Merlin see *Falco columbarius*.

Mimus polyglottos 56:2; 58:2.

Mockingbird, Northern see *Mimus polyglottos*.
 Mole, Eastern (*Scolapus aquaticus*) 65:33, 35.
Molothrus aeneus 61:24; 70:28-29; 72:30
M. ater 56:29-31; 57:31; 66:2; 69:2; 70:2; 71:2.
M. bonariensis 68:35; 72:30.
Motacilla tschutschensis 60:23.
 Mouse, Harvest (*Reithrodontomys sp.*) 62:42-44.
 Murrelett, Long-billed see *Brachyramphus perdix*.
 Muskrat (*Odonata zibethicus*) 65:35.
Myadestes townsendi 56:2; 60:4; 61:3; 64:2; 66:7; 67:6; 68:7; 69:4; 70:4; 71:4; 72:4; 73:5; 74:4; 75:8.
Mycteria americana 56:22; 59:30; 64:37; 66:29; 71:27; 72:26.
Myiarchus cinerascens 73:28; 74:30.
M. crinitus 64:34.
Myioborus pictus 62:36; 63:34; 66:31; 69:27; 75:42-43.
Myiopsitta monachus 57:29-30; 63:2.

Nannopterum auritum 60:2-3, 32; 61:2; 65:2.
N. brasilianum 56:1; 57:1; 58:1; 60:2; 65:2; 67:3; 70:3; 72:2.
 Nighthawk, Common see *Chordeiles minor*.
 Night-Heron (also Night Heron), Black-crowned see *Nycticorax nycticorax*.
Nucifraga columbiana 59:30; 69:27.
Numenius americanus 56:33-37.
N. borealis 66:38.
 Nutcracker, Clark's see *Nucifraga columbiana*.
 Nuthatch, Brown-headed see *Sitta pusilla*.
 Pygmy see *Sitta pygmaea*.
 Red-breasted see *Sitta canadensis*.
 White-breasted see *Sitta carolinensis*.
Nycticorax nycticorax 58:1; 60:2; 61:1; 62:2; 63:2; 64:2; 65:2; 66:3; 70:3; 71:3; 72:3; 73:3; 74:2; 75:6.

Oceanodroma castro see Band-rumped Storm-Petrel.
Oporornis agilis 68:33, 35; 69:28; 70:30; 71:30; 73:29; 74:31-32 (corrected); 75:42.
O. formosus see Kentucky Warbler.
Oreoscoptes montanus 63:2; 65:28; 68:33; 70:28; 72:29; 73:29; 74:31; 75:5, 40.
Oreothlypis ruficapilla see *Leiothlypis ruficapilla*.
O. virginiae (now *Leiothlypis virginiae*) 67:32.
 Oriole, Baltimore see *Icterus galbula*.
 Bullock's see *Icterus bullockii*.
 Hooded Oriole see *Icterus cucullatus*.
 Northern see *Icterus bullocki/galbula*.
 Orchard, see *Icterus spurius*.
 Scott's see *Icterus parisorum*.
 Osprey see *Pandion haliaetus*.
 Owl, Barn see *Tyto alba*.
 Barred see *Strix varia*.
 Burrowing see *Athene cunicularia*.
 Eagle-owl, Eurasian see *Bubo bubo*.
 Great Horned see *Bubo virginianus*.
 Long-eared see *Asio otus*.
 Saw-whet, Northern see *Aegolius acadicus*.
 Screech-Owl, Eastern see *Megascops asio*.
 Screech-Owl, Western see *Megascops kennicottii*.
 Short-eared see *Asio flammeus*.
 Snowy see *Bubo scandiacus*.
 Tawny see *Strix aluco*.
Oxyura jamaicensis 60:3; 63:2; 65:2; 66:3; 67:4.

Pandion haliaetus 56:1; 63:2; 67:3; 72:2 75:6.
Parabuteo unicinctus 69:27; 72:2; 73:27.
 Parakeet, Monk see *Myiopsitta monachus*.
Parkesia noveboracensis 59:30.
Passer domesticus 61:27.
Passerculus sandwichensis 60:4; 61:3; 63:5; 64:4; 65:5; 66:7-8; 67:8; 68:7; 69:4; 70:4; 71:4; 74:4; 75:9.
Passerella iliaca 56:3.

- Passerina caerulea* 60:2, 23; 61:4.
P. cyanea 64:34.
Patagioenas fasciata 57:22 (corrected); 59:30.
 Pelican, American White see *Pelecanus erythrorhynchos*.
 Brown see *Pelecanus occidentalis*.
Pelecanus erythrorhynchos 59:2; 60:3; 61:2; 60:2; 65:2, 23 (corrected); 66:3; 67:4; 71:3; 72:3; 74:2; 75:6.
P. occidentalis 61:21; 62:21-22; 63:31; 66:29.
Perisoreus canadensis 69:28.
Peromyscus spp. 65:33, 35.
Petrochelidon fulva 57:23 (corrected); 64:39; 65:27; 66:31-32; 68:33, 35.
Peucaea cassinii 57:31; 69:2.
 Phainopepla see *Phainopepla nitens*.
Phainopepla nitens 57:23 (corrected); 59:28.
 Phalarope, Red see *Phalaropus fulicarius*.
 Wilson's see *Phalaropus tricolor*.
Phalaropus fulicarius 57:22 (corrected).
P. tricolor 68:42, 44; 73:2.
Phasianus colchicus 64:35.
 Pheasant, Ring-necked see *Phasianus colchicus*.
Pheucticus ludovicianus 56:1.
P. melanocephalus 68:2.
Philomachus pugnax 56:22; 57:22 (corrected); 61:22.
 Phoebe, Black see *Sayornis nigricans*.
 Eastern see *Sayornis phoebe*.
 Say's see *Sayornis saya*.
Phoenicopiterus ruber 75:35-36.
Pica hudsonia 56:2; 57:2; 58:2; 60:3; 61:2; 62:2; 63:4; 64:4; 65:4; 66:6; 67:36-46; 72:3; 73:4; 74:3; 75:7.
Picoides dorsalis 57:23 (corrected).
P. nuttallii see Nuttall's Woodpecker.
P. pubescens see Downy Woodpecker.
P. scalaris see Ladder-backed Woodpecker.
P. villosus see Hairy Woodpecker.
 Pigeon, Band-tailed see *Patagioenas fasciata*.
 Rock see *Columba livia*.
Pinicola enucleator 56:2-3, 23; 66:3; 75:5, 40-41.
 Pintail, Northern see *Anas acuta*.
 White-checked see *Anas bahamensis*.
Pipilo chlorurus 74:2.
P. erythrophthalmus 60:4; 61:3.
P. maculatus 60:4.
 Pipit, American see *Anthus rubescens*.
 Sprague's see *Anthus spragueii*.
Piranga flava 58:23; 64:40; 66:31; 70:31; 74:32.
P. ludoviciana 56:23.
Pitangus sulphuratus 65:27.
Platalea ajaja 56:22; 57:22 (corrected); 66:30; 69:26.
Plectrophenax nivalis 56:2-3; 57:1; 61:2; 64:2; 65:2.
Plegadis chihi 60:2; 62:32; 64:39; 65:23 (corrected); 66:3; 67:3; 68:2; 71:3; 72:3; 73:3; 75:5.
P. falcinellus 56:21; 58:21; 59:27; 64:39; 65:24 (corrected).
 Plover, American Golden see *Pluvialis dominica*.
 Mountain see *Charadrius montanus*.
 Piping see *Charadrius melodus*.
 Snowy see *Charadrius nivosus*.
 Wilson's see *Charadrius wilsonia*.
Pluvialis dominica 66:37-39, 44-45, 48-49.
Podiceps auritus 61:1; 63:2; 64:3; 65:2; 66:3; 67:4.
P. griseogen 57:21 (corrected); 59:27; 64:2; 71:2.
P. nigricollis 62:2; 63:2; 65:2; 66:3; 67:4; 68:2; 69:2; 71:3; 72:3; 73:2-3; 74:2; 75:6.
Podilymbus podiceps 63:2; 64:3; 65:33, 35.
Poecile atricapillus 56:2; 57:1; 58:2; 61:3; 62:3; 63:4; 64:3; 65:4; 66:7; 67:34, 43; 72:4; 73:5; 74:4, 32; 75:8.
P. carolinensis 61:3; 62:3; 63:4; 64:3; 65:4; 66:7; 67:43; 72:4; 73:5; 74:4, 32; 75:8.
P. gambeli 59:2; 66:3; 72:3, 29.
Poliophtila caerulea 56:22; 67:3; 69:2; 75:5.
Poocetes gramineus 56:2; 57:1; 60:2; 63:5; 64:2; 65:2; 66:3; 67:4; 68:3; 70:3; 71:2; 72:2; 73:3; 74:3; 75:6.

Porzana carolina 56:1; 57:1; 64:2; 67:3;
74:2; 75:6.

Prairie-Chicken, Greater see

Tympanuchus cupido.

Lesser see *Tympanuchus pallidicinctus*.

Psaltriparus minimus 56:1-2; 59:2; 60:22;
70:3; 71:2, 29; 75:5.

Pyrocephalus rubinus 57:23 (corrected),
25-26; 58:23; 59:27; 61:23; 68:31-32;
69:27; 72:28.

Pyrrhuloxia see *Cardinalis sinuatus*.

Quail, Scaled see *Callipepla squamata*.

Japanese see *Coturnix japonica*.

Quiscalus quiscula 61:27; 66:33-36; 75:5.

Q. mexicanus 61:4; 64:30.

Rail, Virginia see *Rallus limicola*.

Yellow see *Coturnicops noveboracensis*.

Rallus limicola 60:3; 60:2; 63:2; 64:3;
65:2; 66:3.

Raven, Common see *Corvus corax*.

Chihuahuan see *Corvus cryptoleucus*.

Recurvirostra americana 65:23(corrected);
67:2; 68:42, 44; 72:3; 73:3.

Redpoll, Common see *Acanthis flammea*.

Redstart, Painted see *Myioborus pictus*.

Rhodostethia rosea 60:22.

Rhynchophanes mccownii 57:3; 68:3; 74:5.

Rissa tridactyla 58:22; 59:30; 60:2, 22;
65:25, 27-28; 67:3; 68:30; 69:26; 70:3,
27; 73:3; 74:2.

Roadrunner, Greater see *Geococcyx*
californianus.

Robin, American see *Turdus migratorius*.

Rosy-Finch, Gray-crowned see *Leucosticte*
tephrocotis.

Ruff see *Philomachus pugnax*.

Salpinctes obsoletus 56:1; 57:1; 58:1; 59:2;
61:2; 62:2; 70:3; 71:3; 72:3; 73:3;
74:3; 75:5.

Sandpiper, Baird's see *Calidris bairdii*.

Broad-billed see *Limicola falcinellus*.

Buff-breasted see *Calidris subruficollis*.

Least see *Calidris minutilla*.

Pectoral see *Calidris melanotos*.

Purple see *Calidris maritima*.

Semipalmated see *Calidris pusilla*.

Solitary see *Tringa solitaria*.

Spotted see *Actitis macularius*.

Stilt see *Calidris himantopus*.

Western see *Calidris mauri*.

White-rumped see *Calidris fuscicollis*.

Sapsucker, Red-naped see *Sphyrapicus*
nuchalis.

Williamson's see *Sphyrapicus thyroideus*.

Yellow-bellied see *Sphyrapicus varius*.

Sayornis nigricans 61:23; 72:28.

S. phoebe 56:1; 57:1; 58:1; 60:2; 61:2;
62:2; 63:3; 64:3, 34; 65:2; 66:4; 67:3;
68:3; 72:3; 74:2; 75:5.

S. saya 63:2; 70:3; 72:2; 75:5.

Scaup, Greater see *Aythya marila*.

Scolopax minor 59:30; 67:3; 68:2;
73:33-42.

Scoter, Black see *Melanitta americana*.

Surf see *Melanitta perspicillata*.

White-winged see *Melanitta deglandi*.

Scrub-Jay, Western see Woodhouse's.

Woodhouse's see *Aphelocoma*
woodhouseii.

Selasphorus calliope 56:22; 57:22
(corrected); 58:11, 22; 61:23; 68:29.

S. platycercus 56:21; 57:22 (corrected);
60:22; 68:29.

S. rufus 58:11, 22; 59:30; 64:2; 74:37.

Setophaga citrina 74:41.

S. coronata (includes both Audubon's and
Yellow-rumped) 61:3; 62:2-3; 64:2;
66:4; 67:4; 68:3; 70:3; 72:5; 73:3, 5;
74:5; 75:6, 9.

S. discolor 56:1, 23; 68:33.

S. dominica 74:41-44.

S. kirtlandii 70:34.

S. palmarum 56:1; 61:2; 72:2.

S. pinus 60:2-3; 61:2; 65:2; 67:3; 72:30;
73:3; 74:1.

S. striata 63:34; 68:34.

S. tigrina 72:30.

S. townsendi 74:37.

Shoveler, Northern see *Spatula clypeata*.

Shrike, Loggerhead see *Lanius*
ludovicianus.

- Northern see *Lanius borealis*.
- Sialia currucoides* 59:2; 60:4; 61:3; 66:7; 67:6; 68:7; 69:4; 70:4; 72:4; 73:5; 74:4; 75:8.
- S. mexicana* 57:23 (corrected); 58:23; 60:22-24; 62:2; 70:31; 71:4.
- S. sialis* 59:2; 60:4; 61:3; 66:7; 67:6; 33-35; 68:7; 69:4; 70:4; 71:4; 72:4; 73:5; 74:4; 75:8.
- Siskin, Pine see *Spinus pinus*.
- Sitta canadensis* 56:2; 58:2; 60:3; 61:3; 62:3; 63:5; 64:2; 65:5; 66:9; 67:9; 68:7; 69:4; 70:4; 71:5; 72:5; 73:5; 74:5; 75:9.
- S. carolinensis* 63:4; 64:3; 65:4; 66:7; 72:4; 73:5; 74:4; 75:8.
- S. pusilla* 73:3, 28.
- S. pygmaea* 69:2, 26.
- Snipe, Wilson's see *Gallinago delicata*.
- Solitaire, Townsend's see *Myadestes townsendi*.
- Sora see *Porzana carolina*.
- Sparrow, American Tree see *Spizelloides arborea*.
- Baird's see *Centronyx bairdii*.
- Black-throated see *Amphispiza bilineata*.
- Brewer's see *Spizella breweri*.
- Cassin's see *Peucaea cassinii*.
- Chipping see *Spizella passerina*.
- Clay-colored see *Spizella pallida*.
- Field see *Spizella pusilla*.
- Fox see *Passerella iliaca*.
- Golden-crowned see *Zonotrichia atricapilla*.
- Grasshopper see *Ammodramus savannarum*.
- Harris's see *Zonotrichia querula*.
- Henslow's see *Centronyx henslowii*.
- House see *Passer domesticus*.
- Lark see *Chondestes grammacus*.
- LeConte's see *Ammospiza lecontei*.
- Nelson's see *Ammospiza nelson*.
- Rufous-crowned see *Aimophila ruficeps*.
- Savannah see *Passerculus sandwichensis*.
- Song see *Melospiza melodia*.
- Vesper see *Poocetes gramineus*.
- White-throated see *Zonotrichia albicollis*.
- Spatula clypeata* 56:2.
- S. cyanoptera* 57:1-2; 59:30.
- S. discors* 57:2; 60:3; 63:2; 65:2.
- Sphyrapicus nuchalis* 64:38; 66:30; 75:38.
- S. thyroideus* 61:1, 22; 69:27; 73:27.
- S. varius* 56:2.
- Spindalis portoricensis* 69:45.
- Spindalis, Puerto Rican see (*Spindalis portoricensis*).
- Spinus pinus* 58:2, 31; 59:2; 61:3, 27-28; 62:3; 63:5; 64:2; 65:5; 66:9; 67:9; 68:9; 69:4; 70:4; 71:5; 72:5; 73:5; 74:5; 75:9.
- S. psaltria* 56:23; 57:23 (corrected); 61:2, 23; 62:22; 65:2, 27; 66:32; 68:33; 69:2; 73:3; 74:3; 75:5.
- S. tristis* 63:4; 64:4; 65:5; 66:8; 68:7; 69:4; 70:4; 71:5; 72:5; 73:5; 74:5; 75:9.
- Spiza americana* 57:31-32; 59:21; 66:38; 71:3.
- Spizella breweri* 59:30; 75:5, 42.
- S. pallida* 60:2.
- S. passerina* 56:2; 60:2; 61:2; 62:2, 22; 65:2; 66:3; 67:4, 31; 68:3; 71:3; 73:3; 74:3; 75:6.
- S. pusilla* 57:2.
- Spizelloides arborea* 56:3; 57:3; 58:3; 59:3; 62:4; 63:5; 65:2; 66:9; 67:9; 74:5.
- Spoonbill, Roseate see *Platalea ajaja*.
- Squirrel, Fox (*Sciurus niger*) 58:29-30; 64:25, 28.
- Starling, European see *Sturnus vulgaris*.
- Stellula calliope* see *Selaphorus calliope*.
- Stercorarius longicaudus* 71:27; 75:38.
- S. parasiticus* 59:30; 70:26; 72:31.
- S. pomarinus* 67:30.
- Sterna forsteri* 56:1.
- S. paradisaea* 56:21; 57:22 (corrected); 59:23-25; 71:27; 74:32.
- Stilt, Black-necked see *Himantopus mexicanus*.
- Stint, Little see *Calidris minuta*.
- Long-toed Stint see *Calidris subminuta*.
- Red-necked see *Calidris ruficollis*.
- Temminck's Stint see *Calidris temminckii*.

- Stork, Wood see *Mycteria americana*.
- Storm-Petrel, Band-rumped see *Hydrobates castro*.
- Streptopelia decaocto* 56:2; 57:2; 58:2; 59:2; 60:3-4; 61:3-4; 62:3; 25-31; 63:4; 64:3; 65:3; 66:6; 67:6; 68:4; 69:3; 70:4; 71:4; 72:4; 72:5; 73:4; 74:4-5; 75:7-8.
- S. turtur* 62:25-27; 63:2; 64:4.
- Strix aluco* 69:41.
- S. varia* 64:41; 69:41-46.
- Sturnella magna* 66:38; 69:4.
- S. neglecta* 69:4.
- Sturnus vulgaris* 56:1; 57:3; 58:1; 61:1; 62:1; 63:2; 64:2; 65:2; 66:2; 67:3; 68:2; 69:2; 70:2; 71:2; 75:5.
- Sula leucogaster* 69:26.
- Swallow, Barn see *Hirundo rustica*.
- Cave see *Petrochelidon fulva*.
- Tree see *Tachycineta bicolor*.
- Violet-green see *Tachycineta thalassina*.
- Swan, Mute see *Cygnus olor*.
- Trumpeter see *Cygnus buccinator*.
- Tundra see *C. columbianus*.
- Swift, Chimney see *Chaetura pelagica*.
- White-throated see *Aeronautes saxatalis*.
- Tachycineta bicolor* 59:30; 67:3.
- T. thalassina* 56:23; 59:30, 39; 61:23; 64:39; 72:29.
- Tanager, Hepatic see *Piranga flava*.
- Western see *Piranga ludoviciana*.
- Teal, Blue-winged see *Spatula discors*.
- Cinnamon see *Spatula cyanoptera*.
- Green-winged see *Anas crecca*.
- Tern, Arctic see *Sterna paradisaea*.
- Caspian see *Hydroprogne caspia*.
- Forster's see *Sterna forsteri*.
- Least see *Sternula antillarum*.
- Royal see *Thalasseus maximus*.
- Thalasseus maximus* 73:26.
- Thrasher, Brown see *Toxostoma rufum*.
- Curve-billed see *Toxostoma curvirostre*.
- Sage see *Oreoscoptes montanus*.
- Thrush, Bicknell's see *Catharus bicknelli*.
- Hermit see *Catharus guttatus*.
- Varied see *Ixoreus naevius*.
- Thryomanes bewickii* 59:2; 60:4; 61:3.
- T. ludovicianus* 57:2; 58:2; 59:2; 60:4.
- Tianis olivaceus* 65:28.
- Titmouse, Black-crested see *Baeolophus atricristatus*.
- Tufted see *Baeolophus bicolor*.
- Towhee, Canyon see *Melospiza fusca*.
- Eastern see *Pipilo maculatus*.
- Green-tailed see *Pipilo chlorurus*.
- Spotted see *Pipilo erythrophthalmus*.
- Toxostoma curvirostre* 56:1; 59:30; 63:2; 66:4; 67:4; 69:27; 71:29.
- T. rufum* 57:2; 58:2; 60:2; 61:2; 62:2; 65:2; 66:4; 67:3; 68:3; 69:4-5; 72:3; 73:3; 74:3; 75:5.
- Tringa flavipes* 58:1; 65:2; 67:4; 68:44.
- T. melanoleuca* 56:1; 61:2; 60:2; 63:2; 64:3; 65:2; 66:3; 67:4; 68:2; 70:2; 72:3; 73:3.
- T. solitaria* 65:2.
- Troglodytes aedon* 56:11-12; 59:2; 60:4; 61:3; 64:34; 66:3; 71:3; 72:3.
- T. hiemalis* 56:2; 57:2; 59:2; 60:4; 61:3; 70:2.
- T. pacificus* 66:3; 69:27; 70:1.
- Trynites subruficollis* see Buff-breasted Sandpiper.
- Turdus migratorius* 58:31; 60:4; 61:3; 66:7; 67:6; 68:7; 69:4; 70:4; 71:4; 72:4; 73:5; 74:4; 75:8.
- Turkey, Wild see *Meleagris gallopavo*.
- Turtle-Dove, Ringed see *Streptopelia decaocto*.
- Tyrannis couchii* 73:30.
- T. forficatus* 61:27; 63:35; 64:35.
- T. savana* 75:39.
- T. tyrannus* 61:27.
- T. verticalis* 63:30.
- T. vociferans* 68:32.
- Tyto alba* 56:2.
- Tympanuchus cupido* 56:3; 60:2; 61:2; 62:2; 63:3; 64:2, 4; 65:2; 66:4, 38; 67:4; 68:3; 69:2, 29-39; 70:3; 71:3; 72:3; 73:3; 74:3; 75:6.
- T. pallidicinctus* 56:3; 57:2-3; 58:3; 59:1; 60:2, 4; 61:2, 4; 62:2; 63:3, 5; 64:2, 4; 65:2; 66:4; 67:4; 68:3; 69:2; 70:3; 71:3; 72:3; 73:3; 74:3; 75:5-6.

- Vermivora celata lutescens* 74:35 (also see *Leiothlypis celata lutescens*).
- V. c. orestera* 74:36 (also see *Leiothlypis celata orestera*).
- V. chrysoptera* 61:29-30.
- V. cyanoptera* 61:29-31; 67:31; 70:29; 71:30; 74:42.
- Vermivora* hybrid 61:29-31.
- Violetear, Green and Mexican see *Colibri thalassinus*.
- Vireo, Blue-headed see *Vireo solitarius*.
- Cassin's see *Vireo cassinii*.
- Plumbeous see *Vireo plumbeus*.
- White-eyed see *Vireo griseus*.
- Vireo cassinii* 56:23; 60:22; 61:23; 66:31; 68:34; 70:28; 71:28, 31; 72:28, 30; 74:37; 75:39, 43.
- V. griseus* 71:2.
- V. plumbeus* 56:22; 60:22; 62:22; 64:38; 66:30; 68:32; 70:28; 71:28; 75:39, 43.
- V. solitarius* 70:2; 75:43.
- Virus, Pigeon Paramyxovirus serotype 1, 69:3.
- West Nile 63:4; 67:36-43.
- Vole, Prairie (*Microtus ochrogaster*) 62:42-44; 65:33-34.
- Vulture, Black see *Coragyps atratus*.
- Turkey see *Cathartes aura*.
- Wagtail, Eastern Yellow see *Motacilla tschutschensis*.
- Waterthrush, Louisiana see *Parkesia motacilla*.
- Northern see *Parkesia noveboracensis*.
- Warbler, Audubon's see *Setophaga coronata*.
- Blackpoll see *Setophaga striata*.
- Black-throated Gray see *Dendroica nigrescens*.
- Blue-winged see *Vermivora cyanoptera*.
- Brewster's (hybrid) 61:29-30.
- Connecticut see *Oporornis agilis* (corrected).
- Golden-winged see *Vermivora chrysoptera*.
- Hooded see *Setophaga citrina*.
- Kentucky see *Geothlypis formosa*.
- Kirtland's Warbler see *Setophaga kirtlandii*.
- Lawrence's (hybrid) 61:29-31.
- Nashville see *Leiothlypis ruficapilla*.
- Orange-crowned (also Pacific, Pacific Northwest) see *Leiothlypis celata*.
- Palm see *Setophaga palmarum*.
- Pine see *Setophaga pinus*.
- Prairie see *Setophaga discolor*.
- Swainson's see *Limnothlypis swainsonii*.
- Townsend's see *Setophaga townsendi*.
- Virginia see *Oreothlypis virginiae*.
- Worm-eating see *Helmitheros vermivorum*.
- Yellow-rumped see *Setophaga coronata*.
- Yellow-throated see *Setophaga dominica*.
- Waxwing, Bohemian see *Bombycilla garrulus*.
- Cedar see *Bombycilla cedrorum*.
- Whip-poor-will, Mexican see *Antristomus arizonae*.
- Whistling Duck, Black-bellied see *Dendrocygna autumnalis*.
- Fulvous see *Dendrocygna bicolor*.
- Wigeon, American see *Mareca americana*.
- Eurasian see *Mareca penelope*.
- Woodcock, American see *Scolopax minor*.
- Woodpecker, American Three-toed see *Picoides dorsalis*.
- Downy Woodpecker see *Dryobates pubescens*.
- Golden-fronted see *Melanerpes aurifrons*.
- Hairy Woodpecker see *Dryobates villosus*.
- Ladder-backed see *Dryobates scalaris*.
- Lewis's see *Melanerpes lewis*.
- Nuttall's Woodpecker see *Dryobates nuttallii*.
- Pileated see *Dryocopus pileatus*.
- Red-bellied see *Melanerpes carolinus*.
- Red-headed see *Melanerpes erythrocephalus*.
- Wren, Bewick's see *Thryomanes bewickii*.
- Canyon see *Catherpes mexicanus*.
- Carolina see *Thryothorus ludovicianus*.
- House see *Troglodytes aedon*.

Marsh see *Cistothorus palustris*.

Pacific see *Troglodytes pacificus*.

Rock see *Salpinctes obsoletus*.

Sedge see *Cistothorus stellaris*.

Winter see *Troglodytes hiemalis*.

Xanthocephalus xanthocephalus 60:2; 61:2;
63:2; 65:2; 66:3, 34; 67:4; 68:3; 71:3;
73:2; 74:3.

Yellowthroat, Common see *Geothlypis*
trichas.

Yellowlegs, Greater see *Tringa*
melanoleuca.

Lesser see *Tringa flavipes*.

Zenaida asiatica 56:1; 57:2; 58:2; 59:1;
60:3; 61:3; 62:3; 64:25-32; 66:6; 68:4;
69:3; 70:4; 71:4; 72:4; 73:4; 74:4; 75:8.

Z. macroura 60:3; 61:3; 62:3; 64:26,
29-30; 67:34; 75:5, 8.

Zonotrichia albicollis 57:2; 64:39.

Z. atricapilla 56:2; 58:1; 59:2, 27; 68:2.

Z. querula 56:3; 57:3; 58:3; 59:2-3; 60:4;
61:3-4; 62:3-4; 63:5-6; 64:4; 65:4-5;
66:7, 9; 67:7, 9; 68:7, 9; 69:4-5; 70:4-5;
71:4-5; 72:5; 73:5-6; 74:4-5; 75:5, 8-9.

Species of Concern see the following:

American Black Duck; Bald Eagle;
Black-billed Magpie; Brewer's
Blackbird; Buff-breasted Sandpiper;
Ferruginous Hawk; Golden Eagle;
Greater Prairie-Chicken; Lesser
Prairie-Chicken; Loggerhead Shrike;
Long-billed Curlew; Northern
Bobwhite; Northern Harrier;
Northern Shrike; Scaled Quail;
Sprague's Pipit; Swallow-tailed Kite;
Trumpeter Swan; and Wild Turkey.

Kansas Bird Records Committee

The Kansas Bird Records Committee (KBRC) reviews records of rare bird sightings in the state. This committee of the KOS is composed of seven 4-yr term members, two alternates, and a secretary. A list of the current KBRC members can be found here: <https://www.ksbirds.org/kos/kbrcmemb.htm>; feel free to contact any of the members if you have questions about the committee or its activities. Procedural Rules for the function of this committee have been formulated and approved by the KOS Board. In addition, the secretary of the committee has prepared a Review List (<https://www.ksbirds.org/KBRC/kbrcrvulist.html>), a list of species which, if sighted, should be reported to the KBRC. Please consult this list if you think you have seen a rare bird in the state of Kansas. If you want to report Mute Swan sightings, please go here: <https://ksbirds.org/MuteSwan/MuteSwanReport.html>.

You can submit your report electronically, if your web browser is capable of reading forms (<https://ksbirds.org/kos/KBRCreports.html>). If not, or if you just like to submit records the old-fashioned way (paper and pencil), then we have also provided some options for printing out a form (see the aforementioned web page).

A downloadable and printable Rare Bird Report form (see aforementioned web page), and a downloadable and printable KOS Checklist are also available in PDF and other formats here: https://www.ksbirds.org/checklist/checklist_index.htm. An excellent HTML document, "How to write convincing details," including instructions on taking field notes and making sketches, is available from Mike Patterson here: <http://www.pacifier.com/~mpatters/details/details.html>. If you have had a report "rejected" and are feeling "dejected" about it, you NEED to read this article.

The KBRC reports, listing bird records accepted by the committee and those rejected by the committee, are also available. Currently we have reports from 1991 to 2024 as published in the *KOS Bulletin* or available here: https://ksbirds.org/kos/kos_kbrc.htm. If you have questions about the activities of the Kansas Bird Records Committee, contact Chuck Otte (cotte@twinvally.net) the secretary of the Kansas Bird Records Committee, or Max Thompson (maxt@cox.net), the chair of the committee.

Manuscripts Needed and Instructions to Authors

The *Kansas Ornithological Society Bulletin* is the official peer-reviewed journal of the Society, which is published quarterly. The *KOS Bulletin* is devoted to the field study of birds in Kansas, although other suitable materials can be published. Featured Articles, and short notes of scientific or general interest are solicited; potential authors are encouraged to submit any materials that contribute to the understanding of birds in Kansas, including details for documentation of unusual or rare species. The following guidelines should be followed if you wish to submit manuscripts.

1) Authors should review recent issues of the *Bulletin* as a guide to style and format for manuscripts (<https://www.ksbirds.org/kos/bulletin/Bulletin.htm>). Most Featured Articles should be assembled in this order: title page, abstract, text (Introduction, Methods, Results, Discussion, Acknowledgments, and Literature Cited), tables, figure legends, and figures. Manuscripts should be double-spaced throughout (including the title page, tables, and figure legends); use the same font (12 point, prefer Times New Roman) throughout the manuscript. Margins should be at least 2.5 cm (1 inch) on all sides of the page.

2) Authors are asked to submit one word processing file (preferably MS Word [.DOC], but others may be accepted) with the text, tables, and figure captions via e-mail to the editor. Each figure should be submitted as a separate graphics file (a dpi of 300 is preferred minimum) as a .tiff or .jpg format. Manuscripts can be sent to the editor as hard copies via normal surface mail; however, the authors must provide three copies of all materials for review. Color images are acceptable, and efforts will be made to include color, but the editor may choose to use black-and-white.

3) Please include affiliations of the authors, authors' names, and e-mail addresses of authors (if you want them to be copied on the status of the manuscript). You may suggest up to two possible reviewers, and provide their names, affiliations, and e-mail addresses. Depending on the scope of the article, one to three (anonymous) reviewers may review a manuscript. Reviewer comments will be forwarded to the authors electronically. Authors will be provided with a time-line for returning the manuscript and when publication may take place.

4) For photographs or drawings a copyright notice with the photographers or artist's name and year may be included in the cutline.

Any questions or submissions can be sent to the editor:

Eugene A. Young, Editor--KOS Bulletin, Northern Oklahoma College, 1220 E. Grand, PO Box 310, Tonkawa, OK 74653-0310, e-mail: Eugene.Young@noc.edu, Phone: 580-628-6482, Fax: 580-628-6209.

KANSAS ORNITHOLOGICAL SOCIETY OFFICERS 2024-2025

President: Kurtis Meier (kurtis.meier@ks.gov)

Vice-President: Alice Boyle (aboyle@ksu.edu)

Corresponding Secretary: Chuck Otte (cotte@twinvalley.net)

Membership Development Coordinator: Jeff Calhoun (jeffcalhoun11@gmail.com)

Treasurer: Max Thompson (maxt@cox.net)

Board of Directors (all terms expire in October of respective year)

Joseph Miller (josephlowellmiller@gmail.com) – 2025

Mark Nolen (nolen.mark@gmail.com) – 2025

Kevin Groeneweg (kgroeneweg1616@gmail.com) – 2026

Lucas DeCicco (lhdecicco@gmail.com) – 2026

Business Manager: Malcolm Gold (malcolmgold@gmail.com)

Editor of KOS Bulletin: Eugene A. Young (eugene.young@noc.edu)

Editor of Horned Lark: Trish Remley (grasslandgardens@gmail.com)

Past-President: Jenn Rader (jennrader34@gmail.com)

KOS Webpage: <http://ksbirds.org/kos/KOSindex.html>